DEPTH/FISH FINDERS, GPS SYSTEMS, RADARS, MAPS & ACCESSORIES

Airmar 68
Angler's Pal 159
Big Jon 68
Dual 69
Faria 69
Garmin 69-90
Humminbird 90-137
Johnny Ray 160
Lowrance 138-152
Navionics 153,154
Norcross 154
RAM 161-163
Raymarine 154-158
Ritchie 163
Simrad 159
Uniden 159

Order numbers that are bolded and italicized represent new items for the year

Prices in this catalog are subject to change without notice. We are not responsible for errors in printing as a result of typing/proofing or misinformation of products supplied by manufacturers. We are not responsible for manufacturers' specifications that have changed since the publication date of this catalog. Only the warranties supplied by the manufacturers of the products listed are offered. Some products in this catalog are dangerous. We do not assume any liability for damage, injury or death which may result from the misuse of any of the products contained herein. The ultimate user or consumer should follow safe practices and carefully review all instructional material.

DEPTH FINDERS/FISH FINDERS, GPS SYSTEMS & ACCESSORIES

AIRMAR® TECHNOLOGY CORPORATION
Sensing Technology

AIRMAR® B60 THRU-HULL, TILTED ELEMENT TRANSDUCER

•Engineered for center-console & trailered boats •Depth & temperature •Low profile protrusion below the hull - no affect on your boats running performance •Boat size: Up to 25' •Usable shaft length: 2.70" •Max. depth range: 50kHz - 800' to 1200'; 200kHz - 400' to 700' •RMS power: 600 W •Frequency 50/200 kHz •Cone: 50 kHz - 45º; 200kHz - 12º

Order #	Mfg. #	Fits	Sugg.Ret.
20º TILT TRANSDUCER			
5027280	B60-20-6G	Garmin (6-pin connector)	$235.99
12º TILT TRANSDUCER			
5027281	B60-12-6G	Garmin (6-pin connector)	235.99

AIRMAR® P66 TRANSOM MOUNT TRIDUCER® MULTISENSOR

•Lake & inshore all-around saltwater fishing for small to mid-size outboard boats •RMS power: 600 W •The 50 kHz & 200 kHz, oversized, ceramic element produces focused beams, highlighting detail in the water column & in the bottom structure •Incorporates a patented noise-suppression system •Depth, speed, & temperature(*) in one housing •Plastic kick-up bracket rotates up to protect the housing if struck from the front •Accommodates transom angles between 2° & 20° •Recessed waterflow channel protects paddlewheel •Transducer can be removed from bracket without the use of tools for easy service and storage •Boat size: Up to 40' •**NOTE:** (*) Depth & Temperature ONLY if purchased for Humminbird®

Order #	Mfg. #	Fits	Sugg.Ret.
5027058	P66-BL	Lowrance	$200.99
5027061	P66-DST6G	Garmin (6-pin connector)	173.99
5027064	P66-DST8G	Garmin (8-pin connector)	173.99
DEPTH & TEMPERATURE ONLY			
5027067	P66-DTHB	Humminbird	202.99

AIRMAR® P79 IN-HULL MOUNT TRANSDUCER - DEPTH ONLY

•Lake & inshore all-around saltwater fishing for small to mid-size outboard boats •RMS power: 600 W. 50/200 kHz •Easily adjusts to hull deadrise angles up to 22º •This ensures that the beam is vertically oriented to receive echos, resulting in accurate depth readings •Unlike traditional "puck" type transducers, the P79 consists of a base that is bonded to the hull & filled w/liquid •Separate transducer then attaches to the base with a twist lock •The sound waves travel more efficiently through the liquid, giving the best possible performance •No holes to drill •Depth only •Recommended for solid fiberglass hulls •Epoxies to aluminum hulls under 0.125" thick •Recommended for planing-hull power boats, trailered boats, rigid inflatable boats (RIBS), & racing sailboats •No hull protrusions •Boat size: Up to 25'

Order #	Mfg. #	Fits	Sugg.Ret.
5027059	P79-BL	Lowrance	$183.99
5027062	P79-6G	Garmin (6-pin connector)	183.99
5027065	P79-8G	Garmin (8-pin connector)	183.99
5027068	P79-HB	Humminbird	183.99

AIRMAR® P319 THRU-HULL LOW-PROFILE TRANSDUCER

•Depth only •For planing hull powerboats or sailboats •RMS power: 600 W. 50/200 kHz, dual-frequency, single-ceramic element in a low-profile housing •Good target detail in shallow-water at 200 kHz & good deep-water bottom tracking at 50 kHz •The nearly-flush design minimizes drag w/only 3/16" extending outside of the hull •Right angle cable exit offers low headroom and protection when transducer is stepped on •Included rubber washer allows tightening of the hull nut to irregular hull surfaces •Housings are ABYC H-27 compliant •Boat size: 25' & up

Order #	Mfg. #	Fits	Sugg.Ret.
5027057	P319-DT-BL	Lowrance	$204.99
5027060	P319-DT-6G	Garmin (6-pin connector)	213.99
5027063	P319-DT-8G	Garmin (8-pin connector)	213.99
5027066	P319-DT-HB	Humminbird	213.99

CONNECTOR DESIGNATOR CHART

BL : Lowrance: HDS-5x, HDS-5, HDS-7, HDS-8, HDS-10, HD, LCX-17m, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X100C, X102C, X105C DF, X107C DF, X125, X126DF, X135, X136DF, X510C, X515C DF, X52, X59DF, BSM-1

6G: Garmin: GSD20, GSD21, GSD22, GSD24, 100, 100 Blue, 135, 160C, 160 Blue, 168S, 178, 178C, 182C, 185, 188C, 235, 238, 240, 240 Blue, 250, 250C, 292, 298, 300C, 320C, 340C, 392, 398, 400C, 420S, 421S, 430S, 431S, 440S, 441S, 450S, 451S, 492, 498, 500C, 520S, 521S, 525S, 526S, 530S, 531S, 535S, 536S, 540S, 541S, 545S, 546S, 550C, 550S, 551S, 555S, 556S, 720S, 740S, 3005, 3006, 3010C, 3205, 3206, 3210, 4008, 4012, 4208, 4212

8G: Garmin: GSD24

HB: Humminbird: 858c, 898c SI, 917c, 931c, 957c, 958c, 967c, 997c, 998c SI, 1157c, 1158c, 1197c, 1198c SI, (Not for 967 3D)

BIG JON® SPORTS

NEW

BIG JON® THE KNUCKLE™ MULTI-AXIS ELECTRONICS BASE

•Secure mounting base for fish finder, chart plotter radio & other electrical accessories •Both vertical & horizontal axis can be adjusted w/ just one hand •Black anodized finish

Order #	Mfg. #	Sugg.Ret.
5504874	EM00369	$119.99

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

DUAL®
XGPS150A UNIVERSAL BLUETOOTH GPS RECEIVER

•Supports both NMEA & Apple protocols •High sensitivity WAAS GPS receiver works w/most apps that require GPS •65 channel SkyTraq GPS chipset •Wirelessly connects to devices via Bluetooth - iPads (all models), iPod Touch, iPhone & Bluetooth enabled Smartphones, Tablets & Laptops (Android, Blackberry, Windows & OSX devices) •Bluetooth range: 33' •Rechargeable battery lasts up to 8.5 hrs. •USB charging via included USB cable •Non-slip dashboard pad •Adjustable strap to attach to arm or a backpack •Small & light: 2.25" square, 0.75" deep & weights only 1.8 oz. •Includes 12-28V adapter

Order #	Mfg. #	Sugg.Ret.
5027382	XGPS150A	$99.99

FARIA®
TRANSOM MOUNTED DEPTH TRANSDUCER

•Low profile unit offers little drag and easy installation for dead rise angles up to 30° •Designed with a release bracket to protect against impact damage •Provides good high speed operations up to 55 knots

Order #	Mfg. #	Sugg.Ret.
5102415	SN0011	$59.99

TRANSOM MOUNTED

IN HULL

WITH AMBIENT AIR TEMP./WATER TEMP.

FARIA®
DEPTH SOUNDER

•Depth range to 199' •Reads depth in meters, fathoms, and feet •Oversized backlit display •Keel Off-set, Shallow, and Deep Water alarms •Audio and visual alarms •Styles to match other Faria® instruments & gauges

Order #	Mfg. #	Style	Sugg.Ret.
TRANSOM MOUNTED TRANSDUCER			
5024989	12850	Euro	$105.99
5024993	13750	Chesapeake Black SS	105.99
5024996	13850	Chesapeake White SS	105.99
IN HULL TRANSDUCER			
5024990	12851	Euro	122.99
5024997	13851	Chesapeake White SS	122.99
WITH AMBIENT AIR TEMP./WATER TEMPERATURE			
5024995	13752	Chesapeake Black SS	153.99
5024998	13852	Chesapeake White SS	153.99

NEW

GARMIN®
echo™ 101 FISHFINDER

•Fishfinder w/HD-ID™ tracking technology •4.0" diagonal 8-level gray-scale FTSN display (160 x 256 pixels) •Advanced HD-ID™ sonar technology •Dual-beam transducer w/transom mount & trolling motor mount •Transmit Power: 200W (RMS)/1600W (peak to peak) •Voltage Range: 10V - 20V input •Max. Depth: 1500 ft. @ 200kHz (freshwater) •Beam Width: 60° •Ultrascroll® (displays fish targets at higher boat speeds) •Fish Symbol ID (helps identify fish targets) •AutoGain Technology (minimizes clutter, maximizes targets) •Whiteline (indicates hard or soft bottom) •Water temperature sensor •Audible alarms •Waterproof (IPX7) •Includes power cable, tilt/swivel quick-release mount, & documentation •Dimensions: 4.1" x 5.8" x 2.8" •Wt.: 9.5 oz.

Order #	Mfg. #	Sugg.Ret.
5027607	010-01257-00	$99.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5027041	010-10249-20	Dual Beam Transducer	$69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027001	010-11681-00	Flush Mount Kit	8.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027043	010-11677-00	Quick Release Mount	11.99

GARMIN®
ECHO™ 150 FISHFINDER PORTABLE BUNDLE

•Perfect for anglers who go from boat to boat, or who fish from small vessels, kayaks, canoes, docks or even through the ice •Bundle includes an echo 150 w/ dual beam (200/77 kHz) transducer •Soft-sided carrying case w/rugged support arm & base holds and protects the echo 150 fishfinder, & includes a sealed AGM rechargeable battery w/smart charger, built-in transducer cable management and storage, suction cup transducer mount & float •Depth to 1500'

Order #	Mfg. #	Sugg.Ret.
5027303	010-00951-20	$170.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5027041	010-10249-20	Dual Beam Transducer	$69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	$71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027001	010-11681-00	Flush Mount Kit	8.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027043	010-11677-00	Quick Release Mount	11.99

GARMIN®

NEW

GARMIN®
echo™ 151 FISHFINDER

•Fishfinder w/HD-ID™ tracking technology •4.0" diagonal 8-level grayscale FTSN display (160 x 256 pixels) •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •Advanced HD-ID™ sonar technology •Dual-beam transducer w/transom mount & trolling motor mount •Transmit Power: 200W (RMS)/1600W (peak to peak) •Voltage Range: 10V - 20V input •Max. Depth: 1600 ft. @ 77kHz (freshwater) •Cone Angle: 60° or 120° (dual beam) •Ultrascroll® (displays fish targets at higher boat speeds) •Fish Symbol ID (helps identify fish targets) •AutoGain Technology (minimizes clutter, maximizes targets) •Whiteline (indicates hard or soft bottom) •Water temperature sensor •Audible alarms •Waterproof (IPX7) •Includes power cable, tilt/swivel quick-release mount, & documentation •Dimensions: 4.1" x 5.8" x 2.8" •Wt.: 9.5 oz. •**NOTE: *Portable Bundle*** includes suction cup transducer mount, portable bag, base/handle, foam float, rechargeable battery, & AC charger

Order #	Mfg. #		Sugg.Ret.
5027608	010-01258-00		$119.99
INCLUDES PORTABLE BUNDLE			
5027609	010-01258-10		179.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
ACCESSORIES			
5027041	010-10249-20	Dual Beam Transducer	$69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027001	010-11681-00	Flush Mount Kit	8.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027043	010-11677-00	Quick Release Mount	11.99

NEW

GARMIN®
echo™ 151dv FISHFINDER

•Fishfinder w/Garmin DownVü™ scanning sonar & HD-ID™ tracking technology •4.0" diagonal 8-level grayscale FTSN display (160 x 256 pixels) •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •4-pin all-in-one transducer delivers both advanced HD-ID™ 77/200 kHz sonar & DownVü™ scanning sonar •Transmit Power: 200W (RMS)/1600W (peak to peak) •Voltage Range: 10V - 20V input •Max. Depth: 1600 ft. @ 77kHz (freshwater) •Ultrascroll® (displays fish targets at higher boat speeds) •Fish Symbol ID (helps identify fish targets) •AutoGain Technology (minimizes clutter, maximizes targets) •Whiteline (indicates hard or soft bottom) •Water temperature sensor •Audible alarms •Waterproof (IPX7) •Includes power cable, tilt/swivel quick-release mount, & documentation •Dimensions: 4.1" x 5.8" x 2.8" •Wt.: 9.5 oz. •**NOTE: *Trolling Motor Mount (4/8-Pin)**** low-profile design easily attaches compatible 4/8-pin scanning transducers to trolling motors & provides protection from underwater obstructions; ***Jack Plate Mount**** easily attaches compatible 4/8/12-pin scanning transducer to jack plate for excellent sonar returns at low speeds & protects transducer from underwater obstructions w/no boat drag, while allowing angle adjustment of the transducer so it is parallel w/water surface the, plus the sonar will not track bottom when boat is on plane

Order #	Mfg. #		Sugg.Ret.
5027603	010-01253-00		$169.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
ACCESSORIES			
5027041	010-10249-20	Dual Beam Transducer	$69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027001	010-11681-00	Flush Mount Kit	8.99
5027595	010-12105-00	Transom Mount	19.99
5027593	010-12106-10	Jack Plate Mount*	19.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027043	010-11677-00	Quick Release Mount	11.99

GARMIN®
echo™ 201 FISHFINDER

•Fishfinder w/HD-ID™ tracking technology & sonar history rewind •5.0" diagonal 16-level grayscale HVGA display (320 x 480 pixels) •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •Advanced HD-ID™ sonar technology •Transmit Power: 300W (RMS)/2400W (peak to peak) •Voltage Range: 10V - 28V input •Max. Depth: 1750 ft. @ 77kHz (freshwater) •Cone Angle: 60° or 120° (dual beam) •Split-screen zoom •Ultrascroll® (displays fish targets at higher boat speeds) •Fish Symbol ID (helps identify fish targets) •AutoGain Technology (minimizes clutter, maximizes targets) •Whiteline (indicates hard or soft bottom) •Adjustable depth line (measures depth of underwater objects) •A-Scope (real time display of fish passing through transducer beam) •Bottom lock (shows return from the bottom up) •Water temperature log & graph •Water temperature sensor •Water speed capable (displays speed on water) •Audible alarms •Waterproof (IPX7) •Includes power cable, tilt/swivel quick-release mount, & documentation •Dimensions: 6.0" x 5.9" x 1.8" •Wt.: 17.6 oz.

Order #	Mfg. #	Description	Sugg.Ret.
5027611	010-01259-01	No Transducer	$159.99
5027610	010-01259-00	Dual-Beam Transducer w/Transom Mount & Trolling Motor Mount	179.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	$29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027002	010-11682-00	Flush Mount Kit	10.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99

GARMIN®

NEW

GARMIN®
echo™ 201dv FISHFINDER

•Fishfinder w/Garmin DownVü™ scanning sonar & HD-ID™ tracking technology •5.0" diagonal 16-level grayscale FTSN display (320 x 480 pixels) •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •4-pin all-in-one transducer delivers both advanced HD-ID™ 77/200 kHz sonar & DownVü™ scanning sonar & includes transom & low-profile trolling motor mounting kits •Transmit Power: 300W (RMS)/2400W (peak to peak) •Voltage Range: 10V - 28V input •Max. Depth: 1750 ft. @ 77kHz (freshwater) •Split-screen zoom •Ultrascroll® (displays fish targets at higher boat speeds) •Fish Symbol ID (helps identify fish targets) •AutoGain Technology (minimizes clutter, maximizes targets) •Whiteline (indicates hard or soft bottom) •Adjustable depth line (measures depth of underwater objects) •A-Scope (real time display of fish passing through transducer beam) •Bottom lock (shows return from the bottom up) •Water temperature sensor •Audible alarms •Waterproof (IPX7) •Includes power cable, tilt/swivel quick-release mount, & documentation •Dimensions: 6.0" x 5.9" x 1.8" •Wt.: 17.6 oz. •**NOTE: *Trolling Motor Mount (4/8-Pin)**** low-profile design easily attaches compatible 4/8-pin scanning transducers to trolling motors & provides protection from underwater obstructions; ***Jack Plate Mount**** easily attaches compatible 4/8/12-pin scanning transducer to jack plate for excellent sonar returns at low speeds & protects transducer from underwater obstructions w/no boat drag, while allowing angle adjustment of the transducer so it is parallel w/water surface the, plus the sonar will not track bottom when boat is on plane

Order #	Mfg. #		Sugg.Ret.
5027604	010-01254-00		$229.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
ACCESSORIES			
5027041	010-10249-20	Dual Beam Transducer	$69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027595	010-12105-00	Transom Mount	19.99
5027593	010-12106-10	Jack Plate Mount*	19.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99

NEW

GARMIN®
echo™ 301c FISHFINDER

•Fishfinder w/HD-ID™ tracking technology •3.5" diagonal QVGA color display (240 x 320 pixels) •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •Advanced HD-ID™ sonar technology •Transmit Power: 300W (RMS)/2400W (peak to peak) •Voltage Range: 10V - 28V input •Max. Depth: 1750 ft. @ 77kHz (freshwater) •Cone Angle: 60° or 120° (dual beam) •Split-screen zoom •Ultrascroll® (displays fish targets at higher boat speeds) •Fish Symbol ID (helps identify fish targets) •AutoGain Technology (minimizes clutter, maximizes targets) •Whiteline (indicates hard or soft bottom) •Adjustable depth line (measures depth of underwater objects) •A-Scope (real time display of fish passing through transducer beam) •Bottom lock (shows return from the bottom up) •Water temperature log & graph •Water temperature sensor •Water speed capable (displays speed on water) •Audible alarms •Waterproof (IPX7) •Includes power cable, tilt/swivel quick-release mount, & documentation •Dimensions: 4.1" x 5.8" x 2.8" •Wt.: 11.6 oz.

Order #	Mfg. #	Description	Sugg.Ret.
5027613	010-01260-01	No Transducer	$199.99
5027612	010-01260-00	Dual-Beam Transducer w/Transom Mount & Trolling Motor Mount	219.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	$29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027001	010-11681-00	Flush Mount Kit	8.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027043	010-11677-00	Quick Release Mount	11.99

NEW

GARMIN®
echo™ 301dv FISHFINDER

•Fishfinder w/Garmin DownVü™ scanning sonar & HD-ID™ tracking technology •3.5" diagonal QVGA color display (240 x 320 pixels) •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •4-pin all-in-one transducer delivers both advanced HD-ID™ 77/200 kHz sonar & DownVü™ scanning sonar & includes transom & trolling motor mounting kits •Transmit Power: 300W (RMS)/2400W (peak to peak) •Voltage Range: 10V - 28V input •Max. Depth: 1750 ft. @ 77kHz (freshwater) •Split-screen zoom •Ultrascroll® (displays fish targets at higher boat speeds) •Fish Symbol ID (helps identify fish targets) •AutoGain Technology (minimizes clutter, maximizes targets) •Whiteline (indicates hard or soft bottom) •Adjustable depth line (measures depth of underwater objects) •A-Scope (real time display of fish passing through transducer beam) •Bottom lock (shows return from the bottom up) •Water temperature sensor •Audible alarms •Waterproof (IPX7) •Includes power cable, tilt/swivel quick-release mount, & documentation •Dimensions: 4.1" x 5.8" x 2.8" •Wt.: 11.6 oz. •**NOTE: *Trolling Motor Mount (4/8-Pin)**** low-profile design easily attaches compatible 4/8-pin scanning transducers to trolling motors & provides protection from underwater obstructions; ***Jack Plate Mount**** easily attaches compatible 4/8/12-pin scanning transducer to jack plate for excellent sonar returns at low speeds & protects transducer from underwater obstructions w/no boat drag, while allowing angle adjustment of the transducer so it is parallel w/water surface the, plus the sonar will not track bottom when boat is on plane

Order #	Mfg. #		Sugg.Ret.
5027605	010-01255-00		$269.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
ACCESSORIES			
5027041	010-10249-20	Dual Beam Transducer	$69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027595	010-12105-00	Transom Mount	19.99
5027593	010-12106-10	Jack Plate Mount*	19.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027043	010-11677-00	Quick Release Mount	11.99

GARMIN®

GARMIN®
echo™ 501c FISHFINDER

•Fishfinder w/HD-ID™ tracking technology & sonar history rewind •5.0" diagonal QVGA color display (234 x 320 pixels) •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •Advanced HD-ID™ sonar technology •Transmit Power: 500W (RMS)/4000W (peak to peak) •Voltage Range: 10V - 28V input •Maximum Depth: 2300 ft. @ 77kHz (freshwater) •Cone Angle: 60° or 120° (dual beam) •Split-screen zoom •Ultrascroll® (displays fish targets at higher boat speeds) •Fish Symbol ID (helps identify fish targets) •AutoGain Technology (minimizes clutter, maximizes targets) •Whiteline (indicates hard or soft bottom) •Adjustable depth line (measures the depth of underwater objects) •A-Scope (real time display of fish passing through transducer beam) •Bottom lock (shows return from the bottom up) •Water temperature log & graph •Water temperature sensor •Water speed capable (displays speed on the water) •Audible alarms •Waterproof (IPX7) •Includes power cable, tilt/swivel quick-release mount, & documentation •Dimensions: 6.0" x 5.9" x 1.8" •Wt.: 17.6 oz.

Order #	Mfg. #	Description	Sugg.Ret.
5027615	010-01261-01	No Transducer	$229.99
5027614	010-01261-00	Dual-Beam Transducer w/Transom Mount & Trolling Motor Mount	249.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	$29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth& Temp.	89.99
5027002	010-11682-00	Flush Mount Kit	10.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99

GARMIN®
echo™ 551c FISHFINDER

•Fishfinder w/HD-ID™ tracking technology & sonar history rewind •5.0" diagonal VGA color display (480 x 640 pixels) •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •Advanced HD-ID™ sonar technology •Transmit Power: 500W (RMS)/4000W (peak to peak) •Voltage Range: 10V - 28V input •Maximum Depth: 2300 ft. @ 77kHz (freshwater) •Cone Angle: 60° or 120° (dual beam) •Split-screen zoom •Ultrascroll® (displays fish targets at higher boat speeds) •Fish Symbol ID (helps identify fish targets) •AutoGain Technology (minimizes clutter, maximizes targets) •Adjustable depth line (measures the depth of underwater objects) •A-Scope (real time display of fish passing through transducer beam) •Bottom lock (shows return from the bottom up) •Water temperature log & graph •Water temperature sensor •Water speed capable (displays speed on the water) •Audible alarms •Waterproof (IPX7) •Includes power cable, tilt/swivel quick-release mount, & documentation •Dimensions: 6.0" x 5.9" x 1.8" •Wt.: 17.6 oz.

Order #	Mfg. #	Description	Sugg.Ret.
5027617	010-01262-01	No Transducer	$349.99
5027616	010-01262-00	77/200 kHz Transducer w/ Mounting Bracket, Hardware & Trolling Motor Clamp	369.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	$29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth& Temp.	89.99
5027002	010-11682-00	Flush Mount Kit	10.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99

NEW

GARMIN®
echo™ 551dv FISHFINDER

•Fishfinder w/Garmin DownVü™ scanning sonar, HD-ID™ tracking technology & sonar history rewind •5.0" diagonal high-resolution VGA color display (480 x 640 pixels) •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •4-pin all-in-one transducer delivers both advanced HD-ID™ 77/200 kHz sonar & DownVü™ scanning sonar & includes transom & trolling motor mounting kits •Transmit Power: 500W (RMS)/4000W (peak to peak) •Voltage Range: 10V - 28V input •Max. Depth: 2300 ft. @ 77kHz (freshwater) •Split-screen zoom •Ultrascroll® (displays fish targets at higher boat speeds) •Fish Symbol ID (helps identify fish targets) •AutoGain Technology (minimizes clutter, maximizes targets) •Whiteline (indicates hard or soft bottom) •Adjustable depth line (measures depth of underwater objects) •A-Scope (real time display of fish passing through transducer beam) •Bottom lock (shows return from the bottom up) •Water temperature sensor •Audible alarms •Waterproof (IPX7) •Includes power cable, tilt/swivel quick-release mount, & documentation •Dimensions: 6.0" x 5.9" x 1.8" •Wt.: 17.6 oz. **•NOTE: *Trolling Motor Mount (4/8-Pin)**** low-profile design easily attaches compatible 4/8-pin scanning transducers to trolling motors & provides protection from underwater obstructions

Order #	Mfg. #		Sugg.Ret.
5027606	010-01256-00		$419.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	$29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth& Temp.	89.99
5027002	010-11682-00	Flush Mount Kit	10.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99

GARMIN

GARMIN®
PORTABLE echo™ KIT

•Fits any model of Garmin® echo™ fishfinder •Kit includes soft-sided carrying case w/rugged support arm & base, sealed AGM rechargeable battery w/smart charger, built-in transducer cable management & storage, suction cup transducer mount, foam float, & echo™ power cable

Order #	Mfg. #	Sugg.Ret.
5027304	010-11849-00	$129.99

NEW

GARMIN®
echoMAP™ 43dv/53dv

•Preloaded w/LakeVü HD maps covering over 17,000 lakes of which over 5,700 are HD lakes w/1-ft. contours shore to shore •Color display w/keypad control •Built-in 500 W (RMS) HD-ID sonar (4,000W peak to peak) •Built-in DownVü scanning sonar •Includes 77/200 kHz HD-ID DownVü transducer •Transom & trolling motor mount included •5 Hz Internal GPS updates position & heading 5X per second to make marking & returning accurately to waypoints easier •Tilt/swivel quick disconnect mount •microSD™ card slot makes it easy to add optional mapping •Supports optional mapping including LakeVü HD Ultra w/exclusive Garmin Auto Guidance •Supports BlueChart® g2 coastal charts •Supports BlueChart® g2 Vision™ charts w/exclusive Garmin Auto Guidance

Order #	Mfg. #	Model	Display Size	Sugg.Ret.
5027934	010-01279-00	43dv	4.3"	$299.99
5027936	010-01383-00	53dv	5.0"	499.99

NEW

GARMIN®
echoMAP™ 44dv/54dv

•Preloaded w/BlueChart g2 charts for the coastal US & Bahamas •Color display w/keypad control •Built-in 500 W (RMS) HD-ID sonar (4,000W peak to peak) •Built-in DownVü scanning sonar •Transom & trolling motor mount included •5 Hz Internal GPS updates position & heading 5X per second to make marking & returning accurately to waypoints easier •Tilt/swivel quick disconnect mount •microSD™ card slot makes it easy to add optional mapping •Supports Minn Kota® and MotorGuide® trolling motors w/integrated transducers •Supports optional mapping including BlueChart® g2 Vision™ charts w/exclusive Garmin Auto Guidance •Supports LakeVü HD Ultra w/exclusive Garmin Auto Guidance •**NOTE:** ***Model 44dv**** also supports Minn Kota® & MotorGuide® trolling motors w/integrated transducers

Order #	Mfg. #	Model	Display Size	Sugg.Ret.
INCLUDES 77/200 kHz DownVü TRANSDUCER				
5027935	010-01280-00	44dv*	4.0"	$299.99
5027937	010-01384-00	54dv	5.0"	599.99
WITHOUT TRANSDUCER				
5027938	010-01384-01	54dv	5.0"	499.99

GARMIN®
echoMAP™ 50s

•Chartplotter/fishfinder combination •Crystal clear 5" VGA display (480x640 pixels) provides clear target separation, allows visibility day & night and has a user interface that anyone can navigate •10Hz GPS/GLONASS receiver refreshes position & heading up to 10x per second •Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating •Allows for sonar recording - coordinates the timing of the sonar return in relation to the boat's position, so every one of the available 5000 waypoints will be accurate & precise (HD-ID tracking technology) •Dual microSD™ card slots •Includes worldwide basemap •Supports AIS & DSC •Audible alarms •Tide tables & sun/moon information •Dual frequency & dual beam sonar capable •Split screen zoom & sonar/GPS •UltraScroll® •See-thru® technology •AutoGain Technology •Adjustable depth line •A-scope •Bottom lock •Water temperature log & graph •Water temperature sensor •Fish Symbol ID •200/77kHz •500W (RMS)/4000W (peak to peak) •Maximum depth: 1900' fresh water/700' salt water (depth capacity is dependent on water bottom type & other water conditions) •Wi-Fi connectivity

•010-01095-00: with transom/trolling motor mount transducer

•010-01095-01: w/out transducer

•010-01096-00: with transom/trolling motor mount transducer - includes U.S. Lakes

•010-01136-00: with transom/trolling motor mount transducer - includes U.S. BlueChart g2

•010-01136-01: w/out transducer - includes U.S. BlueChart g2

Order #	Mfg. #	Sugg.Ret.
5027294	010-01095-00	$499.99
5027295	010-01095-01	449.99
5027296	010-01096-00	549.99
5027297	010-01136-00	599.99
5027298	010-01136-01	549.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	$71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12° Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20° Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027741	010-11948-00	Adapt. Cable 4-Pin Xducer to 8-Pin Sounder	16.99
5027725	010-11613-00	6-Pin Transducer to 8-Pin Sounder Adapter Wire Block	69.99

Ellett Link
The Retailers Connection
www.ellettbrothers.com

GARMIN®

NEW

GARMIN® echoMAP™ 50dv

•Fishfinder/chartplotter combo preloaded w/maps •5.0" diagonal VGA color display (480 x 640 pixels) •Built-in DownVü™ scanning sonar •Garmin 8-pin all-in-one HD-ID™ & DownVü™ transducer w/transom & trolling motor mounts •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •Internal 10Hz high-sensitivity GPS/GLONASS receiver updates your position & heading 10X per sec. to accurately mark & easily navigate 5000 waypoints & 100 routes •Sonar displays bottom lock, water temp. log & graph, & sonar recording •Sonar-recording capability saves digital info for PC playback using HomePort™ planning software •Transmit Power (Sonar): 500W (RMS) / 4000W (peak to peak) •Voltage Range (Sonar): 10-32 Vdc input •Max. Depth (Sonar): 2300 ft @ 77kHz (freshwater), 1100 ft @ 77kHz (saltwater) •Internal antenna •Waterproof (IPX7) •Accepts (2) microSD™ cards •NMEA 0183 Port Connections: (2) input & (2) output) •Wireless connectivity •Compatible w/Garmin Sonar, NMEA 0183, & BlueChart® Mobile •Supports AIS (tracks target ships position) & DSC (displays position data from DSC-capable VHF radio) •Features tide tables •Includes power/data cable, tilt/swivel mount, flush mount, protective cover & documentation •Dimensions: 5.9" x 6.1" x 2.4" •Wt.: 1.6 lbs. •**NOTE:** ***Trolling Motor Mount (4/8-Pin)**** low-profile design easily attaches compatible 4/8-pin scanning transducers to trolling motors & provides protection from underwater obstructions; ***Jack Plate Mount**** easily attaches compatible 4/8/12-pin scanning transducer to jack plate for excellent sonar returns at low speeds & protects transducer from underwater obstructions w/no boat drag, while allowing angle adjustment of the transducer so it is parallel w/water surface the, plus the sonar will not track bottom when boat is on plane

Order #	Mfg. #	Description	Sugg.Ret.
5027588	010-01099-00	Preloaded w/U.S. LakeVü™ HD Maps	$649.99
5027589	010-01300-00	Preloaded w/BlueChart® U.S. Offshore Maps	749.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5027594	010-12087-01	All-In-One HD-ID™ & DownVü™ Transducer (8-pin)	$99.99
5027595	010-12105-00	Transom Mount	19.99
5027593	010-12106-10	Jack Plate Mount*	19.99
5027741	010-11948-00	Adapt. Cable 4-Pin Xducer to 8-Pin Sounder	16.99
5027725	010-11613-00	6-Pin Transducer to 8-Pin Sounder Adapter Wire Block	69.99

GARMIN® echoMAP™ 70s

•Chartplotter/fishfinder combination •Crystal clear 7" WVGA touchscreen display (800x480 pixels) provides clear target separation, allows visibility day & night and has a user interface that anyone can navigate •Pinch to zoom feature •10Hz GPS/GLONASS receiver refreshes position & heading up to 10x per second •Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating •Allows for sonar recording - coordinates the timing of the sonar return in relation to the boat's position, so every one of the available 5000 waypoints will be accurate & precise (HD-ID tracking technology) •Dual microSD™ card slots •Includes worldwide basemap •Supports AIS & DSC •Audible alarms •Tide tables & sun/moon information •Dual frequency & dual beam sonar capable •Split screen zoom & sonar/GPS •UltraScroll® •See-thru® technology •AutoGain Technology •Adjustable depth line •A-scope •Bottom lock •Water temperature log & graph •Water temperature sensor •Fish Symbol ID •200/77kHz •500W (RMS)/4000W (peak to peak) •Maximum depth: 1900' fresh water/700' salt water (depth capacity is dependent on water bottom type & other water conditions) •Wi-Fi connectivity

•010-01104-00: with transom/trolling motor mount transducer

•010-01104-01: w/out transducer

•010-01105-00: with transom/trolling motor mount transducer - includes U.S. Lakes

•010-01137-00: w/out transducer - includes U.S. BlueChart g2

Order #	Mfg. #	Sugg.Ret.
5027299	010-01104-00	$1,049.99
5027300	010-01104-01	999.99
5027301	010-01105-00	1,099.99
5027302	010-01137-00	1,099.99

Order #	Mfg. #	Description	Sugg.Ret.
echoMAP™ 70s ACCESSORIES			
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	$71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12º Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20º Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027741	010-11948-00	Adapt. Cable 4-Pin Xducer to 8-Pin Sounder	16.99
5027725	010-11613-00	6-Pin Transducer to 8-Pin Sounder Adapter Wire Block	69.99

NEW

GARMIN® echoMAP™ 70dv

•Fishfinder/chartplotter combo preloaded w/maps •7.0" diagonal WVGA touchscreen w/pinch-to-zoom (800 x 480 pixels) •Built-in DownVü™ scanning sonar •Garmin 8-pin all-in-one HD-ID™ & DownVü™ transducer w/transom & trolling motor mounts •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •Internal 10Hz high-sensitivity GPS/GLONASS receiver updates your position & heading 10X per sec. to accurately mark & easily navigate 5000 waypoints & 100 routes •Sonar displays bottom lock, water temp. log & graph, & sonar recording •Sonar-recording capability saves digital info for PC playback using HomePort™ planning software •Transmit Power (Sonar): 500W (RMS) / 4000W (peak to peak) •Voltage Range (Sonar): 10-32 Vdc input •Max. Depth (Sonar): 2300 ft @ 77kHz (freshwater), 1100 ft @ 77kHz (saltwater) •Internal antenna •Waterproof (IPX7) •Accepts (2) microSD™ cards •Port Connections: (2) input & (2) output for NMEA 0183; (1) for Garmin Marine Network™ •Wireless connectivity •Compatible w/Garmin Sonar, NMEA 0183, Garmin Marine Network™ (limited capabilities), & BlueChart® Mobile •Supports AIS (tracks target ships position) & DSC (displays position data from DSC-capable VHF radio) •Features tide tables •Includes power/data cable, bail mount, flush mount, protective cover & documentation •Dimensions: 9.0" x 5.6" x 2.4" •Wt.: 2.0 lbs. •**NOTES:** Supports SideVü™ scanning w/CHIRP sonar technology (requires GCV™ 10, sold separately); ***Trolling Motor Mount (4/8-Pin)**** low-profile design easily attaches compatible 4/8-pin scanning transducers to trolling motors & provides protection from underwater obstructions; ***Jack Plate Mount**** easily attaches compatible 4/8/12-pin scanning transducer to jack plate for excellent sonar returns at low speeds & protects transducer from underwater obstructions w/no boat drag, while allowing angle adjustment of the transducer so it is parallel w/water surface the, plus the sonar will not track bottom when boat is on plane

Order #	Mfg. #	Description	Sugg.Ret.
5027590	010-01130-00	Preloaded w/U.S. LakeVü™ HD Maps	$1,149.99
5027591	010-01301-00	Preloaded w/BlueChart® U.S. Offshore Maps	1,249.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5027594	010-12087-01	All-In-One HD-ID™ & DownVü™ Transducer (8-pin)	99.99
5027595	010-12105-00	Transom Mount	19.99
5027593	010-12106-10	Jack Plate Mount*	19.99
5027741	010-11948-00	Adapt. Cable 4-Pin Xducer to 8-Pin Sounder	16.99
5027725	010-11613-00	6-Pin Transducer to 8-Pin Sounder Adapter Wire Block	69.99

GARMIN®

NEW

GARMIN® echoMAP™ 73dv/73sv

•Preloaded w/LakeVü™ HD maps covering over 17,000 lakes of which over 5,700 are HD lakes w/1-ft. contours shore to shore •Color display w/keypad control •Built-in 500 W (RMS) HD-ID sonar (4,000W peak to peak) •Includes 77/200 kHz HD-ID transducer •Transom & trolling motor mount included •5 Hz Internal GPS updates position & heading 5X per second to make marking & returning accurately to waypoints easier •Tilt/swivel quick disconnect mount •microSD™ card slot makes it easy to add optional mapping •Supports optional mapping including LakeVü HD Ultra w/exclusive Garmin Auto Guidance •Supports BlueChart® g2 Vision™ charts w/exclusive Garmin Auto Guidance •**NOTE: *Model 73sv**** also supports Minn Kota® & MotorGuide® trolling motors w/integrated transducers

Order #	Mfg. #	Model	Display Size	Sugg.Ret.
BUILT-IN DownVü SCANNING SONAR				
INCLUDES 77/200 kHz DownVü TRANSDUCER				
5027939	010-01421-00	73dv	7.0"	$699.99
BUILT-IN DownVü & SideVü SCANNING SONAR				
INCLUDES 77/200 kHz DownVü/SideVü TRANSDUCER				
5027940	010-01387-00	73sv*	7.0"	699.99

NEW

GARMIN® echoMAP™ 74sv

•Preloaded w/BlueChart g2 charts for the coastal US & Bahamas •Color display w/keypad control •Built-in DownVü & SideVü scanning sonar •Built-in 500 W (RMS) HD-ID sonar (4,000W peak to peak) •Transom & trolling motor mount included •5 Hz Internal GPS updates position & heading 5X per second to make marking & returning accurately to waypoints easier •Tilt/swivel quick disconnect mount •microSD™ card slot makes it easy to add optional mapping •Supports optional mapping including BlueChart® g2 Vision™ charts w/exclusive Garmin Auto Guidance •Supports LakeVü HD Ultra w/exclusive Garmin Auto Guidance •**NOTES: *Models without transducers***, purchase compatible Garmin or Airmar non-CHIRP transducers separately; ***Models that include Transducers*** also support Minn Kota® & MotorGuide® trolling motors w/integrated transducers

Order #	Mfg. #	Model	Display Size	Sugg.Ret.
INCLUDES 50/200 kHz HD-ID DownVü/SideVü TRANSDUCER				
5027941	010-01388-00	74sv	7.0"	$1,099.99
WITHOUT TRANSDUCER				
5027942	010-01388-01	74sv	7.0"	849.99

NEW

GARMIN® echoMAP™ 93sv/94sv

•Preloaded w/maps or charts •Color display w/keypad control •Built-in DownVü & SideVü scanning sonar •Built-in 500 W (RMS) HD-ID sonar (4,000W peak to peak) •Transom & trolling motor mount included •5 Hz Internal GPS updates position & heading 5X per second to make marking & returning accurately to waypoints easier •Tilt/swivel quick disconnect mount •microSD™ card slot makes it easy to add optional mapping •**NOTES: *Models without transducers***, purchase compatible Garmin or Airmar non-CHIRP transducers separately; ***Models 93sv* & 94sv**** also support Minn Kota® & MotorGuide® trolling motors w/integrated transducers; ***Models preloaded w/LakeVü™ HD maps*** support optional mapping including BlueChart® g2 Vision™ charts w/exclusive Garmin Auto Guidance plus LakeVü HD Ultra w/exclusive Garmin Auto Guidance; ***Models preloaded w/BlueChart g2 charts*** support optional mapping including BlueChart® g2 Vision™ charts w/exclusive Garmin Auto Guidance plus LakeVü HD Ultra w/exclusive Garmin Auto Guidance

Order #	Mfg. #	Model	Display Size	Sugg.Ret.
LakeVü™ HD MAPS				
INCLUDES 77/200 kHz HD-ID DownVü/SideVü TRANSDUCER				
5027943	010-01391-00	93sv*	9.0"	$1,199.99
BlueChart g2 CHARTS (COASTAL US & BAHAMAS)				
INCLUDES 50/200 kHz HD-ID DownVü/SideVü TRANSDUCER				
5027944	010-01392-00	94sv*	9.0"	1,299.99
WITHOUT TRANSDUCER				
5027945	010-01392-01	94sv	9.0"	1,049.99

GARMIN® GPSMAP® 526s

•Brilliant, crisp 5'' diagonal VGA display, 480x640 pixels – over 800 nits of brightness •NMEA 2000 certified for seamless integration w/Garmin® marine lineup •Preloaded worldwide marine basemap •Compatible w/GXM™ 51 for XM Satellite Radio & XM WX Satellite Weather •Built-in high-sensitivity GPS receiver •High-speed processor for fast screen redraws & smooth panning •Streamlined user interface makes it simple to select modes & features •Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes & tracks to a SD card •Optional BlueChart® g2 Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View & 3-D Fish Eye View •Backlit keypad for easy operation in low light conditions •Auto-dimming display •**GPSMAP® 526s:** Same features as listed above •Power output: 1000 watts (RMS) 8000 watts (peak to peak), 1kW xdcr/500 watts (RMS) 4000 watts (peak to peak), dual frequency xdcr •Depth: 2,000 feet/600 meters (dual freq., 1kW xdcr), 1,500 ft (dual freq., 500 kW xdcr) •Choose dual frequency transducers of 50kHz (45°), 200kHz (10°) or 50kHz (19°), 200kHz (6°) for maximum saltwater performance •Patented transom/trolling mount transducer •UltraScroll® high rep rate sonar provides lightning-fast screen updates •AutoGain technology enhances target visibility •See-Thru® technology: shows weak & strong returns simultaneously •Water temperature log graphically records water temp data •A-scope •Whiteline •Adjustable depth line helps gauge desired fishing levels & bottom clearance •Split zoom display offers a closer look at fish targets & bottom structure •2X, 4X & bottomlock zoom •Adjustable keel offset •Alarms for fish size, shallow water, deep water & low battery

Order #	Mfg. #	Description	Sugg.Ret.
5025951	010-00772-02	GPSMAP® 526s w/o Ducer	$739.99

GARMIN® GPSMAP® 527 & 527xs

•Easy visibility day or night w/large 5" diagonal VGA display, 480x640 pixels •User friendly interface •Built-in worldwide basemap •Super-fast 10Hz GPS/GLONASS receiver refreshes position & heading up to 10x per second •Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating •Dual microSD™ card slots •5000 waypoints, 100 routes, & track log has 50,000 points; 50 saved tracks •Supports AIS & DSC •Audible alarms •Tide table & sun/moon information •Wi-Fi connectivity •HD-ID tracking technology •Waterproof to IPX7 standards •Bluetooth® wireless technology •**GPSMAP® 527xs:** Same features as listed above •Dual frequency/dual beam sonar capable •Split screen zoom •Split screen sonar/GPS •UltraScroll® displays fish targets at higher boat speeds •See-thru® technology •AutoGain Technology •Whiteline •Adjustable depth line •A-scope •Bottom lock •Water temperature log & graph •Water temperature sensor included •Fish Symbol ID •Max depth: 2000' salt water (depth capacity is dependent on water bottom type & other water conditions)

Order #	Mfg. #	Description	Sugg.Ret.
5027284	010-01092-00	GPSMAP® 527	$649.99
5027285	010-01092-01	GPSMAP® 527xs w/Ducer	749.99
5027286	010-01092-02	GPSMAP® 527xs w/out Ducer	689.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5027594	010-12106-10	All-In-One HD-ID™ & DownVü™ Transducer (8-pin)	$19.99
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	299.99

continued next page

GARMIN®
GPSMAP® 527 & 527xs

continued from previous page

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5027417	010-11939-21	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	1,149.99
5027418	010-11939-22	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	1,149.99
5027422	010-11636-20	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 0º Tilt	799.99
5027423	010-11636-21	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	799.99
5027424	010-11636-22	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	799.99
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer w/Depth/Speed/Temp	160.99
5027363	010-11928-20	TM150M Plastic Tran. Mt. Trnsd. w/Depth & Temp.	299.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	82.99
5027725	010-11613-00	6-Pin Transducer to 8-Pin Sounder Adapter Wire Block	69.99

GARMIN®
GPSMAP® 546

•Brilliant, crisp 5" diagonal VGA display, 480x640 pixels – over 800 nits of brightness •NMEA 2000 certified for seamless integration with the Garmin® marine lineup •Preloaded worldwide marine basemap •Compatible with GXM 51 for XM Satellite Radio and XM WX Satellite Weather •Built-in high-sensitivity GPS receiver •High-speed processor for fast screen redraws and smooth panning •Streamlined user interface makes it simple to select modes and features •Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card •Adding optional BlueChart® g2 Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View and 3-D Fish Eye View •Backlit keypad for easy operation in low light conditions •Auto-dimming display

Order #	Mfg. #	Description	Sugg.Ret.
5025934	010-00774-00	GPSMAP® 546	$749.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	$299.99
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer w/Depth/Speed/Temp	160.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	82.99
5027725	010-11613-00	6-Pin Transducer to 8-Pin Sounder Adapter Wire Block	69.99

GARMIN®
GPSMAP® 547 & 547xs

•Easy visibility day or night w/large 5" diagonal VGA display, 480x640 pixels •User friendly interface •Built-in worldwide basemap •Preloaded U.S. Lakes and U.S. BlueChart g2 •Super-fast 10Hz GPS/GLONASS receiver refreshes position & heading up to 10x per second •Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating •Dual microSD™ card slots •5000 waypoints, 100 routes, & track log has 50,000 points; 50 saved tracks •Supports AIS & DSC •Audible alarms •Tide table & sun/moon information •Wi-Fi connectivity •HD-ID tracking technology •Sonar recording •Waterproof to IPX7 standards •Bluetooth® wireless technology **•GPSMAP® 547xs:** Same features as listed above •Dual frequency/dual beam sonar capable •Split screen zoom •Split screen sonar/GPS •UltraScroll® displays fish targets at higher boat speeds •See-thru® technology •AutoGain Technology •Whiteline •Adjustable depth line •A-scope •Bottom lock •Water temperature log & graph •Water temperature sensor included •Fish Symbol ID •Max depth: 2000' salt water (depth capacity is dependent on water bottom type & other water conditions)

Order #	Mfg. #	Description	Sugg.Ret.
5027287	010-01093-00	GPSMAP® 547	$749.99
5027288	010-01093-01	GPSMAP® 547xs w/Ducer	849.99
5027289	010-01093-02	GPSMAP® 547xs w/out Ducer	789.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5027594	010-12087-01	All-In-One HD-ID™ & DownVü™ Transducer (8-pin)	$99.99
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	299.99
5027417	010-11939-21	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	1,149.99
5027418	010-11939-22	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	1,149.99
5027422	010-11636-20	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 0º Tilt	799.99
5027423	010-11636-21	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	799.99
5027424	010-11636-22	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	799.99
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer w/Depth/Speed/Temp	160.99
5027363	010-11928-20	TM150M Plastic Tran. Mt. Trnsd. w/Depth & Temp.	299.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	82.99
5027725	010-11613-00	6-Pin Transducer to 8-Pin Sounder Adapter Wire Block	69.99

NEW

GARMIN®
GPSMAP® 721 & 721xs

•Easy visibility day or night w/large 7" diagonal, multi-touch touchscreen WVGA display, 800x480 pixels •User friendly interface •Built-in worldwide basemap •Super-fast 10Hz GPS/GLONASS receiver refreshes position & heading up to 10x per second •Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating •Dual microSD™ card slots •5000 waypoints, 100 routes, & track log has 50,000 points; 50 saved tracks •Supports AIS & DSC •Audible alarms •Tide table & sun/moon information •Wi-Fi connectivity •HD-ID tracking technology •Sonar recording •Waterproof to IPX7 standards •Bluetooth® wireless technology **•GPSMAP® 721xs:** Same features as listed above •Dual frequency/dual beam sonar capable •Split screen zoom •Split screen sonar/GPS •UltraScroll® displays fish targets at higher boat speeds •See-thru® technology •AutoGain Technology •Whiteline •Adjustable depth line •A-scope •Bottom lock •Water temperature log & graph •Water temperature sensor included •Fish Symbol ID •Max depth: 2000' salt water (depth capacity is dependent on water bottom type & other water conditions)

Order #	Mfg. #	Description	Sugg.Ret.
5027290	010-01101-00	GPSMAP® 721	$1,499.99
5027291	010-01101-01	GPSMAP® 721xs w/out Ducer	1,599.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5027594	010-12087-01	All-In-One HD-ID™ & DownVü™ Transducer (8-pin)	$99.99
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	299.99
5027417	010-11939-21	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	1,149.99
5027418	010-11939-22	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	1,149.99
5027422	010-11636-20	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 0º Tilt	799.99
5027423	010-11636-21	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 12º Tilt	799.99
5027424	010-11636-22	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 20º Tilt	799.99
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer w/Depth/Speed/Temp	160.99
5027363	010-11928-20	TM150M Plastic Tran. Mt. Trnsd. w/Depth & Temp.	299.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	82.99
5027725	010-11613-00	6-Pin Transducer to 8-Pin Sounder Adapter Wire Block	69.99

GARMIN®

GARMIN®
GPSMAP® 741 & 741xs

•Easy visibility day or night w/large 7" diagonal, multi-touch touchscreen WVGA display, 800x480 pixels •User friendly interface •Built-in worldwide basemap •Preloaded U.S. Lakes and U.S. BlueChart g2 •Super-fast 10Hz GPS/GLONASS receiver refreshes position & heading up to 10x per second •Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating •Dual microSD™ card slots •5000 waypoints, 100 routes, & track log has 50,000 points; 50 saved tracks •Supports AIS & DSC •Audible alarms •Tide table & sun/moon information •Wi-Fi connectivity •HD-ID tracking technology •Sonar recording •Waterproof to IPX7 standards •Bluetooth® wireless technology **•GPSMAP® 741xs:** Same features as listed above •Dual frequency/dual beam sonar capable •Split screen zoom •Split screen sonar/GPS •UltraScroll® displays fish targets at higher boat speeds •See-thru® technology •AutoGain Technology •Whiteline •Adjustable depth line •A-scope •Bottom lock •Water temperature log & graph •Water temperature sensor included •Fish Symbol ID •Max depth: 2000' salt water (depth capacity is dependent on water bottom type & other water conditions)

Order #	Mfg. #	Description	Sugg.Ret.
5027292	010-01102-00	GPSMAP® 741	$1,599.99
5027293	010-01102-01	GPSMAP® 741xs w/out Ducer	1,499.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
ACCESSORIES			
5027594	010-12087-01	All-In-One HD-ID™ & DownVü™ Transducer (8-pin)	$99.99
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	299.99
5027417	010-11939-21	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	1,149.99
5027418	010-11939-22	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	1,149.99
5027422	010-11636-20	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 0° Tilt	799.99
5027423	010-11636-21	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	799.99
5027424	010-11636-22	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	799.99
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer w/Depth/Speed/Temp	160.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	82.99
5027363	010-11928-20	TM150M Plastic Tran. Mt. Trnsd. w/Depth & Temp.	299.99
5027725	010-11613-00	6-Pin Transducer to 8-Pin Sounder Adapter Wire Block	69.99

NEW

GARMIN®
GPSMAP® 840xs

•Keyed chartplotter/sonar combo preloaded w/both U.S. LakeVü™ HD & BlueChart® g2 U.S. offshore maps for cruising, sailing or fishing •8.0" diagonal SVGA color dispaly (800 x 600 pixels) •Built-in Garmin HD-ID™ 1kW sonar, CHIRP & DownVü™ scanning sonar w/CHIRP technology •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •Internal high-sensitivity 10Hz GPS/GLONASS receiver updates your position & heading 10X per sec. to accurately mark & easily navigate up to 5000 waypoints & 100 routes •Supports all Garmin marine radar •Sonar displays bottom lock, water temp. log & graph, & sonar recording •Transmit Power (Sonar): 1 kW traditional; 600W CHIRP •Voltage Range (Sonar): 10-32 Vdc input •Internal antenna w/external connection •Waterproof (IPX7) •Accepts (2) SD™ cards •Supported sailing features include laylines, enhanced wind rose, heading & course-over-ground lines, & true wind data fields •Supports AIS (tracks target ships position) & DSC (displays position data from DSC-capable VHF radio) •Features tide tables •Wireless connectivity •Port Connections: (2) input & (2) output for NMEA 0183; (1) for Garmin Marine Network™ •Compatible w/Garmin Radar, GCV™ 10 Sonar, NMEA 2000®, NMEA 0183, Garmin Marine Network™ (limited capabilities), BlueChart® Mobile, Garmin Helm, & SiriusXM™ weather & radio •Includes power/data cable, bail mount, flush mount, protective cover & documentation •Dimensions: 11.5" x 7.4" x 2.9" •Wt.: 3.5 lbs. **•NOTES** (Optional Accessories Sold Separately)**: *GCV™ 10 Black Box Sonar Module**** provides for both DownVü™ & SideVü™ scanning sonar w/CHIRP technology to display crystal-clear sonar images detailing fishing hot spots, ship wreckage or diving location; ***Flat Mount Kit**** gives GPSMAP® 820/820xs/840xs units flat-mount option; ***Step Mount**** easily attaches compatible 4/8/12-pin transducer to boat step for excellent sonar returns at low speeds & protects transducer from underwater obstructions w/no boat drag, plus the sonar will not track bottom when boat is on plane; ***Trolling Motor Mount (4/8-Pin)**** low-profile design easily attaches compatible 4/8-pin scanning transducers to trolling motors & provides protection from underwater obstructions; ***Jack Plate Mount**** easily attaches compatible 4/8/12-pin scanning transducer to jack plate for excellent sonar returns at low speeds & protects transducer from underwater obstructions w/no boat drag, while allowing angle adjustment of the transducer so it is parallel w/water surface, plus the sonar will not track bottom when boat is on plane

Order #	Mfg. #	Description	Sugg.Ret.
5027598	010-01181-01	No Transducer	$1,499.99
5027597	010-01181-00	Includes 8-pin all-in-one 77/200 kHz HD-ID™/DownVü™ Transducer w/Transom & Trolling Motor Mounts	1,599.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
ACCESSORIES			
5027601	010-12131-00	Flat Mount Kit*	$89.99
5027595	010-12105-00	Transom Mount	19.99
5027592	010-12106-00	Step Mount*	19.99
5027593	010-12106-10	Jack Plate Mount*	19.99
5027587	010-01156-00	GCV™ 10 Black Box Sonar Module*	599.99
5027594	010-12087-01	All-In-One HD-ID™ & DownVü™ Transducer (8-pin)	99.99
5027725	010-11613-00	6-Pin Transducer to 8-Pin Sounder Adapter Wire Block	69.99

Ellett.Link
The Retailers Connection
www.ellettbrothers.com
1-800-845-3711

GARMIN®

NEW

GARMIN® GPSMAP® 1040xs

•Keyed chartplotter/sonar combo preloaded w/both U.S. LakeVü™ HD & BlueChart® g2 U.S. offshore maps for cruising, sailing or fishing •10.4" diagonal SVGA color dispaly (800 x 600 pixels) •Built-in Garmin HD-ID™ 1kW sonar, CHIRP & DownVü™ scanning sonar w/CHIRP technology •Dual-frequency (50/200 kHz) & Dual-beam (77/200 kHz) sonar capable •Internal high-sensitivity 10Hz GPS/GLONASS receiver updates your position & heading 10X per sec. to accurately mark & easily navigate up to 5000 waypoints & 100 routes •Supports all Garmin marine radar •Sonar displays bottom lock, water temp. log & graph, & sonar recording •Transmit Power (Sonar): 1 kW traditional; 600W CHIRP •Voltage Range (Sonar): 10-32 Vdc input •Internal antenna w/external connection •Waterproof (IPX7) •Accepts (2) SD™ cards •Supported sailing features include laylines, enhanced wind rose, heading & course-over-ground lines, & true wind data fields •Supports AIS (tracks target ships position) & DSC (displays position data from DSC-capable VHF radio) •Features tide tables •Wireless connectivity •Port Connections: (2) input & (2) output for NMEA 0183; (1) for Garmin Marine Network™ •Compatible w/Garmin Radar, GCV™ 10 Sonar, NMEA 2000®, NMEA 0183, Garmin Marine Network™ (limited capabilities), BlueChart® Mobile, Garmin Helm, & SiriusXM™ weather & radio •Includes power/data cable, bail mount, flush mount, protective cover & documentation •Dimensions: 14.1" x 9.3" x 2.9" •Wt.: 4.7 lbs. •**NOTES** (Optional Accessories Sold Separately)**: *GCV™ 10 Black Box Sonar Module**** provides for both DownVü™ & SideVü™ scanning sonar w/CHIRP technology to display crystal-clear sonar images detailing fishing hot spots, ship wreckage or diving location; ***Flat Mount Kit**** gives GPSMAP® 1020/1020xs/1040xs units flat-mount option; ***Step Mount**** easily attaches compatible 4/8/12-pin transducer to boat step for excellent sonar returns at low speeds & protects transducer from underwater obstructions w/no boat drag, plus the sonar will not track bottom when boat is on plane; ***Trolling Motor Mount (4/8-Pin)**** low-profile design easily attaches compatible 4/8-pin scanning transducers to trolling motors & provides protection from underwater obstructions; ***Jack Plate Mount**** easily attaches compatible 4/8/12-pin scanning transducer to jack plate for excellent sonar returns at low speeds & protects transducer from underwater obstructions w/no boat drag, while allowing angle adjustment of the transducer so it is parallel w/water surface, plus the sonar will not track bottom when boat is on plane

Order #	Mfg. #	Description	Sugg.Ret.
5027600	010-01184-01	No Transducer	$1,999.99
5027599	010-01184-00	Includes 8-pin all-in-one 77/200 kHz HD-ID™/DownVü™ Transducer w/Transom & Trolling Motor Mounts	2,099.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
ACCESSORIES			
5027602	010-12132-00	Flat Mount Kit*	$89.99
5027595	010-12105-00	Transom Mount	19.99
5027592	010-12106-00	Step Mount*	19.99
5027593	010-12106-10	Jack Plate Mount*	19.99
5027587	010-01156-00	GCV™ 10 Black Box Sonar Module*	599.99
5027594	010-12087-01	All-In-One HD-ID™ & DownVü™ Transducer (8-pin)	99.99
5027725	010-11613-00	6-Pin Transducer to 8-Pin Sounder Adapter Wire Block	69.99

GARMIN® GPSMAP® 4210

•Includes GPS 17x NMEA 2000 - high sensitivity, WAAS-enabled, 12 parallel channel GPS sensor •Streamlined user interface offers easy selection of functions and features •Preloaded worldwide satellite imagery •Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card which can be shared w/others •Backlit keypad •Alphanumeric keypad for easy data entry •Supports optional wireless remote control •Auto-dimming display •3 built-in network ports for connection to Garmin® radar, GSD 22 sounder, or another MFD •Compatible w/all Garmin® Marine Network peripherals •2 video inputs for onboard cameras - supports PAL & NTSC video signals •1 SVGA PC monitor video output •4 NMEA 0183 inputs and 2 NMEA 0183 outputs - supports both AIS & DSC •One NMEA 2000 port. Alarms for anchor drag, arrival, off-course, proximity waypoint, clock, low battery voltage and GPS accuracy •Waterproof: IPX7 - submersible •Power down backup of settings: customer settings are not lost when the unit is turned off •Dimensions: 13.4"Wx8.9"Hx4.2"D •**GPSMAP® 4210:** Flush-mountable case design •Preloaded worldwide satellite imagery & BlueChart® g2 marine cartography of the coastal US including Alaska, Hawaii & the Bahamas •Preloaded w/ Explorer charts covering the Bahamas •Will support optional GDL 30/30A XM WX receiver

Order #	Mfg. #	Description	Sugg.Ret.
5025544	010-00690-01	GPSMAP® 4210	$2,299.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
ACCESSORIES			
5024388	010-00351-00	GMS 10 Netwk Port Expander	$268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

GARMIN® GPSMAP® 5208

•Features an unprecedented touchscreen interface, along with preloaded BlueChart® g2 maps of the U.S. coast & a screen that makes navigation as easy as pointing your finger •By connecting to the Garmin Marine Network, you can add sonar, radar & weather •For even more advanced features, you can add the optional BlueChart® g2 Vision card •Features highly-detailed BlueChart® g2 marine cartography of the coastal United States, including Alaska, Hawaii & the Bahamas •For other areas, the unit has a worldwide basemap with high-quality satellite images in place of more traditional maps •With the SD card slot, you can add additional maps without having to connect to a computer •Large screen displays crisp, high-resolution graphics so you can easily see where you're going •To keep tabs on your engine room or other area of your boat, you can also connect a live video feed with the video input/output options •The unit connects easily to the high-speed Garmin Marine Network, so you can interface with additional MFDs & add remote sensors •Once connected, you can share information between the unit & other chartplotters on your boat •You can also add high-powered radar, sonar, & XM satellite weather & radio to your system
•**GPSMAP® 5208:** 6.7"Wx5"H - 8.4" diagonal

Order #	Mfg. #	Description	Sugg.Ret.
5025254	010-00593-01	GPSMAP® 5208	$2,989.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
ACCESSORIES			
5024388	010-00351-00	GMS 10 Netwk Port Expander	$268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

GARMIN®

GARMIN®
GPSMAP® 6208 & 6212

•G Motion™ technology gives you blazing-fast map redraw & refresh rates, so you'll have near real-time data to guide you •Connects to your network providing system integration so you can interface w/additional MFDs & add remote sensors •Interfaces w/radar, sonar & other sensors •Preloaded BlueChart® g2 coastal U.S. maps •Easily add maps using the SD™ card slot w/out having to connect to a computer •Keep tabs on your engine room or other areas of your boat when you connect a live video feed with the video input & output options •Choose a range of brightness options — from sunlight-readable to low-light conditions •Fusion® audio system integration •Access iPod®/iPhone® menus; browse playlists, artists & songs •Control audio sources for SiriusXM, DVD, iPod/iPhone, Aux, USB and AM/FM •4 NMEA 0183 inputs and 2 NMEA 0183 outputs; 2 video inputs for onboard cameras, 1 PC monitor video output - supports both AIS & DSC •Supports NMEA 2000 •Waterproof: IPX7 - submersible
•GPSMAP® 6208: VGA display. Unit dim.: 11.5"x7.4"x5.9"
•GPSMAP® 6212: XGA display. Unit dim.: 15"x9.9"x5.9"

Order #	Mfg. #	Description	Sugg.Ret.
5027406	010-00750-01	GPSMAP® 6208	$2,499.99
5027405	010-00751-01	GPSMAP® 6212	2,999.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
5024388	010-00351-00	GMS 10 Network Port Expander	$268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

GARMIN®
GPSMAP® 7212 & 7215

•Integrated touchscreen XGA display •G Motion™ technology gives you blazing-fast map redraw & refresh rates, so you'll have near real-time data to guide you •Interfaces w/radar, sonar & other sensors •Preloaded BlueChart® g2 coastal U.S. maps •Easily add maps using the SD™ card slot w/out having to connect to a computer •Keep tabs on your engine room or other areas of your boat when you connect a live video feed with the video input & output options •Choose a range of brightness options — from sunlight-readable to low-light conditions •Fusion® audio system integration •Access iPod®/iPhone® menus; browse playlists, artists & songs •Control audio sources for SiriusXM, DVD, iPod/iPhone, Aux, USB and AM/FM •4 NMEA 0183 inputs and 2 NMEA 0183 outputs; 2 video inputs for onboard cameras, 1 PC monitor video output - supports both AIS & DSC •Supports NMEA 2000 •Waterproof: IPX7 - submersible
•GPSMAP® 7212: Unit dim.: 13.3"x9.9"x5.8"
•GPSMAP® 7215: Unit dim.: 15.5"x11.8"x5.9"

Order #	Mfg. #	Style	Sugg.Ret.
5027404	010-00749-01	GPSMAP® 7212	$2,999.99
5027269	010-00748-01	GPSMAP® 7215	5,999.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5024388	010-00351-00	GMS 10 Network Port Expander	$268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

NEW

GARMIN®
GPSMAP® 76xx SERIES

•High-performance, high-resolution multi-touch display •Preloaded w/ BlueChart® g2 charts for the Coastal US & Bahamas plus LakeVü™ HD maps covering over 17,000 lakes of which over 5,700 are HD lakes w/1-ft. contours shore to shore •Internal 10 Hz GPS updates position & heading 10X per second •Fully network capable for Garmin Marine Network & NMEA 2000 •Supports NMEA 0183 •Supports radar, autopilot, instruments, multiple screens, FusionLink, sensors, black box sonar, digital switching, thermal cameras, GRID & more •Support for premium GSD black box sonar & GCV scanning sonar module •Advanced sailing & sail racing features •Built-in Wi-Fi®/ANT for use w/Garmin Helm™, BlueChart® Mobile & VIRB action camera streaming & control •Bail Mount included •FLIR® thermal camera support •IP Camera support •Video Input: (1) composite video •(2) Ethernet ports •Media integration- FusionLink •(2) microSD™ card slots •Supports optional mapping including BlueChart® g2 Vision™ charts w/exclusive Garmin Auto Guidance plus LakeVü HD & LakeVü HD Ultra w/exclusive Garmin Auto Guidance •Supports user data sharing **•NOTES: *Model 7607xsv*/7608xsv*/7610xsv*/7612xsv**** includes built-in 1kW true dual CHIRP sonar solution (8,000W peak to peak), built-in CHIRP SideVü & DownVü scanning sonar, built-in HD-ID sonar, & integrated sonar capabilities for simultaneous sharing of all internal sonar; Transducers sold separately

Order #	Mfg. #	Model	Display Size	Sugg.Ret.
5027946	010-01379-01	7607	7.0"	$1,499.99
5027948	010-01305-01	7608	8.0"	1,999.99
5027950	010-01306-01	7610	10.0"	2,499.99
5027952	010-01307-01	7612	12.0"	3,499.99
INCLUDES BUILT-IN FEATURES				
5027947	010-01379-03	7607xsv*	7.0"	1,699.99
5027949	010-01305-03	7608xsv*	8.0"	2,199.99
5027951	010-01306-03	7610xsv*	10.0"	2,699.99
5027953	010-01307-03	7612xsv*	12.0"	3,999.99

GARMIN®
GPSMAP® 8000 SERIES MFD

•Fully integrated multi-touch MFD •Bright touchscreen display w/ pinch to zoom & other multi-touch controls •Anti-glare & LED backlighting •Auto-dimming provides outstanding visibility at night •Switch all monitors in sync to a custom preset mode w/SmartMode™ •Integrates sonar technologies, autopilot, connectivity, apps, engine data & more • External GPS19x smart antenna w/10 Hz GPS/ GLONASS receiver updates position & heading 10 times per second •Low-profile flush mount or smooth flat mount •Includes BlueChart® g2 U.S. coastal maps •4 NMEA 0183 inputs and 2 NMEA 0183 outputs - supports both AIS & DSC •Supports NMEA 2000 •Waterproof: IPX7 - submersible
•GPSMAP® 8208: SVGA display. Unit dim.: 10-9/16"x7-5/8"x4-9/16"
•GPSMAP® 8212: XGA display. Unit dim.: 13.1"x9.7"x3.8"
•GPSMAP® 8215: XGA display. Unit dim.: 15-7/8"x12-1/6"x3-11/16"'

Order #	Mfg. #	Style	Sugg.Ret.
5027400	010-01016-01	GPSMAP® 8208	$4,199.99
5027401	010-01017-01	GPSMAP® 8212	4,999.99
5027397	010-01018-01	GPSMAP® 8215	6,999.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5024388	010-00351-00	GMS 10 Network Port Expander	$268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

GARMIN®

GARMIN® GPSMAP® 78/78S/78SC

•Handheld, marine-friendly GPSMAP® 78 navigator comes standard w/2.6" LCD sunlight-readable color display that supports BirdsEye™ Satellite imagery (subscription required) & Custom Maps •Floatable, rugged & waterproof design •Features built-in basemap, built-in microSD card slot, high-sensitivity WAAS-enabled GPS receiver w/HotFix® & dedicated MOB (Man Over Board) button •1.7GB of onboard memory for downloading Garmin's wide array of detailed maps •Supports (paperless) geocaching GPX files for downloading geocaches & details straight to your unit •Includes GPSMAP® unit, wrist strap, USB cable, & quick start manual •Wt.: 7.7 ounces •Power source: 2 - AA batteries (not included; NiMH or lithium recommended) •Battery life: 20 hours •Dimensions: 2.6"Wx6.0"Hx1.2"D. •**NOTE: GPSMAP® 78S** includes standard features w/addition of 3-axis tilt-compensated electronic compass, barometric altimeter, high speed USB interface & the ability to wirelessly share routes, tracks, waypoints, & geocaching between wcompatible units •**GPSMAP® 78SC** includes standard features w/addition of preloaded BlueChart® g2 coastal charts and a worldwide basemap w/ imagery, 3-axis tilt-compensated electronic compass, barometric altimeter, high speed USB interface, & the ability to wirelessly share routes, tracks, waypoints, & geocaching between w/compatible units

Order #	Mfg. #	Model	Sugg.Ret.
5026194	010-00864-00	GPSMAP® 78	$249.99
5026195	010-00864-01	GPSMAP® 78S	349.99
5026196	010-00864-02	GPSMAP® 78SC	349.99

GARMIN® GPS 72H™

•Lightweight, waterproof handheld GPS that floats •Features high-sensitivity GPS w/large greyscale LCD display for simple operation & rock-solid performance •Acquires satellites quickly & tracks your location in challenging conditions •IPX7 waterpoof rating •Save up to 500 favorite locations in memory to point you in the right direction (No street or terrain maps) •NMEA 0183 compatible •Transfer data to the device by connecting to computers via USB •Includes built-in celestial data, including sunrise/sunset times & hunting/fishing calendar •Powered by (2) AA batteries (not included) •Battery life: 18 hours •Wt.: 7.7 ounces •Dimensions: 2.7"x6.2"x1.2" •Includes wrist strap, owner's manual on disk & quick start manual

Order #	Mfg. #		Sugg.Ret.
5026581	010-00840-01		$149.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5022468	010-10300-00	Marine Mount	$39.99
5001511	010-10085-00	Vehicle Power Cable	26.99
5024880	010-10165-00	PC Interface w/Vehicle Power Cable	44.99

GARMIN® MONTANA™ 650t

•Uses map data to display your "full track view" so you know what you're up against •Logs everything (waypoints, tracks, caches, etc.) on your calendar so you can review (or brag) about your accomplishments later •Changes to "night mode" automatically so your eyes stay focused even when the sun goes down •Includes a QWERTY keyboard so you can find what you need and take notes faster •Helps you keep your bearings straight by letting you to lock your screen to keep it from shifting directions (portrait to landscape or vice versa) •Includes a 5 MP camera; each photo automatically is geotagged with the location of where it was taken •Includes TOPO U.S. 100K maps as well as other mapping options such as TOPO 24K, BlueChart® g2, BirdsEye Satellite Imagery and Custom Maps •Shares waypoints, tracks, routes and geocaches wirelessly with other compatible Garmin GPS users •Locates your position quickly & precisely and maintains it even in heavy cover and deep canyons •Includes a built-in 3-axis tilt-compensated electronic compass and barometric altimeter •Features a one-of-a-kind dual battery system; you can use the rechargeable lithium-ion pack or traditional AA batteries. Supports geocaching GPX files for downloading geocaches and details straight to your unit •Waterproof to IPX7 standards

Order #	Mfg. #		Sugg.Ret.
5026812	010-00924-02		$599.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026815	010-10851-11	Power Cable	$27.99

GARMIN® eTREX® 10

•Retains the core functionality, rugged construction, affordability & long battery life that made eTrex the most dependable GPS device available •Enhanced 2.2'' monochrome display is easy to read in any lighting situation •Durable & waterproof •Supports geocaching GPX files for downloading geocaches & details straight to your unit •Stores & displays key information, including location, terrain, difficulty, hints and descriptions, which means no more manually entering coordinates •High-sensitivity, WAAS-enabled GPS receiver & HotFix® satellite prediction, locates your position quickly & precisely and maintains its GPS location even in heavy cover & deep canyons •First-ever consumer-grade receiver that can track both GPS & GLONASS satellites simultaneously •GLONASS is a system developed by the Russian Federation that will be fully operational in 2012 •When using GLONASS satellites, the time it takes for the receiver to "lock on" to a position is (on average) approximately 20% faster than using GPS •And when using both GPS and GLONASS, the receiver has the ability to lock on to 24 more satellites than using GPS alone •Uses 2 AA batteries (not included). Waterproof to IPX7 standards

Order #	Mfg. #		Sugg.Ret.
5026807	010-00970-00		$119.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026815	010-10851-11	Vehicle Power Cable	$27.99
5026817	010-11343-00	Recharg. NiMH Battery Kit	24.99
5026894	010-11602-00	Auto Friction Mount	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN® eTREX® 20

•Redesigned ergonomics, an easier-to-use interface, paperless geocaching & expanded mapping capabilities add up to serious improvements •Enhanced 2.2'' 65K color, sunlight readable display •Lets you load TOPO 24K maps and hit the trail, plug in BlueChart®g2 preloaded cards for a day on the water or City Navigator NT® map data for turn-by-turn routing on roads •Also supports BirdsEye™ Satellite Imagery (subscription required), that lets you download satellite images to your device and integrate them with your maps •High-sensitivity, WAAS-enabled GPS receiver & HotFix® satellite prediction, locates your position quickly & precisely and maintains its GPS location even in heavy cover & deep canyons •First-ever consumer-grade receiver that can track both GPS & GLONASS satellites simultaneously •GLONASS is a system developed by the Russian Federation that will be fully operational in 2012 •When using GLONASS satellites, the time it takes for the receiver to "lock on" to a position is (on average) approximately 20% faster than using GPS •And when using both GPS and GLONASS, the receiver has the ability to lock on to 24 more satellites than using GPS alone •Supports geocaching GPX files for downloading geocaches and details straight to your unit •Uses 2 AA batteries (not included) •Waterproof to IPX7 standards

Order #	Mfg. #		Sugg.Ret.
5026808	010-00970-10		$199.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026815	010-10851-11	Vehicle Power Cable	$27.99
5026817	010-11343-00	Recharg. NiMH Battery Kit	24.99
5026894	010-11602-00	Auto Friction Mount	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN®

GARMIN® eTREX® 30

•Enhanced ergonomics, an improved interface, paperless geocaching & expanded mapping capabilities add up to serious improvements •Enhanced 2.2'' 65K color, sunlight readable display •Built-in 3-axis tilt-compensated electronic compass •Barometric altimiter •Lets you load TOPO 24K maps and hit the trail, plug in BlueChart® g2 preloaded cards for a day on the water or City Navigator NT® map data for turn-by-turn routing on roads •Also supports BirdsEye™ Satellite Imagery (subscription required), that lets you download satellite images to your device and integrate them with your maps •High-sensitivity, WAAS-enabled GPS receiver & HotFix® satellite prediction, locates your position quickly & precisely and maintains its GPS location even in heavy cover & deep canyons •First-ever consumer-grade receiver that can track both GPS & GLONASS satellites simultaneously •GLONASS is a system developed by the Russian Federation that will be fully operational in 2012 •When using GLONASS satellites, the time it takes for the receiver to "lock on" to a position is (on average) approximately 20% faster than using GPS •And when using both GPS and GLONASS, the receiver has the ability to lock on to 24 more satellites than using GPS alone •Supports geocaching GPX files for downloading geocaches and details straight to your unit •Lets you share your waypoints, tracks, routes and geocaches wirelessly with other compatible Garmin GPS devices •Uses 2 AA batteries (not included) •Waterproof to IPX7 standards

Order #	Mfg. #		Sugg.Ret.
5026809	010-00970-20		$299.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026815	010-10851-11	Power Cable	$27.99
5026817	010-11343-00	Recharg. NiMH Battery Kit	24.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN® RINO® 530HCx

•WAAS enabled, 12 parallel-channel GPS receiver •Transmit power using FRS frequency is 0.5 watt for range of up to 2 miles •Transmit power using GMRS frequency is 5 watts for range of up to 14 miles •Channels: 7 FRS, 15 GMRS, & 8 GMRS repeater •Receives on 7 NOAA weather channels & detects weather alert tones •Electronic compass & barometric sensor w/automatic pressure trend recording •Display: 256-color transflective TFT •Waterproof: IEC 60529 IPX7 standards •38 sub-audible squelch codes per transmission channel for semi-private radio communications •10 call & ring tones, 4 roger tones •Vibration mode •Send & receive short text notes •External temperature reporting •Calendar: shows best hunting & fishing times, plus clock, stopwatch & alarm functions •Trip computer w/speed tracking, sunrise/sunset read out, trip timer & trip distance •Storage of up to 500 waypoints, w/graphic identification, & 50 reversible routes •Robust track log: 10,000 trackpoints & up to 20 saved tracks to retrace user's path or companion's path via location-reporting feature •Expandable memory only •High-sensitivity GPS receiver •MicroSD card slot

Order #	Mfg. #	Model	Sugg.Ret.
5025482	010-00564-01	Rino® 530HCx	$535.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5002502	010-10117-02	Black Nylon carry Case	$14.99

GARMIN® RINO® 610

•Rugged, waterproof •1-watt FRS/GMRS radio & a 2.6'' glove-friendly color touchscreen GPS •Uses HotFix® and a high sensitivity receiver & quad helix antenna to acquire satellites •Offers an improved base map with Digital Elevation Model •Offers improved mapping support w/access to TOPO U.S. 24K, BirdsEye Satellite Imagery, Garmin® Custom Maps & more (sold separately) •Uses a universally accepted GPX file format to store your data & allow compatbility with your computer •Offers a 2.6" glove-friendly color touchscreen •Allows you to send unit-to-unit text messages to other Rino users via radio signals •Track 2,000 points of information per contact •Track manager makes it easy for you to maintain and review who you've been tracking •Rino® time stamps and records the notes you receive from contacts for later review, or forwarding •High speed USB & NMEA 0183 compatible •22 channels •Squelch codes: 38 (CTCSS); 83 (DCS) •Range up to 2 miles over FRS; up to 5 miles GMRS

Order #	Mfg. #		Sugg.Ret.
5026804	010-00928-00		$349.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026894	010-11602-00	Auto Friction Mount	$44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN® RINO® 650

•Rugged, waterproof •5-watt FRS/GMRS radio & a 2.6'' glove-friendly color touchscreen GPS •Uses HotFix® and a high sensitivity receiver & quad helix antenna to acquire satellites •Offers an improved base map with Digital Elevation Model •Offers improved mapping support w/access to TOPO U.S. 24K, BirdsEye Satellite Imagery, Garmin® Custom Maps, City Navigator NT®, BlueChart® g2 & more (sold separately) •Uses a universally accepted GPX file format to store your data & allow compatbility with your computer •Offers a 2.6" glove-friendly color touchscreen, barometric altimeter & 3-axis electronic compass •Allows you to send unit-to-unit text messages to other Rino users via radio signals as well as share your waypoints, tracks, routes & geocaches wirelessly •Track 2,000 points of information per contact •Track manager makes it easy for you to maintain and review who you've been tracking •Rino time stamps and records the notes you receive from contacts for later review, or forwarding •Built-in NOAA weather radio •Radio supports Specific Area Message Encoding, which allows you to see National Weather Service warnings & watches displayed county-by-county on the map screen •High speed USB & NMEA 0183 compatible •22 channels. Squelch codes: 38 (CTCSS); 83 (DCS). Range up to 2 miles over FRS; up to 20 miles over GMRS

Order #	Mfg. #		Sugg.Ret.
5026805	010-00928-01		$499.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026894	010-11602-00	Auto Friction Mount	$44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN®

GARMIN® RINO® 655t

•5-watt FRS/GMRS radio & a 2.6'' glove-friendly color touchscreen GPS, preloaded TOPO 100K maps, barometric altimeter, 3-axis compass, NOAA weather radio & 5 MP camera •Uses HotFix® and a high sensitivity receiver & quad helix antenna to acquire satellites •Offers an improved base map with Digital Elevation Model •Offers improved mapping support w/access to TOPO U.S. 24K, BirdsEye Satellite Imagery, Garmin® Custom Maps, City Navigator NT®, BlueChart® g2 & more (sold separately) •Uses a universally accepted GPX file format to store your data & allow compatbility with your computer •Offers a 2.6" glove-friendly color touchscreen, barometric altimeter, 3-axis electronic compass & 5 MP autofocus camera, which automatically geotags photos •Allows you to send unit-to-unit text messages to other Rino users via radio signals as well as share your waypoints, tracks, routes & geocaches wirelessly •Track 2,000 points of information per contact •Track manager makes it easy for you to maintain and review who you've been tracking •Rino time stamps and records the notes you receive from contacts for later review, or forwarding •Built-in NOAA weather radio •Radio supports Specific Area Message Encoding, which allows you to see National Weather Service warnings & watches displayed county-by-county on the map screen •High speed USB & NMEA 0183 compatible •22 channels. Squelch codes: 38 (CTCSS); 83 (DCS). Range up to 2 miles over FRS; up to 20 miles over GMRS

Order #	Mfg. #		Sugg.Ret.
5026806	010-00928-02		$599.99
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5026894	010-11602-00	Auto Friction Mount	$44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

NEW

GARMIN® GCV™ 10 BLACK BOX SONAR MODULE

•Features 12-pin DownVü/SideVü transducer w/fast response temp. sensor & (3) network ports for advanced networking for multiple units •Provides both DownVü™ & SideVü™ w/CHIRP scanning sonar technology for high-frequency, ultra-clear sonar picture of objects, structure & fish •Waterproof (IPX7) •Temperature Range: 5°F to 158°F •Power Input: 10-35 V •Power Usage: 10.5 W max. •Fuse: 4.0 A •Compass Safe Distance: 10.2" •Sounder Power: apx. 500 W rms •Frequency: 455/800 kHz (dependent on transducer) •Depth: DownVü: 750 ft.; SideVü: apx. 500 ft. •Data Output: Garmin Marine Network •Includes right-angle power cable (20 ft.), right-angle network cable (6 ft), right-angle transducer adapter cable, transom transducer mount, mounting hardware, & documentation •Dimensions: 9.9" x 7.6" x 2.6" •Wt.: 1.86 lbs. •**Compatible Garmin® Devices:** *echoMAP™ 70dv & 70s, & GPSMAP® 1020xs, 1040xs, 721, 721xs, 741, 741xs, 820xs & 840xs*

Order #	Mfg. #		Sugg.Ret.
5027587	010-01156-00		$599.99
Order #	**Mfg. #**	**Description**	**Sugg.Ret.**
GCV™ 10 ACCESSORIES			
5027593	010-12106-10	Jack Plate Mount*	$19.99

GARMIN® GSD 22

•Powerful remote sounder that plugs directly into Garmin® Marine Network for use w/network chartplotters - or into the Garmin® CANet™ for use w/292/392/492 series chartplotters •Ultrascroll™ technology keeps the display scrolling at live-action speeds, while unit's digital design & up to 2kW of transmit power (depending on transducer used) provide extraordinary target definition & deep water performance •Transmit power & receiver gain automatically adjust to produce shallow water performance •Dual frequency (200/50 kHz) & works w/everything from standard 500W transom mount transducer to heavy-duty 2kW thru-hull or in-hull transducers •Reaches depths to 5,000 feet •**Note:** Does not include transducer

Order #	Mfg. #	Sugg.Ret.
5024876	010-00397-00	$449.99

GARMIN® GSD 24

•Features a vastly improved digital sonar design for superior target definition & deep-water performance •With up to 2,000 Watts of transmit power & a high-dynamic range receiver, the unit brings high-definition imaging to your compatible Garmin® chartplotter •The system is dual frequency (50/200 kHz) capable & offers selectable transmit power (600 W, 1 kW and 2 kW, depending on transducer) for pin-point accuracy at depths of up to 5,000' •Once connected, your sonar data will be shared on any compatible chartplotter on the network •Plus, the network's high-speed connections ensure that you get ultra-fast screen updates with minimal delay

Order #	Mfg. #	Sugg.Ret.
5026987	010-00957-00	$699.99

GARMIN® GSD 26

•For serious deep-sea sportfishing, the GSD 26 takes high-definition targeting to a whole new level •With a compatible transducer, the unit's Spread Spectrum technology scans on multiple frequencies at one time, returning vast amounts of data to the receiver •As a result, you can expect precise, shallow-water-like target separation at much greater depths – up to 10,000 ft (3,000 m) •A traditional fixed frequency mode allows you to manually adjust frequencies from 25 kHz to 210 kHz for enhanced targeting of specific fish species •You can also adjust transmit power from 300 W to 3 kW (depending on transducer) for even more control over your sonar returns •Dual-transceiver design allows for simultaneous & independent transducer operation •You have complete control over the data you see on your compatible Garmin® chartplotter, which easily connects to the GSD 26 over the Garmin® Marine Network

Order #	Mfg. #	Sugg.Ret.
5026988	010-00958-00	$1,999.99

GARMIN®

NEW

GARMIN®
PRO 70 TRAINING SYSTEM

•Classic, rugged, tube-shaped design is water-resistant & easy to operate •Train up to (6) dogs at the same time (additional dog devices required) •Up to 1 mile range •Top-mounted selection dial of handheld transmitter provides for (6) levels of stimulation & tone setting for intuitive, 1-handed operation •Remote-operated LED beacon lights on dog device for low light conditions •Multi-dog toggle switch & color-coded buttons comfortably line up in the hand for fingertip control •2.5" fixed transmitter antenna •Built-in BarkLimiter™ features Autorise technology, which automatically adjusts correction to the optimum level needed to stop unwanted barking •Transmitter & dog device both feature rechargeable lithium-ion battery & battery life indicator •Color transmitter buttons can be paired w/matching colored collars to help keep track of which dogs are receiving stimulation & tone •Dog device is water-rated to 10m •Handheld unit is water-rated to IPX7 standards & floats •System includes handheld transmitter, PT 5 dog device, 3/4" black collar strap, AC adapter, split adapter cable, charging clip, contact point set w/wrench, & manual

Order #	Mfg. #	Sugg.Ret.
5027729	010-01201-00	$299.99

NEW

GARMIN®
PRO TRASHBREAKER™

•Classic, rugged, tube-shaped design is water-resistant & easy to operate •Train up to (9) dogs at the same time (additional dog devices required) •Up to 1 mile range •Top-mounted selection dial of handheld transmitter provides for (6) levels of stimulation & tone setting for intuitive, 1-handed operation •Remote-operated LED beacon lights on dog device for low light conditions •Multi-dog toggle switch & color-coded buttons comfortably line up in the hand for fingertip control •2.5" fixed transmitter antenna •Built-in BarkLimiter™ features Autorise technology, which automatically adjusts correction to the optimum level needed to stop unwanted barking •Transmitter & dog device both feature rechargeable lithium-ion battery & battery life indicator •Color transmitter buttons can be paired w/matching colored collars to help keep track of which dogs are receiving stimulation & tone •Dog device is water-rated to 10m •Handheld transmitter is water-rated to IPX7 standards & floats •System includes handheld transmitter, TB 10 dog device, 3/4" black collar strap, AC adapter, split adapter cable, charging clip, contact point set w/wrench, & manual

Order #	Mfg. #	Sugg.Ret.
5027730	010-01204-00	$449.99

NEW

GARMIN®
PRO 550 TRANING SYSTEM

•Classic, rugged, tube-shaped design is water-resistant & easy to operate •Train up to (3) dogs at the same time (additional dog devices required) •Up to 1 mile range •Features (21) levels of continuous & momentary stimulation, & vibration & tone settings •Handheld transmitter provides for (7) levels of correction •Remote-operated LED beacon lights on dog device for low light conditions •2.5" fixed transmitter antenna •Built-in BarkLimiter™ features Autorise technology, which automatically adjusts correction to the optimum level needed to stop unwanted barking •Transmitter & dog device both feature rechargeable lithium-ion battery & battery life indicator •Color-coded dog selection switch on transmitter can be paired w/ matching colored collars to help keep track of which dogs are receiving correction, stimulation & tone •Dog device is water-rated to 10m •Handheld transmitter is water-rated to IPX7 standards & floats •System includes handheld transmitter, PT 10 dog device, 3/4" black collar strap, AC adapter, split adapter cable, charging clip, contact point set w/wrench, & manual

Order #	Mfg. #	Sugg.Ret.
5027731	010-01202-00	$399.99

GARMIN®
DELTA™ TRAINING SYSTEM

•Features 3-button handheld controller •Tone, vibration, momentary, or continuous stimulation modes •Easy-to-read LCD displays correction pattern & dog being trained •3 correction configurations •Waterproof •Wt: 3.7 oz. •Range: 1/2 mi. •Rechargeable lithium-ion battery, up to 60 hrs per charge •In the box: Delta handheld, Delta dog device, Black 1.9 cm collar strap, charging clip, lanyard, USB cable, USB split cable, AC adapter, manual

Order #	Mfg. #	Sugg.Ret.
5027378	010-01069-00	$199.99

GARMIN®
DELTA SPORT™
TRAINING SYSTEM

•Features an intuitive 3-button handheld controller unit •Tone, vibration, momentary, or continuous stimulation modes •Easy-to-read LCD displays correction pattern & dog being trained •5 correction configurations •Train up to 3 dogs (w/ purchase of additional dog devices) •Built-in BarkLimiter •Wt.: 3.7 oz. •Range: 3/4 mi. •Rechargeable lithium-ion battery •Battery life: 60 hours per charge •Waterproof & buoyant •18 correction levels •5 training configurations •In the box: Delta Sport Handheld, Delta dog device w/ built-in BarkLimiter™, Black 3/4" collar strap, charging clip, lanyard, USB cable, USB split cable, AC adapter, Manual

Order #	Mfg. #	Sugg.Ret.
5027379	010-01069-01	$249.99

GARMIN®
DELTA™/DELTA SPORT™
DOG DEVICE

•Train up to 3 dogs on 1 handheld device by adding more Delta dog collars •Compact, waterproof, & rugged •Integrated stainless steel contact points optimized for all dog breeds & all coat lengths •Includes built-in BarkLimiter™, which corrects unwanted barking through advanced bark correction technology •Uses long-lasting rechargeable lithium-ion batteries that last 3 months per charge •Compatible w/ all Garmin 3/4" collar straps

Order #	Mfg. #	Sugg.Ret.
5027380	010-01069-21	$129.99

GARMIN®

GARMIN® ASTRO® 320 HANDHELD

•Includes the redesigned Garmin® Astro® 320 - a full featured, premium handheld GPS device - and a DC™ 40 wireless receiver •2.6" color display •Enhanced mapping •Improved, easy-to-use interface •Wireless unit-to-unit data transfer •**Astro® 320:** Supports TOPO U.S. 24K & 100K maps, BirdsEye™ Satellite Imagery, City Navigator® and Garmin Custom Maps •Up to 30% increased range w/ redesigned antenna (included) •Vibration alerts •3-axis electronic compass •Customizable settings for dog tracklogs •Compatible with any Garmin DC™ series transmitter •Waterproof with a tough, rugged exterior •DC™ 40 integrated GPS antenna •Connects to any standard 1" collar •Improved charging contacts •Dog position updates every 5, 10, 30 or 120 seconds •Battery life of between 17-48 hours, depending on position & update rate •Collar Lock lets you create a 4-digit PIN number that prevents others from seeing your dog's whereabouts •Sports an innovative LED-charging indicator that's been redesigned to prevent clogging •**NOTE: *T 5 Bundle**** includes the following: Astro® 320 handheld, T 5 Dog Device w/rechargeable lithium-ion battery, 1" orange collar strap, Belt clip, 5" standard & 13" extended range antennas (for Astro®), 18.5" standard & 22.5" extended range antennas (for T 5), Charging clip, AC adapter, Vehicle power cable, & USB cable

Order #	Mfg. #	Model	Sugg.Ret.
5026802	010-00976-10	Astro® 320 Handheld Only	$499.99
5027781	010-01041-60	T 5 Bundle*	599.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026814	010-10856-30	Ext. Long Range Antenna	$26.99
5026817	010-11343-00	Rechargeable NiMH Battery Kit	24.99
5026815	010-10851-11	Vehicle Power Cable	27.99
5026894	010-11602-00	Auto Friction Mount	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN® DC™ 50 DOG TRACKING COLLAR

•High-sensitivity, top-mounted GPS & GLONASS-enabled receiver that works w/the Astro® 320 handheld •Braided SS VHF antenna •Improved battery life of 26 to 54 hours, depending on update rate •Innovative bark detection technology •Durable, adjustable 1" polyurethane collar •Dog position updates every 5-, 10-, 30- or 120-seconds •9 mile range depending on terrain •Collar Lock prevents unauthorized Astro users from tracking your dog •Tough, rugged & waterproof to 33' •In the box: DC™ 50 transmitter w/22.5" long range antenna attached to collar, 18.5" standard antenna, AC adapter, vehicle charging adapter, charging cable & quick start manual

Order #	Mfg. #	Sugg.Ret.
5027425	010-01133-10	$229.99

GARMIN® DC™ 40 DOG TRACKING COLLAR

•High-sensitivity GPS receiver & VHF antenna into an all-in-one transmitter that works w/Astro® 220 & Astro® 320 •Durable, one-inch orange polyurethane collar that fits most e-collar receivers - eliminating the need to put two separate collars on a dog •Extend the battery life of the DC 40 by changing the position transmit rate from 5 to 10, 30, or 120 seconds, enabling the DC 40 to work up to 17-48 hours in the field on one charge

Order #	Mfg. #	Model	Sugg.Ret.
DC™ 40 GPS DOG TRACKING COLLAR			
5026190	010-11484-00	DC 40 Collar	$249.99

GARMIN® MAGNETIC MOUNT ANTENNA

•Powerful remote antenna magnetically mounts to a vehicle and connects to the Astro™ 220 so you can track your dogs with Astro™ while driving

Order #	Mfg. #	Sugg.Ret.
5025362	010-10931-00	$38.99

GARMIN® PORTABLE LONG RANGE ANTENNA

•Connects to Astro to extend tracking range when locating your dogs •Compatible with Astro®, Alpha™ & Astro® 220

Order #	Mfg. #	Sugg.Ret.
5026155	010-11141-00	$69.99

GARMIN® ALPHA® 100 HANDHELD

•Combines Garmin GPS multi-dog tracking w/Tri-Tronics® electronic dog training technology •Easy-to-use integrated handheld system allows you to track & train your dogs up to 9 miles away, delivering their exact position as often as every 2.5 sec. •Glove-friendly & 3" diagnal, transflective, color TFT touchscreen display w/240x400 pixel resolution •Get info on the speed, distance, direction being traveled, or state of your dog ("Moving", "Treed" or "On Point") on single screen •Comes preloaded w/TOPO U.S. 100K maps •BaseCamp trip-planning software lets you view & organize maps, waypoints, routes, & tracks, plus display topographic map data in 2-D or 3-D on your computer screen, including contour lines & elevation profiles •Setup virtual boundaries on your map & receive an alert if dog strays out of bounds •BaseStation software lets you track multiple dogs and/or fellow hunters by locating up to (20) Alpha handheld units or TT™ 10/15 Dog Devices (each sold separately), plus view real-time GPS info on your computer •Hunter-to-hunter position reporting w/preset messaging capability •Transfer satellite images to your device w/the BirdsEye Satellite Imagery option (subscription required) •Features GPS/GLONASS, electronic compass, barometric altimeter, hunt/fish calendar, & sun/moon info •Rechargeable lithium-ion battery included (Alpha® 100) w/up to 20 hrs. of battery life •IPX7 water rating •USB interface •8GB built-in memory •Accepts microSD™ cards (not included) •Size: 2.5" x 6.5" x 1.5" •Wt.: 8.8 oz. •**NOTES: *Handheld Only**** includes the following: Alpha® 100 handheld, Belt clip, Extended range antenna, Split adapter cable, AC adapter, Vehicle power cable, & USB cable; ***TT™ 15 Bundle**** includes the following: Alpha® 100 handheld, *1-Year BirdsEye Satellite Imagery Subscription*, TT™ 15 Dog Device w/rechargeable lithium-ion battery, 1" Black collar strap, Belt clip, 5" standard & 13" extended range antennas (for Alpha®), 18.5" standard & 22.5" extended range antennas (for TT™ 15), Charging clip, Split adapter cable, AC adapter, Vehicle power cable, USB cable, Contact point set & wrench, & Durable field bag

Order #	Mfg. #	Sugg.Ret.
HANDHELD ONLY*		
5027094	010-01041-20	$599.99
TT™ 15 BUNDLE*		
5027779	010-01041-50	799.99

GARMIN®

GARMIN®
ALPHA™ 100
GPS TRACK & TRAIN SYSTEM

•Combines proven Garmin® GPS dog tracking technology w/Tri-Tronics® electronic dog training •Easy-to-use, integrated handheld system allows you to track & train your dogs in the field within 9-mile range •Equipped w/BirdsEye Satellite Imagery •At-A-Glance Dog Stats feature displays your dog's state (moving or on-point/treed), distance from Alpha device, total distance traveled, speed & update rate & updates their position every 2.5 secs. to help them avoid hazards •Pinpoint up to 20 dogs or hunters' exact positions on glove-friendly 3" color touchscreen even when they are out of sight •Preloaded w/100K U.S. TOPO maps •System includes Alpha™ 100 handheld, Rechargeable user-replaceable Li-ion pack, Belt clip, Extended range antenna, TT™ 10 dog collar w/orange strap, Charge clip, AC adapter, Vehicle power cable, Split adapter cable, USB cable, Short & long contact point set w/wrench & non-stim plug, Durable field bag & Manuals

Order #	Mfg. #	Sugg.Ret.
5027093	010-01041-00	$799.99

NEW

GARMIN®
TT™ 15 DOG DEVICE

•Track & train dog device w/collar features top-mounted, high-sensitivity GPS/GLONASS receiver that uses 18 levels of continuous & momentary stimulation plus audible tone & vibration activated from the Alpha® 100 handheld •Stimulation features let you individually train each dog •Traditional stimulation allows you to make quick changes (low, medium or high) within a predetermined stimulation level (1-6) •Linear stimulation allows progressively more stimulation from levels 1-18 •LED beacon lights •Rugged & water resistant to 10m •Range: Up to 9 miles •Includes 1" red collar strap, Charging clip, AC adapter, Vehicle power cable, & Contact point set & wrench •Rechargeable lithium-ion battery included w/24-48 hr. battery life •Rescue mode saves battery life •USB interface •Size (WxHxD): 3.5"x1.75"x1.85" •Wt.: 7.3 oz. •**NOTE:** Compatible w/the Astro® 320 for tracking only

Order #	Mfg. #	Sugg.Ret.
5027778	010-01041-80	$299.99

NEW

GARMIN®
T 5 DOG DEVICE

•Tracking only dog device w/collar features top-mounted, high-sensitivity GPS/GLONASS receiver •LED beacon lights •Rugged & water resistant to 10m •Range: Up to 9 miles •Includes 1" blue collar strap, Charging clip, AC adapter, Vehicle power cable, & Contact point set & wrench •Rechargeable lithium-ion battery included w/24-48 hr. battery life •Rescue mode saves battery life •USB interface •Size (WxHxD): 3.5"x1.75"x1.85" •Wt.: 7.3 oz. •**NOTE:** Compatible w/the Astro® 320 & Alpha® 100

Order #	Mfg. #	Sugg.Ret.
5027780	010-01041-70	$249.99

GARMIN®
TT™ 10
GPS TRACK & TRAIN DOG COLLAR

•Rugged, replaceable black collar strap w/high-sensitivity GPS tracker that uses 18 levels of momentary or continuous stimulation plus LED beacons & audible tones activated from the Alpha™ 100 device (sold separately) •Waterproof to 10m (33ft.) •Uses braided steel VHF antenna to send position data to the Alpha™ 100 device •Wt.: 7 oz. •Includes rechargeable Li-ion batery •NOTE: Not compatible w/Astro®

Order #	Mfg. #	Sugg.Ret.
5027095	010-01041-40	$299.99

GARMIN®
REPLACEMENT
COLLAR STRAPS for TT™ 10

•Rugged & waterproof •Polyurethane-coated 1" nylon collar features nickel-plated buckle & collar keeper w/holes spaced to fit most dogs

Order #	Mfg. #	Color	Sugg.Ret.
5027104	010-11892-00	Orange	$19.99
5027105	010-11892-01	Black	19.99
5027106	010-11892-02	Red	19.99
5027107	010-11892-04	Blue	19.99
5027108	010-11892-06	Green	19.99
FOR SMALLER DOGS			
5027109	010-11892-10	Orange	19.99

GARMIN®
ANTI-GLARE
SCREEN PROTECTORS
for ALPHA™ 100

•Reduces sunlight glare, minimizes fingerprint smudges & protects against scratches on the Alpha™ 100 display screen •3-Pack

Order #	Mfg. #	Sugg.Ret.
5027103	010-11828-05	$15.99

GARMIN®
VEHICLE POWER CABLE
for ALPHA™ 100

•12V adapter power cable for in-vehicle charging of the Alpha™ 100 handheld device •Plugs into any standard cigarette lighter receptacle

Order #	Mfg. #	Sugg.Ret.
5027096	010-11872-00	$14.99

GARMIN®
AC ADAPTER CABLE
for ALPHA™ 100 & TT™ 10

•Adapter cable powers & recharges the Alpha™ 100 & TT™ 10 devices •Plugs into any standard U.S. wall outlet

Order #	Mfg. #	Sugg.Ret.
5027097	010-11873-00	$14.99

GARMIN®
CHARGING CLIP for TT™ 10

•Simply snap the TT™ 10 dog collar into this device when not in use to recharge battery •Power cable (sold separately) is plugged into mini USB port on side of charging clip

Order #	Mfg. #	Sugg.Ret.
5027098	010-11828-00	$13.99

GARMIN®

GARMIN® SPLIT ADAPTER CABLE for ALPHA™ 100 & TT™ 10

•Allows you to recharge the Alpha™ 100 & TT™ 10 devices at the same time •Charge both devices from one cigarette lighter receptacle or single AC adapter

Order #	Mfg. #	Sugg.Ret.
5027099	010-11828-01	$16.99

GARMIN® CONTACTS KIT for TT™ 10

•Kit includes short & long contact points, non-stim plug & wrench •Contact points can be removed from the TT™ 10 dog collar & replaced w/points sized appropriately for the dog's coat

Order #	Mfg. #	Sugg.Ret.
5027102	010-11828-04	$18.99

GARMIN® REPLACEMENT LI-ION BATTERY for ALPHA™ 100 & TT™ 10

Order #	Mfg. #	Sugg.Ret.
5027101	010-11828-03	$39.99

GARMIN® FIELD BAG for ALPHA™ 100 & TT™ 10

•Zippered field bag is made w/black & gray polyester •Inside mesh pocket is big enough to house multiple Alpha™ 100 handheld devices, TT™ 10 dog collars & associated accessories

Order #	Mfg. #	Sugg.Ret.
5027100	010-11828-02	$32.99

GARMIN® LAKES

•microSD™/SD™ card •See detailed shoreline, shaded depth contours, coastlines, streams & channels on your compatible device •This mapping product covers more than 17,000 freshwater lakes, reservoirs & rivers throughout the continental U.S. •Includes Safety Shading so you can input & shade minimum depth •Displays high-definition shoreline & bathymetry on select lakes •Displays interstates, highways & general roads •Provides data on tide predictions stations •Displays boat ramps, fuel stations, marinas, campgrounds & fishing locations (where available)

Order #	Mfg. #	Sugg.Ret.
5027305	010-C1073-00	$99.99

GARMIN® LAKEVU™ HD

•microSD™/SD™ card •With maps of more than 17,000 U.S. lakes – many with 1' contours throughout – this HD-mapping product brings new levels of detail to your chartplotter •Contains more than 400 HD lakes with 1' contours throughout to help you pinpoint the best places to find fish •Displays points of interests, including docks, designated fishing areas, campgrounds, boat ramps, marinas & bridges •Shows interstates, highways & general roads •Shows underwater features, such as riverbeds, bridges, roads, fish attractors & potential hazards •Offers Safety Shading, which lets you input & shade a minimum depth to help you avoid running aground

Order #	Mfg. #	Sugg.Ret.
5027407	010-C1087-00	$149.99

NEW FEATURE

GARMIN® LAKEVU™ HD ULTRA

•microSD™/SD™ card •In addition to more than 17,000 total lakes, of which more than 5,700 are HD maps with 1' contours shoreline to shoreline, includes more than 40 MaxDef lakes showing a level of detail unprecedented in Garmin maps •Auto Guidance shows the best path to a destination - Use in conjunction with satellite imagery to provide enhanced situational awareness •High-resolution Relief Shading adds visual depth •Dynamic Lake Level setting adjusts maps based on current water levels •Depth Range Shading to view your target depth at a glance •FishEye & MarinerEye View provide 3-D representation of lake bottoms, contours and surrounding areas from both above & below the waterline •Surface & Side Scan photos

Order #	Mfg. #	Sugg.Ret.
5027796	010-C1110-00	$199.99

GARMIN® BLUECHART® g2 VISION

•BlueChart® g2 Vision SD cards enhance the preloaded maps on your chartplotter and add a whole new dimension of exceptional features such as: High Resolution Satellite Imagery, Aerial Reference Photography, Mariner's Eye View, Fish Eye View, Auto Guidance and Fishing Charts •Includes tides, currents, marine services, coastal roads and points of interest •If your chartplotter is BlueChart® g2 Vision compatible, all you have to do is select the coverage region you need •Compatible with the following units: (All GPSMAP®) 4008, 4012, 420, 420S, 4208, 4212, 430, 430S, 430SX, 430X, 440, 440S, 440SX, 440X, 450, 5008, 5012, 520, 5208, 520S, 5212, 525, 525S, 530, 530S, 535, 535S, 540, 540S, 545, 550, 555

Order #	Mfg. #	Description	Sugg.Ret.
5025516	010-C0708-00	Norfolk-Charleston	$299.99
5025517	010-C0709-00	Charleston-Jacksonville	299.99
5025518	010-C0710-00	Jacksonville-Key West	299.99
5025521	010-C0730-00	Southern Bahamas	299.99
5025524	010-C0733-00	Southern Gulf of Mexico	299.99
5025522	010-C0741-00	Mid-Atlantic	428.99

GARMIN®

GARMIN® BLUECHART® g2

•Pre-programmed data cards compatible with the following units: Astro®, (All) Colorado® 300, 400c, 400i, 400t; Dakota® 20; echoMAP™ 50s, 70s; eTrex® 20, 30, Legend® HCx, Vista® HCx; (All) GPSMAP® 192C, 198C Sounder, 2106, 2110, 2206, 2210, 278, 292, 298 Sounder, 3006C, 3010C, 3205, 3206, 3210, 376C, 378, 392, 396, 398 Sounder, 4008, 4010, 4012, 420/420s, 4208, 421, 4210, 4212, 421s, 430/430s, 431, 431s, 440/440s, 441, 441s, GPSMAP® 478, 492, 495, 498 Sounder, 5008, 5012, 5015, 520/520s, 5208, 521, 5212, 5215, 521s, 525/525s, 526, 526s, 527, 527xs, 530/530s, 531, 531s, 535/535s, 536, 536s, 540/540s, 541, 541s, 545/545s, 546, 546s, 547, 547xs, 6008, 6012, 60CSx, 60Cx, 62, 620, 6208, 6212, 62s, 62sc, 62st, 62stc, 640, 7012, 7015, 720, 720s, 721, 7212, 7215, 721xs, 740, 740s, 741, 741xs, 76CSx, 76Cx, 78, 78s, 78sc, 8008 MFD, 8012 MFD, 8015 MFD, 8208 MFD, 8212 MFD, 8215 MFD, 8500 Black Box, 8530 Black Box; Montana® 600, 600t Camo, 650, 650t; Monterra™; nüvi® 500, 550; Oregon® 200, 300, 400c, 400i, 400t, 450, 450t, 550, 550t, 600, 600t, 650, 650t; Rino® 520HCx, 530HCx, 650

Order #	Mfg. #	Description	Sugg.Ret.
5027259	010-C1018-20	US All & Canadian West Coast	$160.99

GARMIN® BLUECHARTS™

•Pre-programmed data cards compatible with the following units: GPSMAP® 172C/178C, GPSMAP® 176/176C, GPSMAP® 182/182C, GPSMAP® 188/188C Sounder, GPSMAP® 196, GPSMAP® 2006/2006C, GPSMAP® 2010/2010C, GPSMAP® 232, GPSMAP 238 SOUNDER, GPSMAP® 279C/296, GPSMAP® 3006C/3010C

Order #	Mfg. #	Type	Sugg.Ret.
5023115	MUS011R	Southwest Fla.	$299.99

GARMIN® GMS 10 NETWORK PORT EXPANDER

•Allows you to connect multiple MFD's and sensors to the Garmin® Marine Network and gain the benefit of Ethernet-like data transfer speeds up to 10 times faster than some competitive systems •Specifically designed to withstand the corrosive marine environment •All connections are totally waterproof, and sealed covers keep harmful moisture away from unused data ports

Order #	Mfg. #	Sugg.Ret.
5024388	010-00351-00	$268.99

GARMIN® NMEA 2000® STARTER KIT

•Use this starter kit to build a basic NMEA 2000 network on your boat •Kit includes: NMEA 2000 drop cable (2m), NMEA 2000 backbone cable (10m), NMEA 2000 power cable (2m), (2) NMEA 2000 T-connectors, NMEA 2000 male terminator & a NMEA 2000 female terminator

Order #	Mfg. #	Sugg.Ret.
5026796	010-11442-00	$99.99

GARMIN® NMEA 2000® NETWORK UPDATER

•Provides the convenience of updating Garmin® products & NMEA 2000 accessories that do not have an SD™ card slot •Simply download the software update to an SD card & insert the card into the network updater •Using a simple plug & play installation, the network updater easily & temporarily connects to your NMEA 2000 network •Includes Network Updater & T-connector

Order #	Mfg. #	Sugg.Ret.
5026197	010-11480-00	$79.99

NEW

GARMIN® GMR™ 18xHD & 24xHD DOME RADAR

•4 kW high-definition dome radar •Step up to xHD performance in a radome •Dynamic shape for improved look & antenna performance •No complex user settings, easy to install & start using •Dynamic Auto Gain & Dynamic Sea Filter continually adjust to your surroundings to provide optimal performance in varying conditions •Choose from multiple levels of aggressiveness or use manual gain adjustment •Dual range operation allows fully independent split-screen display of far & close radar views in full 8-bit color (select chartplotters); range of 48 nm •"No Transmit Zone" protects areas behind the radar from being radiated while providing full forward-looking radar capability, making installation more flexible by providing more suitable installation options on your boat •Waterproof to IPX7 standards •Antenna sweep: 24/48 rpm (dual rotation) •Garmin Marine Network™ compatible •High definition (outstanding target separation w/less screen clutter) •MARPA target tracking (requires Heading Sensor - sold separately) •Guard Zone alarm

•18 xHD: 20" diameter radome, 9.75" high; Beam width: 5.2º horizontal, 25º vertical

•24 xHD: 25.4" diameter radome, 9.8" high; Beam width: 3.7º horizontal, 25º vertical

Order #	Mfg. #	Model	Sugg.Ret.
5027626	010-00959-00	18 xHD	$1,599.99
5027627	010-00960-00	24 xHD	2,399.99

GARMIN® GMR 18HD & 24HD HIGH DEFINITION MARINE RADAR SCANNERS

•State-of-the-art Digital Signal Processing offers up to 8 times better resolution, providing sharper imagery & improved target separation •Automatic pulse rate design optimizes pulse width & repetition rates for each range selected •Backward compatible w/any Garmin® network MFD •"Plug-n-play" network compatible •Dual rotation speed: 24/30 RPM •Receiver down converter noise figure: less than 5 db •Supports MARPA w/optional heading sensor for collision avoidance •100 knot wind performance •Input voltage: 10.5-35 VDC •Waterproof IEC 60529 IPX-7 •Two-year warranty

•GMR 18 HD: 18'' diameter radome, 8.9'' high; Beam width: 5.0º horizontal, 25º vertical

•GMR 24 HD: 24'' diameter radome, 9.8'' high; Beam width: 3.6º horizontal, 25º vertical

Order #	Mfg. #	Model	Power	Range	Sugg.Ret.
5025658	010-00572-02	18 HD	4kW	36nm	$1,279.99
5025645	010-00572-03	24 HD	4kW	48nm	2,133.99

GARMIN

NEW

GARMIN® GSD™ 25 PREMIUM SONAR MODULE

•"One box" remote network sonar solution provides outstanding fishfinding & depth sounder capabilities for vessels w/networked MFD installations •Dual-channel 1kW CHIRP, plus SideVü & DownVü sonar scanning w/ target details so precise, you can actually distinguish between small and closely spaced fish at key fishing depths •Depth Capability: 5000-ft. •For use w/Garmin GPSMAP 8000 Glass Helm series or GPSMAP 74xx/76xx series displays

Order #	Mfg. #	Sugg.Ret.
5027954	010-01159-00	$899.99

NEW

GARMIN® GA™ 38 GPS/GLONASS ANTENNA

•Robust external antenna has low-profile waterproof housing & provides (3) easy mounting solutions: pole, surface or under-deck (for the underside of fiberglass decks) •Built to take advantage of the GLONASS system/constellation of satellites as well as standard GPS •Provides increased flexibility & installation options as well as the potential for enhanced reception of GPS/GLONASS signal for those products w/built-in GPS/GLONASS antennas •Includes (1) surface mounting bracket, (1) pole mounting bracket, (1) under-deck mounting bracket, mounting hardware, (1) 32 ft. antenna cable, & installation instructions

Order #	Mfg. #	Sugg.Ret.
5027753	010-12017-00	$69.99

NEW

GARMIN® GMR™ xHD2 OPEN ARRAY RADAR

•High-definition radar w/open array •High sensitivity w/consistent target positions & reliable operation •Bird mode helps you find fishing spots •Dual range option for simultaneous close & long range use •Dual radar support for installations requiring redundancy •No complex user settings; easy to install & start using •Dynamic auto gain & sea filter continually adjust to your surroundings for optimal performance in varying conditions •8-bit true color display helps discriminate large targets from small ones •Max Range: 72 NM

Order #	Mfg. #	Model	kW	Open Array	Sugg.Ret.
5027955	K10-00012-08	424	4	4 ft.	$3,999.99
5027956	K10-00012-09	624	6	4 ft.	4,799.99
5027958	K10-00012-10	626	6	6 ft.	5,599.99
5027957	K10-00012-11	1224	12	4 ft.	5,799.99
5027959	K10-00012-12	1226	12	6 ft.	6,599.99

NEW

GARMIN® GHP™ 20 MARINE AUTOPILOT SYSTEM w/SMARTPUMP

•One compact, brushless SmartPump™ fits most hydraulically steered boating applications •SmartPump™ automatically adjusts the maximum flow rate for a particular boat from 0 to 2.4 L per minute •Delivers excellent thermal performance, high reliability, & low power consumption •Patented Shadow Drive™ technology keeps you in control even when relying upon autopilot •Intelligent Rudder Rate Technology (IRRT) slows rudder rate at high speeds, quickens rate at low speeds •Operate using up to 3 GHC™ helm control units •Supports NMEA 0183 and NMEA 2000® certified •Color coded connectors make it very easy to install

Order #	Mfg. #	Sugg.Ret.
5027795	K10-00163-10	4,049.99

GARMIN® GXM 51 XM SATELLITE RECEIVER/ANTENNA ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	$25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

GARMIN® GHP 10 MARINE AUTOPILOT SYSTEM ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5002502	010-10117-02	Black Nylon Carry Case	$14.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

NEW

GARMIN® GXM™ 52 SIRIUSXM® MARINE RECEIVER

•Delivers continuous access to SiriusXM® marine services •Easy plug-&-play installation w/NMEA 2000® network connectivity •Powered directly through the NMEA 2000 bus •Integrated all-in-one design (no remote "black box" to install) •Fully gasketed, high-impact plastic alloy case is waterproof to IPX7 •Access over 20 different types of weather info & over 140 channels of music, sports, news, talk & entertainment from your chartplotter screen (depending on the SiriusXM® subscription package) •Features conventional pole or surface mounting, plus included under-deck mount for many fiberglass decks •Size (DxH): 3.61" × 1.95" •Wt.: 7.1 oz.

Order #	Mfg. #	Sugg.Ret.
5027679	010-01146-00	$699.99

NEW

GARMIN® BLACK MARINE AP REMOTE

•Wirelessly control your autopilot display with this portable keyed remote •Requires 2 AAA batteries (NOT included)

Order #	Mfg. #	Sugg.Ret.
5103604	010-11146-20	299.99

GARMIN®
GPS ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
ANTENNA			
5001515	010-10052-04	GA™ 26C low-profile remote antenna. Runs on a lower voltage to minimize battery drain. Two mounting options include magnetic mount for the outside of your vehicle or vessel and suction mount for the inside of your windshield or window, 8 ft (2.4 m) of cable and a BNC connector. Size: 2.75"L x 2"W x .75"H.	$113.99
5022386	010-10052-05	GA 27C Low Profile Remote Automobile Antenna. Runs on a lower voltage so battery drain is minimized. Comes with two mounting options: a magnetic mount for the outside of you vehicle or boat, and a suction mount to hold the antenna in place against the inside of your windshield or window. With 8ft. of cable nad MCX conntector. Size: 2.75"Lx2"Wx0.75"H.	85.99
BRACKET - MOUNTING			
5002163	010-10122-00	Bicycle mount kit - GPS-II	28.99
5002166	010-10044-00	Flush mount kit - GPSMAP-205, GPSMAP-210, GPSMAP-220	45.99
5022575	010-10246-00	Flush mount kit - FishFinder 240	24.99
5024518	K00-00104-00	Flush mount kit - 2006C	11.99
5024205	010-10447-02	Flush mount kit - 178C Sounder	35.99
5024903	010-10447-04	Flush mount kit - 298C Sounder	24.99
5022383	010-10267-00	Handlebar mount bracket. Snap your device into a secure handlebar mount and it's ready to ride. Mount fits up to a 1" diameter bar and is perfect for your bike, motocycle or ATV. Include hardware and instructions. Compatible With: eTrex Camo®, eTrex Legend®, eTrex Legend® C, eTrex Legend® H, eTrex Summit®, eTrex Summit® HC, eTrex Venture®, eTrex Venture® HC, eTrex Vista®, eTrex Vista® C, eTrex Vista® H, eTrex®, eTrex® H	20.99
CABLES			
5027441	010-11948-00	Connect a 4-pin single/dual beam transducer to a 8-pin sounder	16.99
5022657	010-10145-00	Power data - All sounders- 2006, 2010, 18 Pin	21.99
5025512	010-10918-00	Fishfinder/Sounder Power/Data Cable (Not for use w/Chartplotters)	24.99
5026276	010-10550-00	Marine Network Cable - 6 ft.	28.99
5022379	010-10203-00	Vehicle Power Cable. 12 volt adapter. Etrex H.	45.99
5022658	010-10208-00	Vehicle Power Cable. Use this power cable as another option for powering your fishfinder or GPS unit. Plugs into any standard cigarette lighter receptable. Also works with the PC interface cable.	26.99
5027042	010-11678-00	Power Cable for echo Series	16.99
5022573	010-10083-00	Power/Data Cable (Bare Wire) for GPS 152H™	28.99
CARRY CASES			
5022382	010-10314-00	Save your device from some of the scuffs and scrapes it could pick up in the line of duty. Features clear vinyl lens and holes for operating buttons so you can usre your eTrex® and view the display. Includes velcro flap closure, belt clip and lanyard connection. Compatible With: eTrex Camo®, eTrex Legend®, eTrex Legend® C, eTrex Legend® Cx, eTrex Legend® H, eTrex Legend HCx, eTrex Summit®, eTrex Summit® HC, eTrex Venture®, eTrex Venture® Cx, eTrex Venture® HC, eTrex Vista®, eTrex Vista® C, eTrex Vista® Cx, eTrex Vista® H, eTrex Vista® HCx, eTrex®, eTrex® H	16.99
CIGARETTE LIGHTER ADAPTER			
5002113	010-10084-00	GPS-38, GPS-40	45.99
5024906	010-10563-00	Vehicle power cable plugs into 12V cig. lighter to power your GPS & conserve battery life. For: eTrex Vista HCx, eTrex Legend HCx, eTrex Vista H, eTrex Legend H, eTrex Venture HC, eTrex Summit HC; Edge models 705, 605, 305 & 205; GPS 10X; Astro 220	38.99
FLUSH MOUNT KITS			
5024878	010-10447-01	Mount your Fishfinder 120 flush on your bulkhead or cabin wall. Simply press the side clips to release the unit so you can take it with you.	24.99
5025542	010-10447-03	Flush mount your compatible device into a flat panel. Includes hardware, installation instructions and a template. Compatible With: Fishfinder 400C, GPSMAP® 420/420S, GPSMAP® 421/421S, GPSMAP® 430/430S, GPSMAP® 431/431S, GPSMAP® 440/440S, GPSMAP® 441/441S.	24.99
5025331	010-10447-05	Flush Mount Kit for GPSMAP® 525 & 525s.	29.99
5025542	010-10447-03	Flush Mount Kit for GPSMAP® 421S	24.99
HOLSTER			
5022796	010-10309-00	Rugged holster protects your device and keeps it securely at your side. Compatible With: eTrex Camo®, eTrex Legend®, eTrex Legend® C, eTrex Legend® Cx, eTrex Legend® H, eTrex Legend® HCx, eTrex Summit®, eTrex Summit® HC, eTrex Venture®, eTrext Venture® Cx, eTrex Venture® HC, eTrex Vista®, eTrex Vists® C, eTrex Vista® Cx, eTrex Vista® H, eTrex Vista® HCx, eTrex®, eTrex® H	25.99
TRANSDUCERS			
5027593	010-12106-10	**All-In-One HD-ID™ & DownVü™ Transducer** (8-pin) includes transom & trolling motor mounts, & 20 ft transducer cable w/built-in fast response temperature sensor - Power Rating: 500W - Depth: 1900 ft. (traditional); 750 ft. (DownVü) - Operating Frequency: 77/200 kHz (traditional); 455 kHz (DownVü) - Transom Angle: 0° to 70°	19.99
5027960	010-12219-00	Model GT21-TM, 50/200/260/455/800kHz echoMAP™ DownVü™ (Transom Mnt)	149.99
5027961	010-12219-10	Model GT21-TH, 50/200/300/455kHz echoMAP™ DownVü™ (Thru-Hull Mnt)	549.99
5027962	010-12220-00	Model GT40-TM, 77/200/450/800kHz echoMAP™ SideVü™/DownVü™ (Transom Mnt)	249.99
5027963	010-12221-00	Model GT41-TM, 50/200/260/455kHz echoMAP™ SideVü™/DownVü™ (Transom Mnt)	449.99

continued next page

continued from previous page

GARMIN®
GPS ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
TRANSDUCERS			
5027964	010-12221-10	Model GT41-TH, 50/200/260/455kHz echoMAP™ SideVü™/DownVü™ (Thru-Hull Mnt)	749.99
5027965	010-12221-11	Model GT41-THP, 50/200/260/455kHz echoMAP™ SideVü™/DownVü™ (Thru-Hull Pair Mnt)	1,349.99
5027966	010-12222-00	Model GT50M-TM, 455/800kHz GPSMAP™ SideVü™/DownVü™ Mid-CHIRP (Transom Mnt)	499.99
5027967	010-12222-10	Model GT50M-TH, 455/800kHz GPSMAP™ SideVü™/DownVü™ Mid-CHIRP (Thru-Hull Mnt)	799.99
5027968	010-12222-11	Model GT50M-THP, 455/800kHz GPSMAP™ SideVü™/DownVü™ Mid-CHIRP (Thru-Hull Pair Mnt)	1,449.99
5027969	010-12223-00	Model GT51M-TM, 260/455kHz GPSMAP™ SideVü™/DownVü™ Mid-CHIRP (Thru-Hull Pair Mnt)	599.99
5027970	010-12223-11	Model GT51M-TH, 260/455kHz GPSMAP™ SideVü™/DownVü™ Mid-CHIRP (Thru-Hull Mnt)	1,649.99
5027971	010-12223-10	Model GT51M-THP, 260/455kHz GPSMAP™ SideVü™/DownVü™ Mid-CHIRP (Thru-Hull Pair Mnt)	899.99
5022387	010-10183-02	200/50kHz, 15/45 bronze thru-hull, depth, temp, speed, 18 Pin	262.99
5025643	010-10982-00	200/50kHz, 12/45 bronze 20° tilted thru-hull, depth, temp, 6-Pin (Airmar B-60)	299.99
5022412	010-10192-01	200/50kHz, 14/45 plastic, transom, depth,temp, speed, 18 Pin	181.99
5024138	010-10272-00	200/50kHz, 15/45 plastic, transom, depth,temp, 18 Pin	82.99
5023098	010-10327-00	200/50kHz, 12/45, plastic, adjustable, in-hull mount transducer - GPS 188C, 18 Pin	99.99
TRANSDUCER ACCESSORIES			
5025311	010-10717-00	Temp. Probe for GSD 22	63.99
5023140	010-10715-00	10' extension cable for transducers	72.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD® PIRANHAMAX SERIES

•**FEATURES:** Easy One-Touch™ control accesses full set of advanced features - Fish ID+, fish alarms, depth alarms, zoom and more •Water temp included •Ultra-compact size mounts almost anywhere •Built marine tough & waterproof

NEW

HUMMINBIRD® PIRANHAMAX™ 155

•Easy-to-use interface unlocks the power of Fish ID+™, fish alarms & zoom •4" diagonal, 128Hx160V 4 level grayscale •LED backlight •Built-in transducer •Dual beam 200kHz/20° @ 10db, 83kHz/60° @ 10db •1600W peak-to-peak •200W RMS •Depth to 600' •Tilt mount •Waterproof class: IPx7

•409650-1: PiranahaMAX™ 155

•409660-1: PiranahaMAX™ 155 PT - Portable unit w/soft-sided carrying case, suction cup transducer, 7Ah battery & charger

Order #	Mfg. #	Model	Sugg.Ret.
5027802	409650-1	PiranahaMAX™ 155	$69.99
5027803	409660-1	PiranahaMAX™ 155 PT	139.99

NEW

HUMMINBIRD® PIRANHAMAX™ 197c

•Easy-to-use interface unlocks the power of Fish ID+™, fish alarms & zoom •3.5" diagonal, 240Hx320V 256 color TFT •LED backlight •Built-in transducer •2400W peak-to-peak •300W RMS •Tilt & swivel mount •Waterproof class: IPx7

•409670-1: PiranhaMAX™ 197c - Dual Beam 200kHz/28° @ -10db, 455kHz/16° @ -10db; Depth to 600'

•409680-1: PiranhaMAX™ 197c PT - Portable unit w/soft-sided carry case, suction cup transducer, 7Ah battery & charger; Dual Beam 200kHz/28° @ -10db, 455kHz/16° @ -10db; Depth to 600'

•409690-1: PiranhaMAX™ 197c DI - Down Imaging™ & Dual Beam 200kHz/28° @ -10db, 455kHz (2) 16° & 74° @ -10db; Depth 320' (DI), 600' (Dual Beam)

Order #	Mfg. #	Model	Sugg.Ret.
5027804	409670-1	PiranhaMAX™ 197c	$99.99
5027805	409680-1	PiranhaMAX™ 197c PT	169.99
5027806	409690-1	PiranhaMAX™ 197c DI	149.99

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD® 500 SERIES

•FEATURES: Ultra high-contrast, high-definition displays •Sensitive technology allows tracking of jig to over 70' & separate targets within 2-1/2'' •Sonar Echo Enhancement™ •Accelerated Real Time Sonar operates at up to 40x per second •All models include temp & are speed capable •One-Touch 2x, 4x, 6x or 8x split-screen zoom instantly enhances bottom detail to distinguish fish from structure •X-Press™ menus •Fully adjustable backlight for night fishing •Design perfect for in-dash or Tilt & Swivel Quick Disconnect Mounting System

NEW

HUMMINBIRD® FISHFINDER 541

•240Vx240H resolution •12 level grayscale, 5" monochrome LCD display •200/83kHz DualBeam PLUS sonar •Temp •1600 watts peak-to-peak •Depth capability: 800 ft. •Quick disconnect bracket

Order #	Mfg. #	Sugg.Ret.
5027815	409700-1	$139.99

NEW

HUMMINBIRD® 698ci HD SI COMBO

•5'' High definition 640Vx480H 256 color TFT display •2D Side Imaging/Down Imaging •180º coverage •455kHz/(2) 86º @ -10db •Depth: 100' •DualBeam PLUS w/SwitchFire •200kHz/20º @ -10db, 83kHz/60º @ -10db •Depth: 1500' •4000W (PTP), 500W (RMS) •Internal precision GPS w/built-in UniMap •GPS Trackplotting & Chartplotting •Waypoints: 2500; Routes: 45; Tracks/Points: 50/20,000 •Temp/GPS Speed •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar
•409510-2KVD: Kevin VanDam Edition -

Order #	Mfg. #	Style	Sugg.Ret.
5027436	409470-1	698ci HD SI Combo	$699.99
5027816	409510-2KVD	698ci HD SI KVD Combo	699.99

HUMMINBIRD® 688ci HD DI COMBO

•5'' High definition 640Vx480H 256 color TFT display •Down Imaging, DualBeam PLUS •Sonar coverage: 75º, 45º, 28º, & 16º @ -10db •455/800/200/455 kHz •4000W (PTP), 500W (RMS) •Depth capability: 350' (DI), 600' •Temp/GPS Speed •Internal precision GPS w/built-in UniMap •GPS Trackplotting & Chartplotting •Waypoints: 2500; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar

Order #	Mfg. #	Sugg.Ret.
5027434	409460-1	$599.99

HUMMINBIRD® 688ci HD XD COMBO

•5'' High definition 640Vx480H 256 color TFT display •DualBeam PLUS •Sonar coverage: 20º, 60º & 74º @ -10db •200/83/50 kHz •8000W (PTP), 1000W (RMS) •Depth capability: 3000' •Temp/GPS Speed •Internal precision GPS w/built-in UniMap •GPS Trackplotting & Chartplotting •Waypoints: 2500; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar

Order #	Mfg. #	Sugg.Ret.
5027435	409450-1	$599.99

HUMMINBIRD® 688ci HD COMBO

•5'' High definition 640Vx480H 256 color TFT display •DualBeam PLUS •Sonar coverage: 20º & 60º @ -10db •200/83/50 kHz •8000W (PTP), 1000W (RMS) •Depth capability: 3000' •Temp/GPS Speed •Internal precision GPS w/built-in UniMap •GPS Trackplotting & Chartplotting •Waypoints: 2500; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar

Order #	Mfg. #	Sugg.Ret.
5027433	409440-1	$499.99

HUMMINBIRD® 678c HD DI

•5'' High definition 640Vx480H 256 color TFT display •Down Imaging, DualBeam PLUS •Sonar coverage: 75º, 45º, 28º, & 16º @ -10db •455/800/200/455 kHz •8000W (PTP), 1000W (RMS) •Depth capability: 350' (DI), 600' •Temp included •Navionics® Gold/HotMaps™ compatible •SwitchFire sonar •Upgradeable internal software •X-Press Menu System •Split Screen Zoom & Bottom Lock •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027431	409430-1	$399.99

HUMMINBIRD® 678c HD XD

•5'' High definition 640Vx480H 256 color TFT display •DualBeam PLUS •Sonar coverage: 20º, 60º & 74º @ -10db •200/83/50 kHz •4000W (PTP), 500W (RMS) •Depth capability: 3000' •Temp included •Navionics® Gold/HotMaps™ compatible •SwitchFire sonar •Upgradeable internal software •X-Press Menu System •Split Screen Zoom & Bottom Lock •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027432	409420-1	$399.99

HUMMINBIRD® 678c HD

•5'' High definition 640Vx480H 256 color TFT display •DualBeam PLUS •Sonar coverage: 20º & 60º @ -10db •200/83 kHz •4000W (PTP), 500W (RMS) •Depth capability: 1500' •Temp included •Navionics® Gold/HotMaps™ compatible •SwitchFire sonar •Upgradeable internal software •X-Press Menu System •Split Screen Zoom & Bottom Lock •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027430	409410-1	$349.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD® 800 SERIES

•FEATURES: Professional grade technology •Unmatched 800Hx480V pixel clarity of the 7'' diagonal screen provides unbelievable color & contrast •See crystal clear images of everything under the water •Three "soft key" preset buttons make switching between favorite views a snap, & dual card slots provide top-notch flexibility on the water •Built-in UniMap™ makes you at home on any lake, river or coastline •Check weather changes that impact the bite w/ WeatherSense® barometric pressure monitor, or look for fish & structures anywhere you can cast a line with Wireless Sonar Link •Use HumminbirdPC™ to keep internal software on cutting edge & save waypoints, routes, & track safely on your PC •Mount the 800 Series in-dash, or use the Tilt & Swivel Quick Disconnect Mounting System
•FEATURES IN COMBO UNITS: Includes UniMap™ of USA inland lakes, rivers & coastal areas •50 channel GPS •Full-screen chart, sonar-chart split & 3D highway navigation screens •Precise trolling grids & waypoint targets •Tidal graphs & port services information with Navionics® Gold/HotMaps® •Save 3000 waypoints, 50 tracks with 20,000 points each & 50 routes

Perferred Dealer Only

NEW

HUMMINBIRD® 899ci HD SI COMBO

•7'' High definition 800Hx480V color TFT display •Side Imaging, Down Imaging, DualBeam PLUS w/SwitchFire •Sonar coverage: 20º, 60º & (2) 55º @ -10db (180º total) •200/83/455 kHz •QuadraBeam PLUS optional •4000W (PTP), 500W (RMS) •Depth capability: 150' (SI), 1500' •Temp & GPS Speed included •Internal precision GPS w/built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement
•409150-1NAV: Navionics®+ card included

Order #	Mfg. #	Sugg.Ret.
5027439	409150-1	$999.99
5027817	409150-1NAV	999.99

HUMMINBIRD® 859ci HD DI COMBO

•7" High definition 800Hx480V color TFT display •Down Imaging, DualBeam PLUS w/SwitchFire •Sonar coverage: 16º, 28º,45º & 75º @ -10db •455/800/200/455 kHz •4000W (PTP), 500W (RMS) •Depth capability: 350' (DI), 600' •Temp & GPS Speed included •Internal precision GPS w/built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027438	409140-1	$699.99

HUMMINBIRD® 859ci HD XD COMBO

•7'' High definition 800Hx480V color TFT display •DualBeam PLUS w/SwitchFire •Sonar coverage: 20º,60º & 74º @ -10db •200/83/50 kHz •8000W (PTP), 1000W (RMS) •Depth capability: 3000' •Temp & GPS Speed included •Internal precision GPS w/built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027472	409130-1	$699.99

HUMMINBIRD® 859ci HD COMBO

•7'' High definition 800Hx480V color TFT display •DualBeam PLUS w/SwitchFire •Sonar coverage: 20º & 60º @ -10db •200/83/50* (*Optional 50 kHz transducers available for deepwater use) kHz •8000W (PTP), 1000W (RMS) •Depth capability: 1500' & 3000'(*) •Temp & GPS Speed included •Internal precision GPS w/built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027437	409120-1	$599.99

HUMMINBIRD® 999ci HD SI COMBO

•8" High definition 800Hx480V color TFT display •Side Imaging, Down Imaging, DualBeam PLUS •Sonar coverage: 20º, 60º, (2) 86º & (2) 55º @ -10db •200/83/455/800/50* (*Optional 50 kHz transducers available for deepwater use) kHz (Total of 180º) •8000W (PTP), 1000W (RMS) •Depth capability: 150' (SI/DI) 1500' & 3000'(*) •Updated cosmetics & cursor key •iPilot Link compatibility •Can receive SI & 360 Imaging via Ethernet •360 Imaging compatibility •Lakemaster/Navionics compatibility •Temp & GPS Speed included •Internal precision GPS w/built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement
•409520-1KVD: Kevin VanDam Edition - FREE Lures - a $20 value

Order #	Mfg. #	Style	Sugg.Ret.
5027442	409190-1	999ci HD SI Combo	$1,499.99
5027818	409520-1KVD	999ci HD SI KVD Combo	1,499.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD®
959ci HD DI COMBO

•8'' High definition 800Hx480V color TFT display •Down Imaging, DualBeam PLUS •Sonar coverage: 16º, 28º, 45º & 75º @ -10db •455/822/200/455 kHz •4000W (PTP), 500W (RMS) •Depth capability: 350' (DI), 600' •Updated cosmetics & cursor key •iPilot Link compatibility •Can receive SI & 360 Imaging via Ethernet •Lakemaster/Navionics compatibility •Temp & GPS Speed included •Internal precision GPS w/built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027441	409180-1	$1,099.99

HUMMINBIRD®
959ci HD XD COMBO

•8'' High definition 800Hx480V color TFT display •DualBeam PLUS •Sonar coverage: 20º, 60º & 74º @ -10db •200/83/50 kHz •8000W (PTP), 1000W (RMS) •Depth capability: 3000' •Updated cosmetics & cursor key •iPilot Link compatibility •Can receive SI & 360 Imaging via Ethernet •Lakemaster/Navionics compatibility •Temp & GPS Speed included •Internal precision GPS w/built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027473	409170-1	$1,099.99

HUMMINBIRD®
959ci HD COMBO

•8'' High definition 800Hx480V color TFT display •DualBeam PLUS •Sonar coverage: 20º & 60º @ -10db •200/83/50 kHz •8000W (PTP), 1000W (RMS) •Depth capability: 1500' •Updated cosmetics & cursor key •iPilot Link compatibility •Can receive SI & 360 Imaging via Ethernet •Lakemaster/Navionics compatibility •Temp & GPS Speed included •Internal precision GPS w/ built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027440	409160-1	$999.99

HUMMINBIRD®
1199ci HD SI COMBO

•10.4'' High definition 800Hx600V color TFT display •Side Imaging, Down Imaging, DualBeam PLUS •Sonar coverage: 20º, 60º, (2) 86º & (2) 55º @ -10db •200/83/455/800/50* (*Optional 50 kHz transducers available for deepwater use) kHz (Total of 180º) •8000W (PTP), 1000W (RMS) •Depth capability: 150' (SI/DI) 1500' & 3000'(*) •Updated cosmetics & cursor key •iPilot Link compatibility •Can receive SI & 360 Imaging via Ethernet •360 Imaging compatibility •Lakemaster/Navionics compatibility •Temp & GPS Speed included •Internal precision GPS w/built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

•409530-1KVD: Kevin VanDam Edition - FREE Lures - a $20 value

Order #	Mfg. #	Style	Sugg.Ret.
5027447	409230-1	1199ci HD SI Combo	$2,299.99
5027819	409530-1KVD	1199ci HD SI KVD Combo	2,299.99

HUMMINBIRD®
1159ci HD DI COMBO

•10.4'' High definition 800Hx600V color TFT display •Down Imaging, DualBeam PLUS •Sonar coverage: 75º, 45º, 28º & 16º @ -10db •455/800/200/455 kHz •4000W (PTP), 500W (RMS) •Depth capability: 350' (DI); 600' •Updated cosmetics & cursor key •iPilot Link compatibility •Can receive SI & 360 Imaging via Ethernet •Lakemaster/Navionics compatibility •Temp & GPS Speed included •Internal precision GPS w/built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027446	409220-1	$1,799.99

HUMMINBIRD®
1159ci HD XD COMBO

•10.4'' High definition 800Hx600V color TFT display •DualBeam PLUS •Sonar coverage: 20º, 60º & 74º @ -10db •200/83/50 kHz •8000W (PTP), 1000W (RMS) •Depth capability: 3000' •Updated cosmetics & cursor key •iPilot Link compatibility •Can receive SI & 360 Imaging via Ethernet •Lakemaster/Navionics compatibility •Temp & GPS Speed included •Internal precision GPS w/built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027474	409210-1	$1,799.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD®
1159ci HD COMBO

•10.4'' High definition 800Hx600V color TFT display •DualBeam PLUS •Sonar coverage: 20º & 60º @ -10db •200/83/50 kHz •8000W (PTP), 1000W (RMS) •Depth capability: 1500' •Updated cosmetics & cursor key •iPilot Link compatibility •Can receive SI & 360 Imaging via Ethernet •Lakemaster/Navionics compatibility •Temp & GPS Speed included •Internal precision GPS w/built-in Contour XD •Higher speed processors •GPS Trackplotting & Chartplotting •Waypoints: 2750; Routes: 45; Tracks/Points: 50/20,000 •X-Press Menu System •Split Screen Zoom & Bottom Lock •Mark structure on sonar •Selective Fish ID+ •Real Time Sonar •Sonar Echo Enhancement

Order #	Mfg. #	Sugg.Ret.
5027445	409200-1	$1,699.99

Perferred Dealer Only

HUMMINBIRD®
ION SERIES

•Innovative Cross Touch™ interface - everything you can do with the **touchscreen**, you can also do with the touchpad, so rough conditions will never compromise your control •Multi-gesture capability lets you navigate menus & activate features with a tap, swipe or pinch •Minimizes false touches from splashing water •Exclusive Multi-Range Chirp - very low, mid & high ranges either individually or all at once •Xtreme Depth Sonar - 50kHz goes deep & wide and 200kHz delivers high-accuracy returns of baitfish & gamefish •Digital signal Processing •**360º Imaging** •**Side & Down Imaging** Sonars •SwitchFire Sonar •DUALBeam Plus Sonar •External GPS •TriFuel Cartography delivers exclusive access to Navionics, C-Map & Humminbird charts •World-base maps from all 3 chart makers are built-in •Upgradeable software •Dual SD card slots •High definition display •5-port Ethernet switch to link together multiple head units or share transducers •HD Radar •Internet browser built-in •AIS technology •Auot Pilot •IP Camera ready •NMEA 2000 ready •1024Hx768V color TFT display •LED Backlight •IPX7 waterproof class •In-dash or gimbal mount options

•407840-1: 10" display screen
•407510-1: 12" display screen

Order #	Mfg. #	Model	Sugg.Ret.
5027547	407840-1	Ion 10"	$2,499.99
5027548	407510-1	Ion 12"	2,999.99

HUMMINBIRD® ONIX™ SERIES

•**FEATURES:** Innovative Cross Touch™ interface - everything you can do with the touchscreen, you can also do with the touchpad, so rough conditions will never compromise your control •Multi-gesture capability lets you navigate menus & activate features with a tap, swipe or pinch •Minimizes false touches from splashing water •1024Hx768V color TFT display •2-1/2'' Target Separation •1000 watts (RMS); 8000 watts (Peak-toPeak)* (*To obtain 2000 or 1000 watts, optional deepwater transducer required) •NMEA 0183/2000 built-in •Temp & GPS Speed included •Backlight •IPX7 waterproof class •In-dash or gimbal mount options •10-20 VDC •Internal GPS •Humminbird TriFuel Cartography

Perferred Dealer Only

HUMMINBIRD®
ONIX10ci SI COMBO

•10.4'' diagonal display •HD Side Imaging, HD Down Imaging, Digital Signal Processing (DSP), DualBeam PLUS •Sonar coverage: 20º, 60º, 75º & 45º, (2) 86º & (2) 55º @ -10db (Total 180º) •200/83/455/800/50* kHz (Optional 50 kHz transducers available for deepwater use) •Depth capability: 150' (SI), 350' (DI); 1500'* & 10,000'**(Requires optional purchase of CHIRP Ethernet SONAR module) •Transom mount transducer

Order #	Mfg. #	Model	Sugg.Ret.
5027546	408810-1	Cross Touch	$3,199.99
5027823	409780-1	Non-Touch, Keypad Control Only	2,699.99

Perferred Dealer Only

HUMMINBIRD®
ONIX10ci COMBO

•10.4'' diagonal display •Digital Signal Processing (DSP), DualBeam PLUS •Sonar coverage: 20º & 60º @ -10db •50*/200/83 kHz (*Optional 50 kHz transducers available for deepwater use) •Depth capability: 1500',5000'* & 10,000'**(**Requires optional purchase of CHIRP Ethernet SONAR module) •Inside Hull or Transom mount transducer

Order #	Mfg. #	Model	Sugg.Ret.
5027545	408800-1	Cross Touch	$2,499.99
5027822	409770-1	Non-Touch, Keypad Control Only	1,999.99

Perferred Dealer Only

HUMMINBIRD®
ONIX8ci SI COMBO

•8.4'' diagonal display •HD Side Imaging, HD Down Imaging, Digital Signal Processing (DSP), DualBeam PLUS •Sonar coverage: 20º, 60º, 75º & 45º, (2) 86º & (2) 55º @ -10db (Total 180º) •200/83/455/800/50* kHz (Optional 50 kHz transducers available for deepwater use) •Depth capability: 150' (SI), 350' (DI); 1500'* & 10,000'**(Requires optional purchase of CHIRP Ethernet SONAR module) •Transom mount transducer

Order #	Mfg. #	Model	Sugg.Ret.
5027544	408860-1	Cross Touch	$2,699.99
5027821	409750-1	Non-Touch, Keypad Control Only	2,199.99

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

Perferred Dealer Only

HUMMINBIRD® ONIX8ci COMBO

•8.4'' diagonal display •Digital Signal Processing (DSP), DualBeam PLUS •Sonar coverage: 20º & 60º @ -10db •50*/200/83 kHz (*Optional 50 kHz transducers available for deepwater use) •Depth capability: 1500',5000'* & 10,000'**(**Requires optional purchase of CHIRP Ethernet SONAR module) •Inside Hull or Transom mount transducer

Order #	Mfg. #	Model	Sugg.Ret.
5027543	408600-1	Cross Touch	$1,999.99
5027820	409740-1	Non-Touch, Keypad Control Only	1,499.99

NEW

HUMMINBIRD® HELIX 5 SERIES

•5" color TFT ***wide screen*** LCD •LED backlight •480Vx800H resolution, 256 colors •Keypad control (X-Press Menu System) •200/83kHz DualBeam PLUS w/Switchfire sonar •4000 watts peak-to-peak; 500 watts RMS •Built-in transducer •Waterproof class: IPx5 ***•NOTE:*** Portable models come with a soft-sided carrying case, suction cup transducer, 7Ah battery & charger

•409590-1: Sonar w/Dual Beam, Temp, International languages, Depth: 1500 ft.

•409710-1: Sonar w/DualBeam, Temp, Portable, Depth: 1500 ft.

•409600-1: Down Imaging Sonar w/Temp, International languages, Depth: 350 ft. (DI), 600 ft. (DualBeam)

•409610-1: Sonar w/DualBeam, Temp, GPS, International languages, Built in Cartography: Humminbird UniMap

•409720-1: Sonar w/DualBeam, Temp, GPS, Built in Cartography: Humminbird UniMap, Portable

•409620-1: Down Imaging Sonar w/Temp, GPS, Depth: 350 ft. (DI), 600 ft. (DualBeam), Built in Cartography: Humminbird UniMap

•409640-1: Side Imaging, Down Imaging, Sonar w/DualBeam, GPS, Depth: 100 ft (SI/DI), 1500 ft. (DualBeam), Built in Cartography: Humminbird UniMap

•409640-1KVD: Side Imaging, Down Imaging, Sonar w/DualBeam, GPS, Depth: 100 ft (SI/DI), 1500 ft. (DualBeam), Built in Cartography: Humminbird UniMap, Kevin Van Dam Edition

Order #	Mfg. #	Model	Sugg.Ret.
5027807	409590-1	Helix 5 Sonar	$199.99
5027808	409710-1	Helix 5 Sonar Portable	349.99
5027809	409600-1	Helix 5 DI	249.99
5027810	409610-1	Helix 5 Sonar GPS	299.99
5027811	409720-1	Helix 5 Sonar GPS Portable	449.99
5027812	409620-1	Helix 5 DI GPS	349.99
5027813	409640-1	Helix 5 SI GPS	499.99
5027814	409640-1KVD	Helix 5 SI GPS KVD	499.99

HUMMINBIRD® ICE™ SERIES

•Extreme-temperature LCD technology instantly finds and reports the lake bottom, setting the flasher scale automatically •Choose color palettes to see what's down there

HUMMINBIRD® ICE 35

•3-Color Flasher •526 segment •2X Dynamic Zoom magnifies your view of a specific depth range •Rotate the dial to change the area you're zooming into, while you're viewing it •Selectable dual frequency: 240kHz/19º @ 3db, 455kHz/9º @ 3db •Depth to 200' •800 watts peak-to-peak •100 watts RMS •7Ah battery included

Order #	Mfg. #	Sugg.Ret.
5027150	407020-1	$299.99

ICE-45 FLASHER

•Patent-Pending backlit LCD display, 4 depth scales (20', 40', 80', 200') in manual mode, 7 depth scales in auto mode (20', 40', 60', 80', 100', 120', 200') are automatically adjusted on the LCD for a very clean, easy to read display •3-color fiber-optic flasher display delivers excellent sunlight readability, 1800 watts peak-to-peak power, 10 step interference rejection, 4 backlit keypad control buttons •Dual beam transducer 455 kHz/ 9º, 240 kHz/ 19º •Battery voltage indicator on LCD •"Shuttle" mount with built-in gimbal bracket, soft sided carrying bag, 7AH battery with charger

Order #	Mfg. #	Sugg.Ret.
5026445	407030-1	$399.99

ICE 345c

•Brilliant 256 Color TFT 320V x 240H 3.5" display and advanced DualBeam sonar with 2400 Watts PTP power output, all in a soft-sided carry case •Gel Cell Battery and charger included (not included with Metric/International versions of this product) •Sonar: DualBeam PLUS with Switchfire 200 kHz / 20° @ -10db 83 kHz / 60° @ -10db •Depth: 1000 ft. •Power Output: 300 Watts (RMS) •2400 Watts (Peak-to-Peak) •Warranty: Two Year

Order #	Mfg. #	Sugg.Ret.
5026470	407870-1	$329.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD®
ICE 386ci COMBO

•320Vx240H, 3.5" display w/LED backlight •256 color TFT •DualBeam PLUS™ sonar w/2400 watts Peak-to-Peak power output •200kHz/20º @ -10db; 83kHz/60º @ -10db •Depth to 1500' •Precision internal GPS chartplotting w/built-in UniMap™ cartography with a card slot for optional maps and saving waypoints •Tilt & Swivel Quick Disconnect mounting system

Order #	Mfg. #	Sugg.Ret.
5027449	409390-1	$449.99

NEW

HUMMINBIRD®
ICE 688ci HD COMBO

•High-speed 6-Color Flasher •480Hx640V, 5" diagonal 256 color TFT •DualBeam PLUS w/SwitchFire sonar - 20º & 60º @ -10db •Power output: 500 watts (RMS); 4000 watts (Peak-toPeak) •Depth to 1500' •Operating frequency: 200/83 kHz •2x Dynamic Zoom - Can adjust to see any part of water column •3 color palettes •Precision internal GPS •Built-in Humminbird UniMap •GPS Speed included •Waypoints, Routes, Tracks/Points: 2500, 45, 50/20,000 •Battery icon indicator

Order #	Mfg. #	Sugg.Ret.
5027824	409340-1	$599.99

HUMMINBIRD®
FISHIN' BUDDY® PORTABLE FISHFINDERS

•For use on a boat, a dock or even a float tube •Ergonomic clamp mount design can be used nearly everywhere, with no riggng or wiring, or even a transducer to mount •One-Touch® control for access to all the advanced features, and even Selective Fish ID+® •Six AA batteries supply all the power you need for hours of enjoyment

HUMMINBIRD®
140c & 120
FISHIN' BUDDY®

•Sonar: Single beam down/side •200kHz/34º @-10db, 455kHz/10º @-10db •Power output: 1000 watts peak-to-peak, 125 watts RMS •Depth: 240' down, 120' side •Temp. included

•140c Fishin' Buddy®: Display: 3-1/2" diagonal, 320Vx240H, 256 Color TFT •Shaft length: 24"-40" telescopic pole

•120 Fishin' Buddy®: Display: 4" diagonal, 240Vx160H, FSTN LCD, 8 level grayscale •Shaft length: 24" fixed pole

Order #	Mfg. #	Model	Sugg.Ret.
5025408	407180-1	140c Fishin' Buddy	$269.99
5025406	407120-1	120 Fishin' Buddy	169.99

HUMMINBIRD®
110 FISHIN' BUDDY®

•Display: 4" diagonal, 160Vx128H, FSTN LCD, 4 level grayscale •Sonar: Single beam down 200kHz/34º @-10db •Shaft length: 24" fixed pole •Power output: 1000 watts peak-to-peak, 125 watts RMS •Depth: 240' down •Temp. Included

Order #	Mfg. #	Sugg.Ret.
5025405	407110-1	$119.99

HUMMINBIRD®
FISHIN' BUDDY ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
5025410	780013-1	Carrying Case	$49.99
5025411	740095-1	Mounting Bracket	49.99
5025412	740096-1	Float Tube Strap	39.99

Perferred Dealer Only

HUMMINBIRD®
360 IMAGING™
TROLLING MOTOR SYSTEM
BOW MOUNT

•Gives a detailed, 360™ view of the underwater world from the front of a boat •Up to 300' beam width enables you to see areas virtually impossible to reach w/other types of sonar •4 beam speed settings **•See up to 150' in front of the forward looking mode**, either in 360 mode or by isolating the sweep area •Mark waypoints - the exact location will be stored in your unit's memory & is viewable on GPS cartography •Customize the display by adjusting colors based on water conditions; adjust sensitivity for the best returns •View 360 Imaging™ side-by-side w/SwitchFire™ or GPS cartography •Easily mounted on select bow mount (cable steer) trolling motors via Quick Release Mounting Bracket •Integral 8' power & Ethernet cable attached •Additional 3' power & 20' Ethernet cable for quick disconnect •GPS receiver & heading sensor included •Bracket #740140 sold separately

Order #	Mfg. #	Sugg.Ret.
5027455	409250-1	$999.99

Ellett Link
The Retailers Connection
www.ellettbrothers.com
1-800-845-3711

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

HUMMINBIRD®
AS 360SSI - 360 IMAGING

•Provides a complete around-the-boat, underwater image with same sharp detail anglers have come to know with Side Imaging® technology •With a single sweep, 360 Imaging has the ability to cover a 300' diameter circle (70,685 sq. ft.) •Ability to mark waypoints anywhere on the 360 Imaging screen •Audio alert is given when boat nears a waypoint within casting range •Capable of recording video & screen captures •8 color palettes •4 sonar speed settings •Specific area can be selected & zoomed in on •**NOTE:** This **DOES NOT** replace your standard transducer, it enhances your product •Must use standard transducer in order to have a digital depth reading •Also requires a mounting bracket (not included)

Order #	Mfg. #	Sugg.Ret.
5027015	408310-1	$1,500.00

HUMMINBIRD®
GPS RECEIVER

•Precision GPS/WAAS receiver provides fast position fixes accurate within 2.5 meters •Provides more accurate position fixes than the industry standar GPS •Dimension: 3.25'' diameter, 1.5'' high & comes with 20' cable and has a 1''-14 thread count stem mountable with an optional antenna stem (antenna stem not included).

Order #	Mfg. #	Sugg.Ret.
5027165	408920-1	$149.99
WITH HEADING SENSOR		
5027166	408400-1	199.99

HUMMINBIRD®
HDR 650 IN-DASH
DIGITAL DEPTH GAUGE

•Waterproof digital depthsounder •1-1/4" Diagonal, backlit LCD display •Single beam sonar •Sonar coverage: 20° @ -10db •Sonar frequency: 200kHz. Depth capability: 700 feet •Interchangeable black & white face plate & bezel

Order #	Mfg. #	Transducer	Sugg.Ret.
5026202	407860-1	Transom	$109.99

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

NEW

HUMMINBIRD®
AUTOCHART NORTH AMERICAN

•Proprietary software that takes your Humminbird's sonar recordings & GPS to build custom lake charts •Create your own contour map on any lake in 3 simple steps: (1) Record sonar data after inserting a blank SD card into your Humminbird Combo; (2) Import your recordings into the AutoChart PC program & convert your survey into a lake map; (3) Export your map onto the Zero Lines Map Card (included) to display on any compatible Humminbird •Included with the AutoChart PC software is a 32 GB map card loaded w/Zero Lines for millions of water bodies in North America (Zero Line is the place where the water meets the shore & the starting point for building your own maps) •Once your AutoChart map is created, the only way to view the contours on a compatible Humminbird fish finder is by loading them onto a Zero Lines Map Card •AutoChart enables you to use Minn Kota® i-Pilot® Link™ on previously unmapped bodies of water after you create contours with the AutoChart PC Software •Access to all the detail & features of Humminbird LakeMaster charts including: Depth Highlight (Depth Highlight Range); Water Level Offset; Shallow Water Highlight; Mark, Import, & Export waypoints; -Pilot Link functionality •Minimum PC Requirements: 512 MB RAM (1024 MB RAM recommended), 10GB Free hard drive, Windows XP (sp3 or greater), DVD-ROM Drive

Order #	Mfg. #	Sugg.Ret.
5027652	600031-1	$199.99

NEW

HUMMINBIRD®
AUTOCHART PRO™
NORTH AMERICAN

•Offers all the leading features of the AutoChart, but with 2 key enhancements designed to give tournament anglers a competitive edge •**Bottom Hardness Indication** delivers a crucial tip-off to where fish are hiding by identifying areas likely to hold fish based on the hardness of the bottom •**Side Imaging Mosaic** allows you to overlay your Side Imaging returns onto your AutoChart map for a 3D visualization of fish-holding habitat •AutoChart Pro maps will overlay LakeMaster maps on Humminbird units that have 2 card slots •Proprietary software that takes your Humminbird's sonar recordings & GPS to build custom lake charts •Create your own contour map on any lake in 3 simple steps: (1) Record sonar data after inserting a blank SD card into your Humminbird Combo; (2) Import your recordings into the AutoChart PC program & convert your survey into a lake map; (3) Export your map onto the Zero Lines Map Card (included) to display on any compatible Humminbird •Included with the AutoChart PC software is a 32 GB map card loaded w/Zero Lines for millions of water bodies in North America (Zero Line is the place where the water meets the shore & the starting point for building your own maps) •Once your AutoChart map is created, the only way to view the contours on a compatible Humminbird fish finder is by loading them onto a Zero Lines Map Card •AutoChart enables you to use Minn Kota® i-Pilot® Link™ on previously unmapped bodies of water after you create contours with the AutoChart PC Software •Access to all the detail & features of Humminbird LakeMaster charts including: Depth Highlight (Depth Highlight Range); Water Level Offset; Shallow Water Highlight; Mark, Import, & Export waypoints; -Pilot Link functionality •Minimum PC Requirements: 512 MB RAM (1024 MB RAM recommended), 10GB Free hard drive, Windows XP (sp3 or greater), DVD-ROM Drive

Order #	Mfg. #	Sugg.Ret.
5027653	600032-1	$249.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

NEW

HUMMINBIRD® SMARTSTRIKE™

•Available exclusively for the Onix Series •Takes you straight to the action by showing you where the fish are biting at any given moment •Based on search parameters like season, time of day, temperature & fish species, it highlights areas of the lake map where your prey is most likely to be located •No more guessing, fruitless searching or wasted casting

Order #	Mfg. #	Region	Sugg.Ret.
5027870	600034-1	Dakotas/Nebraska	$199.99
5027871	600035-1	Great Lakes (MI/IN/OH/KY/TN)	199.99
5027872	600036-1	Great Plains (IA/IL/KS/MO/NE)	199.99
5027873	600037-1	Mid South (TX/OK/AR/LA/MS)	199.99
5027874	600038-1	Minnesota	199.99
5027875	600039-1	SE States (FL/GA/AL/MS/TN)	199.99
5027876	600040-1	Western States (WA/OR/CA/NV/ AZ/NM/CO/WY/MT/UT/ID)	199.99
5027877	600041-1	Wisconsin	199.99
5027878	600042-1	Woods/Rainy	199.99
5027879	600048-1	NE States (NJ/RI/MA/NY/NH/VT/ME)	199.99
5027880	600047-1	Mid-Atl. St. (MD/PA/DC/VA/NC/SC)	199.99
GEN2			
5027881	600038-2	Minnesota	199.99
5027882	600039-2	SE States (FL/GA/AL/MS/TN)	199.99
5027883	600040-2	Western States (WA/OR/CA/NV/ AZ/NM/CO/WY/MT/UT/ID)	199.99
5027884	600041-2	Wisconsin	199.99

PC NOT INCLUDED

HUMMINBIRD® LAKEMASTER® CONTOUR ELITE™

•Bring trip planning into the information age •Unique software lets you access high-definition LakeMaster® lake data on your PC •Advanced features combine with a user-friendly interface to let you search by fish species, by key fishing structures, or design a custom search •3D Viewer: high definition data in 3 dimensions •Rotate around a structure to see all the angles & features under the lake's surface •Search Results: Search for specific species based on season, weather, & water conditions •Results are highlighted in red & can be downloaded to your Humminbird® fishfinder

Order #	Mfg. #	Region	Sugg.Ret.
iPILOT® LINK™ COMPATIBLE			
FRESHWATER SERIES			
5027228	600028-1	Woods/Rainy Lake	$149.95
5027644	600022-2	Minnesota	149.95
5027645	600010-2	Mid South (TX/OK/AR/LA)	149.95
5027646	600024-2	Southeast (FL/GA/AL/MS/TN)	149.95
5027647	600018-2	Great Plains	149.95
5027648	600014-2	Dakotas/Nebraska	149.95
5027649	600016-2	Great Lakes	149.95
5027650	600026-2	Wisconsin	149.95
5027229	600012-1	Western St. (AZ,CA,CO,ID,MT,NM, NV,OR,UT,WA,WY)	149.95
5027651	600012-2	Western St. (AZ,CA,CO,ID,MT,NM, NV,OR,UT,WA,WY)	149.95
5027637	600009-2	Midsouth (TX/OK/AR/LA)	149.95
5027638	600023-2	Southeast (FL/GA/AL/MS/TN)	149.95
5027639	600017-2	Great Plains	149.95
5027640	600013-2	Dakotas/Nebraska	149.95
5027641	600015-2	Great Lakes (MN/IN/OH/KY)	149.95
5027642	600025-2	Wisconsin	149.95
5027864	600043-1	Mid Atl. (MD,PA,DC,DE,VA,NC,SC)	149.99
5027866	600021-3	Minnesota	149.99
5027865	600045-1	NE St.(NJ,RI,MA,NY,NH,VT,ME)	149.99
5027867	600023-3	SE St.(FL,GA,AL,MS,TN)	149.99
5027868	600025-3	Wisconsin	149.99
5027643	600011-2	Western St. (AZ,CA,CO,ID,MT,NM, NV,OR,UT,WA,WY)	149.99
+ CONTENT - AERIAL PHOTOGRAPHY, MICROSD ADAPTER			

NEW

HUMMINBIRD® OPEN ARRAY RADAR w/ETHERNET CONNECTION

•Open array antenna •Peak Power Output: 4kW •Transmit Frequency: 9410 ± 30MHz •Sidelobes: better than -23db •Rotation: 24 rpm

Order #	Mfg. #	Beamwidth	Sugg.Ret.
MODEL RH44 FEATURES 3.92 FT. ANTENNA & BASE			
5027468	750011-1	2.4° Horiz./25° Vertical	$3,999.99
MODEL RH45 FEATURES 4.92 FT. ANTENNA & BASE			
5027469	750012-1	1.7° Horiz./25° Vertical	4,449.99

PERFERRED DEALER ONLY

HUMMINBIRD® ENCLOSED RADAR

•Rugged, enclosed radome easily connects to your Humminbird® Ethernet Network •Includes enclosed radar antenna, ethernet connection, 33' cable, & software upgrades specifically for compatible Humminbird® head units: **1198c SI, 1197c SI, 998c SI, 958c, 958c DI, 898c SI, 858c, & 858c DI** •Software upgrade syncs Humminbird® head unit to the radar & gives additional viewing options & functions •Radar View shows radar data on full screen of your control head •Chart/Radar Combo View (GPS Required) shows chart info & radar on split-screen visual •Radar delivers accurate target detection at both long & short ranges •Features adjustable VRM & EBL functions for precise range & bearing information for any target •Shaded target intensity helps users judge weather severity & differentiate between large & small vessels •MARPA Not Supported •Water Resistance: IPX6
•RADAR SPECS (per model) - Ⓑ* AS 21RD4KW, Ⓐ* AS 12RD2KW:
Wind Force: 100 knots relative
•Preheat Times: 120 sec. Ⓑ*, 90 sec. Ⓐ*
•Max. Pulse Length: 1.0 uSec/500/Hz Ⓑ*, 0.8 uSec/550/Hz Ⓐ*
•Rotation: 24rpm Ⓑ*, 30rpm Ⓐ*
•Beamwidth Horizontal: 9410+/-30 MHz Ⓑ*, 9445+/-30 MHz Ⓐ*
•Beamwidth Vertical: 25°
•Transmit Freq.: 24rpm Ⓑ*, 30rpm Ⓐ*
•IF Center Freq.: 60 MHz
•Sidelobes: better than -20dB
•Noise Figure: 6.0dB or less Ⓑ*, 10dB or less Ⓐ*
•Power Consumption: 45W or less Ⓑ*, 30W or less Ⓐ*
•**NOTE:** 5-Port Ethernet Switch - AS ETH 5PS (optional - not included) is recommended for building an ultimate fishing system by linking multiple Humminbird® head units, sharing transducers, adding an NMEA 2000® network, & connecting your radar

Order #	Mfg. #	Type	Peak Output	Sugg.Ret.
MODEL AS 12RD2KW				
5026930	408550-1	12" Radome	2kW	$1,499.99
MODEL AS 21RD4KW				
5026931	408560-1	21" Radome	4kW	2,199.99

HUMMINBIRD
SIMPLY. CLEARLY. BETTER.

PERFERRED DEALER ONLY

HUMMINBIRD®
SC 110 AUTOPILOT

•Premier system incorporating proven steering technology know-how adapted from over 30 years of experience •Featuring robust & precise steering control algorithms, a flux-gate compass, a built-in rate gyro & its state-of-the-art multi-sensor technology performs flawlessly, whatever the sea's conditions •Intuitive keys, menus & a tactile rotary control knob make user interface quick & easily accessible w/simple, straightforward commands to make quick course directions or setting adjustments •Easily viewed on a full-color sunlight-viewable 3.5" LED backlit display (QVGA 320Vx240H) •Ideal for retrofit vessels large & small, thanks to 30 Amps of available continuous pumpset power, the system can support up to 2 independent chartplotters for navigating to waypoints or saved routes, or can be configured to accept wind input for sailing vessels •Key features include Rotating knob for route/wind/menu adjust •Dedicated course change buttons •Data protocol NMEA0183 •Quick setup wizard •NMEA0183 input - 3 to connect 2 chart plotters, wind systems & external compass •Multiple compass support •Tiller option, supports up to 2 •30 Amp MAX current output to the pump •Supports constant running & reversing pumpsets •Supports up to 2 control heads •Gimbal Mount option •Output for analog rudder indicator •Protective suncover standard •Multi-sensor mode - use w/ GPS or w/ linear feedback •Integrated on-board rate gyro •3 Pre-programmed turn patterns •Advance navigation algorithms support the following modes: ***AUTO***: Holds the boat on its existing course; ***NAV***: Runs a route or direct-to a waypoint from your chartplotter; ***WIND***: Auto Track & Gybe change and prevent, requires input from your wind sensor; ***AUTO TRACK***: Holds existing course & compensates for leeway & drift; ***DODGE***: Use tiller or control buttons to temporarily deviate course, then returns to previous course; ***FOLLOW UP***: User encoder knob to steer the vessel; ***POWER STEER***: Use keys to steer the vessel •Also has compass calibration mode •Heading bargraph •Cross track error bargraph (XTE) •Rudder position bargraph

•700052-1: SC 110 Autopilot System kit includes Autopilot 3.5" color TFT display, Course Computer w/Fluxgate Compass & Rate Gyro, brushless Rudder Feedback Unit and 30m cable, rotary knob & push button controls

•700053-1: SC 110 Autopilot System kit includes Autopilot 3.5" color TFT display, Course Computer w/Fluxgate Compass & Rate Gyro, and 30m cable, rotary knob & push button controls

•409100-1: SC 110 Autopilot Control Head includes 3.5" color TFT display w/rotary knob & push button controls

Order #	Mfg. #	Type	Sugg.Ret.
5027457	700052-1	System Kit	$2,199.00
5027458	700053-1	System Kit w/o Rudder Feedback Unit	1,999.00
5027459	409100-1	Control Head Unit	599.00
Order #	**Mfg. #**	**Type**	**Sugg.Ret.**
ACCESSORIES			
5027460	408180-1	SCP 110 Course Computer	$1,099.00
5027461	408150-1	FB 30 Rudder Feedback Unit	299.00
5027462	408210-1	FXC 110 Fluxgate Compass	259.00
5027463	408080-1	TC 110 Joystick Control	329.00
5027464	408340-1	HHRP 11-12 Hydraulic Autopilot Pump - 12 VDC	789.00
5027465	408350-1	HHRP 17-12 Hydraulic Autopilot Pump - 12 VDC	789.00
5027466	720077-1	SCP Cable 30 - 30 Meter Cable for FB 30 & FXC 110	99.00
5027467	740137-1	SC BK1 Autopilot Gimbal Mounting Bracket w/Knobs & Washers	59.00

Ellett Link
The Retailers Connection
www.ellettbrothers.com

HUMMINBIRD®

ACCESSORY RESOURCE GUIDE

Transom Mount Transducers 2-4
In-Hull Transducers 4,5
Angled Puck Transducers 5
Trolling Motor Transducers 6,7
Portable Transducers 7
Bronze Thru Hull Transducers 8,9
Stainless Steel Thru Hull Transducers 9
Plastic Thru Hull Transducers 9-11
Ice Transducers 12

Trolling Motor Choke 12
Dual Beam Trolling Motor Transducer Kits 12
Transom Mounting Hardware & Adapters 13
Kayak Transducer Mounting Kit 13
Portable Mounting Hardware 13
Quick Disconnect Mounts 14
In-Dash Mounts 14,15
Mounting Hardware 15-17
Other Mounting 17
Temperature and Speed Sensors 18

Extension Cables 18,19
Power Cables 19,20
Adpater Cables 20,21
Bluetooth® Remote with Wireless Dongle 21
Video Cables 22
Ethernet Cables 22,23

Sonar Modules 23,24
Advanced Fishing Systems 24-29
Antennas 29
AIS 29,30
Switches 30,31
Unit Covers 31-33
Portable Configurations 33
Fishin' Buddy® Accessories 34
Connector Collectors 34,35
Ice Flasher Accessories 35
Autopilot and Accessories 35-37
Radar 37,38

Transom Mount Transducers	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
SHS 7W	5001115	710002-1	$129.99	Transom Mount Six Beam 3D Sonar 53 Degree 455 kHz	Matrix® 47 3D, 748 3D, 947 3D, 967 3D
XNT 9 QB 90 T	5025110	710199-1	$119.99	Quadra/Tri Beam 20/60/90 Degree 200, 83, 455 kHz Temperature Sensor	717, 718,727, 727, 728, 737, 747c, 755c, 757c, 767, 768, 777c2, 778c, 778c HD, 785c2, 787c2, 787c2I, 788C, 788ci, 788ci HD, 858c, 817C, 97c, 958c, 1157c, 1158c, Matrix® 35, Matrix® 37, PiranhaMAX™ 180 (Tri Beam only)
XNT 9 QB 90	5025111	710212-1	$109.99	Quardra/Tri Beam 20/60/90 Degree 200, 83, 455 kHz	717, 718, 727,728, 737, 747c, 755c, 757c, 767, 768, 777c2, 778C, 778c HD, 858c, 917c, 957c, 958c, 1157c, 1158c, Matrix® 35, Matrix® 37, PiranhaMAX™ 180 (Tri Beam only)
XNT 9 20 T	5025112	710198-1	$79.99	Transom Mount Single/Dual Beam 20/60 Degree 200/83 kHz No Temperature Sensor	All Matrix® except 47 3D All PiranhaMAX™ except 180 All 100 & 300 Series except DI All 500 Series Except DI models All 600 Series except DI models All 700 Series except DI models All 800 Series except DI models All 900 Series except DI & 3D models All 1100 Series except DI
XNT 9 20	5025113	710214-1	$69.99	Transom Mount Single/Dual Beam 20/60 Degree 200/83 kHz No Temperature Sensor	All Matrix® except 47 3D All PiranhaMAX™ except 180 All 100 & 300 Series except DI All 500 Series Except DI models All 600 Series except DI models All 700 Series except DI models All 800 Series except DI models All 900 Series except DI & 3D models All 1100 Series except DI
XNT 9 DB 74 T	5027450	710237-1	$119.99	Dual Beam 20/74 Degree 200/50 kHz with built in temp for use with XD model products	1159ci HD Combo 859ci HD Combo 859ci HD XD Combo 899ci HD SI Combo 959ci HD Combo 678c HD XD Combo 688ci HD XD Combo 959ci HD XD Combo
XNT 14 20 T	5027517	710247-1	$89.99	Dual Beam transducer 20/60 Degree 200/83 kHz, temp included for ION/ ONIX Series Note: ION Series must also have Sonar module	ION 10 ION 12 ONIX10ci Combo ONIX8ci Combo ONIX10Ci SI Combo ONIX8ci SI Combo

Transom Mount Transducers (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XNT 14 74 T	5027518	710253-1	$119.99	Dual Beam 20/74 Degree 200/50 kHz, temp included for ION/ONIX Series Note: ION Series must also have the Sonar module	ION 10 ION 12 ONIX10ci Combo ONIX8ci Combo
XNT 14 DI T	5027519	710259-1	$149.99	Dual Beam Down Imaging 83/200/455/800 kHz, temp included for ION/ONIX Series Note: ION Series must also have the sonar module	ION and ONIX Series
XT 14 20 HDSI T	5027520	710238-1	$299.99	HD SI, HD DI, Dual Beam 20/60/90/180 Degrees 200/83/455/800 kHz, temp included for ION/ONIX Series Note: ION Series must also have the sonar module	ION and ONIX Series SM2000 EC 14W10 EC 14W30t
XT 14 74 HDSI T	5027521	710239-1	$349.99	HD SI, HD DI, Dual Beam 20/60/90/180 Degrees 200/50/455/800 kHz, temp included for ION/ONIX Series Note: ION Series must also have the sonar module	ION and ONIX Series SM2000 EC 14W10 EC 14W30t
XHS 9 HDSI 180 T	5025115	710201-1	$269.99	Transom Mount Compact Dual/Side Imaging 20/74/84 Degree 200/83/455/800 kHz Temperature Sensor	898x SI, 997c SI, 998c SI, 1197c SI, 1198c SI
XNT 9 SI 180 T	5025116	710200-1	$199.99	Transom Mount Compact Dual/Side Imaging 20/74/84 Degree 83/200/455/800 kHz Temperature Sensor	598CI HD SI 899CI HD SI 698CI HD SI 398CI HD SI
XNT 9 DI T	5026284	710226-1	$154.99	Transom Mount Down Imaging 83/200/455 kHz Temperature Sensor	1159ci HD DI, 959ci HD DI, 859ci HD DI, 571 HD DI, 561 DI, 386ci HD DI, 688ci DI, 678 DI

Transom Mount Transducers (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XNT 9 28 T	5027152	710236-1	$79.99	Single/Dual Beam, 16/28 Degree, 455/200 kHz, with built in temperature, 20' cable. Improved runing angle and an optional lock down screw to override the kick up.	PiranhaMAX 165 PiranhaMAX 165 PT PiranhaMAX 175 PT PiranhaMAX 176i PT PiranhaMAX 196ci PT PiranhaMAX 175 PiranhaMAX 176i PiranhaMAX 195c PiranhaMAX 196ci

In-Hull Transducers	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XP 9 QB 90 T		710202-1		In-Hull Mount Quad or Tri Beam 20/60/40 Degree 200/83/455 kHz Temperature Sensor	300 TX (Tri Beam only, no temp) 400 TX (Tri Beam only, no temp) 717, 718, 727, 728, 737, 747c, 755c, 757c, 767, 768, 777c2, 778C, 778c HD, 785c2, 787c2, 787c2I, 788c, 788ci, 788ci HD, 858c, 917c, 957c, 958c, 1157c, 1158c, Matrix® 35, Matrix® 37, PiranhaMAX™ 180 (Tri Beam only), Wide Optic (Tri Beam only, no temp), Wide Panorama (Tri Beam only, no temp), Wide Paramount (Tri Beam only, no temp), Wide Portrait (Tri Beam Only, no temp)
XP 9 20	5023001	710164-1	$69.99	In-Hull Mount Single or Dual Imaging 20/60 Degree 200/83 kHz No Temperature Sensor	Matrix® 10, 12, 15, 17, 20, 27, 67, 77, 87, 97 All PiranhaMAX™ except 240 All 100 & 300 Series except DI All 500 Series except DI All 600 Series except DI All 700 Series except DI All 800 Series except DI All 900 Series except DI & 3D models All 1100 Series except DI HDR610, HDR650
XP 9 20 T	5023005	710147-1	$89.99	In-Hull Mount Single or Dual Beam 20/60 Degree 200/83 kHz Temp. Sensor Pigtail	Matrix® 10, 12, 15, 17, 20, 27, 67, 77, 87, 97 All PiranhaMAX™ except 240 All 100 & 300 Series except DI All 500 Series except DI All 600 Series except DI All 700 Series except DI All 800 Series except DI All 900 Series except DI & 3D models All 1100 Series except DI HDR610, HDR650
XIH 9 DI T	5026285	710225-1	$159.99	In-Hull Mount Down Imaging & Dual Beam 16/25/45/75 Degree 455/200/800/455 kHz Temperature Sensor	345c DI, 385ci DI, 570 DI, 596c HD DI, 597ci HD DI, 788ci HD DI, 858 DI, 958 DI, 1158DI

In-Hull Transducers (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XP 9 28	5027153	710244-1	$69.99	Single/Dual Beam 16/20 Degree 455/200 kHz 20' cable Temperature not included. Includes two-part slow cure expoxy kit.	PiranhaMAX 165 PiranhaMAX 165 PT PiranhaMAX 175 PT PiranhaMAX 176i PT PiranhaMAX 196ci PT PiranhaMAX 175 PiranhaMAX 176i PiranhaMAX 195c PiranhaMAX 196ci
XP 9 28 T	5027154	710245-1	$89.99	Single/Dual Beam, 16/20 Degree, 455/200 kHz, 20' cable. Temperature built-in. Includes two-part slow cure epoxy kit. For single layer fiberglass hull boats	PiranhaMAX 165 PiranhaMAX 165 PT PiranhaMAX 175 PT PiranhaMAX 176i PT PiranhaMAX 196ci PT PiranhaMAX 175 PiranhaMAX 176i PiranhaMAX 195c PiranhaMAX 196ci
XP 14 20 T	5027522	710248-1	$99.99	In-Hull transducer Dual Beam 20/60 Degrees 200/83 kHz temp pigtail for ION/ ONIX Series. For use in single layer fiber-glass hull boats Note: ION Series must also have the Sonar module	ION 10 ION 12 ONIX10ci Combo ONIX10ci SI Combo ONIX8ci Combo ONIX8ci SI Combo
XP 14 20	5027523	710249-1	$89.99	In-Hull transducer Dual Beam 20/60 Degrees 200/83 kHz for ION/ONIX Series. For use in single layer fiberglass hull boats Note: ION Series must also have the Sonar module	ION 10 ION 12 ONIX10ci Combo ONIX10ci SI Combo ONIX8ci Combo ONIX8ci SI Combo
XD M260 1K		710222-1		In-Hull transducer Airmar Array 50/200 kHz, 1KW for ION/ONIX Note: ION Series must also have the sonar module	ION 10 ION 12 ONIX10ci Combo ONIX10ci SI Combo ONIX8ci Combo ONIX8ci SI Combo

Angled Puck Transducers	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XAP 9 20	5026872	710165-1	$69.99	Single/Dual Beam 20/60 Degree 200/83 kHz No Temp	Matrix® 10, 12, 15, 17, 20, 27, 67, 77, 87, 97 All PiranhaMAX™ except 180 & 240 HDR 610 HDR 650 All 100 and 300 Series except DI All 500 Series except DI All 600 Series except DI All 700 Series except DI All 800 Series except DI All 900 Series except DI & 3D models All 1100 Series except DI

Trolling Motor Transducers	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XTM 9 DI 25 T	5026877	710234-1	$149.99	Down Imaging/Dual Beam Plus 75/45/25/16 Degree 200/455 kHz 455/800 kHz (DI) 15' Cable Temp	1159ci HD DI, 959ci HD DI, 859ci HD DI, 574 HD DI, 561 DI, 386ci DI, 346c DI, 688ci DI, 678 DI
XTM 9 WIDE DI 20 T	5026878	710235-1	$149.99	Down Imaging/Dual Beam Plus 75/45/25/16 Degree 200/455 kHz 455/800 kHz (DI) 15' Cable Temp	1159ci HD DI 959ci HD DI 859ci HD DI
XTM 9 QB 90 T	5025118	710203-1	$119.99	Quad/Tri Beam 20/60/90 Degree 200/83/455 kHz Temp	300 TX (Tri Beam only, no temp) 400 TX (Tri Beam only, no temp) 717, 718, 727, 728, 737, 747c, 755c, 757c, 767, 768, 777c2, 778c, 778c HD, 785 c2, 787c2, 787c2I, 788C, 788ci, 788ci HD, 858c, 917c, 957c, 958c, 1157c, 1158c Matrix® 35, Matrix® 37, PiranhaMAX™ 180 (Tri Beam only), WIDE OPTIC (Tri Beam only, no temp), WIDE PANORAMA (Tri Beam only, no temp), WIDE PARAMOUNT (Tri Beam only, no temp), WIDE PORTRAIT (Tri Beam only, no temp)
XTM 9 HDSI 180 T	5025119	710205-1	$269.99	Dual/HD Side Imaging 20/74/180 Degree 83/200/455/800 kHz Temp	1199ci HD SI, 999c HD SI, 899ci HD SI (optional)
XTM 9 SI 180 T	5025120	710204-1	$199.99	Dual/Compact Side Imaging 20/60/70 Degree 83/200/455/800 kHz Temp	398ci SI, 698ci HD SI, 598c SI, 899ci HD SI, 999ci HD SI, 1199ci HD SI
XTM 9 20 T	5022742	710160-1	$79.99	Single/Dual Beam 20/60 Degree 200/83 kHz Temp	All 600 Series except DI models HDR 650 HDR 610
XTM 9 28 T	5027155	710246-1	$79.99	Single/Dual Beam, 16/28 Degree, 455/200 kHz, with built in temperature, 15' cable.	PiranhaMAX 165 PiranhaMAX 165 PT PiranhaMAX 175 PT PiranhaMAX 176i PT PiranhaMAX 196ci PT PiranhaMAX 175 PiranhaMAX 176i PiranhaMAX 195c PiranhaMAX 196ci

Trolling Motor Transducers (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XTM WS		710011-1		Trolling Motor Transducer Wide side three element 15' cable Allows the unit to look left, right or down	717, 718, 727, 728, 737, 747, 757, 767, 777, 778, 787, 788, Matrix 35, Matrix 37, Matrix 67
XTM 14 20 T	5027524	710250-1	$89.99	Dual Beam 20/60 Degrees 200/83 kHz, temp included Note: ION Series must also have sonar module	ION 10 ION 12 ONIX10ci Combo ONIX10ci SI Combo ONIX8ci Combo ONIX8ci SI Combo
XTM 14 DI T	5027525	710260-1	$149.99	Dual Beam, Down Imaging 200/83/455/800 kHz, temp included Note: ION Series must also have sonar module	ION and ONIX Series
XTM 14 20 HDSI T	5027526	710240-1	$299.99	Dual Beam, Down Imaging, HD Side Imaging 200/83/455/800 kHz, temp included Note: ION Series must also have sonar module	ION and ONIX Series

Portable Transducers	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XPT 9 20 T		710161-1		Single/Dual Beam 20/60 Degree 200/83 kHz Temp	Matrix® 10, 12, 15, 17, 20, 27, 67, 77, 87, 97 All PiranhaMAX™ except 180 & 240 All 100 & 300 Series except DI All 600 Series except DI All 700 Series except DI HDR 610 HDR650 All 500 Series except DI All 800 Series except DI All 900 Series except DI & 3D models All 1100 Series except DI
XPT 9 QB 90 T		710208-1		Portable Transducer Quadra Beam transducer 200/83/455 kHz 20/60/40 degrees Temp	300 TX (Tri Beam only, no temp) 400 TX (Tri Beam only, no temp) 717, 718, 727, 728, 737, 747c, 755c, 757c, 767, 768, 777c2, 778c, 778c HD, 785 c2, 787c2, 787c2I, 788C, 788ci, 788ci HD, 858c, 917c, 957c, 958c, 1157c, 1158c Matrix® 35, Matrix® 37, PiranhaMAX™ 180 (Tri Beam only), WIDE OPTIC (Tri Beam only, no temp), WIDE PANORAMA (Tri Beam only, no temp), WIDE PORTRAIT (Tri Beam only, no temp)

Bronze Thru-Hull Transducers	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XTH 9 20	5023003	710166-1	$299.99	Single/Dual Beam 20/60 Degree 200/83 kHz Transducer: 5.25"L x 2.75"W x 1.20"D Shaft: 0.860" diameter	All 100 & 300 Series except DI All 500 Series except DI All 600 Series except DI All 700 Series except DI All 800 Series except DI All 900 Series exept DI & 3D models All 1100 Series except DI HDR 650
XTH 9 QB 90 T	5025121	710207-1	$299.99	Quad/Tri Beam 20/60/90 Degree 200/83/455 kHz Transducer: 5.25”L x 2.75”W x 1.20”D Shaft: 0.860” diameter	300 TX (Tri Beam only, no temp) 400 TX (Tri Beam only, no temp) 717, 718, 727, 728, 737, 747c, 755c, 757c, 767, 768, 777c2, 778c, 778c HD, 785 c2, 787c2, 787c2I, 788C, 788ci, 788ci HD, 858c, 917c, 957c, 958c, 1157c, 1158c Matrix® 35, Matrix® 37, PiranhaMAX™ 180 (Tri Beam only), WIDE OPTIC (Tri Beam only, no temp), WIDE PANORAMA (Tri Beam only, no temp), WIDE PARAMOUNT (Tri Beam only, no temp), WIDE PORTRAIT (Tri Beam only, no temp)
XTH 9 DB 35KW T		710191-1		Dual Beam 1 KWatt 200/50 kHz Transducer: 1”L x 4.20”W x 1.5”D	300 TX (Tri Beam only) 400 TX (Tri Beam only) 717, 718, 727, 728, 737, 747c, 755c, 757c, 767, 768, 777c2, 778c, 778c HD, 785 c2, 787c2, 787c2I, 788C, 788ci, 788ci HD, 858c, 917c, 957c, 958c, 1157c, 1158c Matrix® 35, Matrix® 37, PiranhaMAX™ 180 (Tri Beam only), WIDE OPTIC (Tri Beam only), WIDE PANORAMA (Tri Beam only), WIDE PARAMOUNT (Tri Beam only), WIDE POTRAIT (Tri Beam only)
XTD 9 QB 90 3-IN-1		710206-1		Bronze Thru Hull Tri-Transducer Quadra Beam 200/83/455 kHz 200/60/40 degrees with built in temperature and speed. 30’ cable. Transducer dimensions: 7”L x 2.5”W x 1.25”D. Front Shaft: .75” diameter. Back Shaft: 2” diameter.	937C DF, 931C DF
XTH 14 20	5027527	710251-1	$249.99	Dual Beam 20/60 Degrees 200/83/ kHz bronze thru hull transducer Note: ION Series must also have the Sonar module	ION 10 ION 12 ONIX8ci Combo ONIX8ci SI Combo ONIX10ci Combo ONIX10ci SI Combo

Bronze Thru-Hull Transducers (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XB SSI	5027528	710224-1	$699.99	Bronze thru hull Side Imaging transducer pair Note: ION Series must also have the Sonar module	ION & ONIX Series
XD B260 1K	5027825	710217-1	$1199.99	Bronze thru hull transducer Airmar Array B260 50/200 kHz, 1KW for ION/ONIX Products Note: ION Series must also have the Sonar module	ION 10 ION 12 ONIX8ci Combo ONIX8ci SI Combo ONIX10ci Combo ONIX10ci SI Combo
XD B164 1K	5027826	710218-1	$1049.99	Bronze thru hull transducer Airmar B164 1KW for ION/ONIX Products Note: ION Series must also have the Sonar module	ION 10 ION 12 ONIX8ci Combo ONIX8ci SI Combo ONIX10ci Combo ONIX10ci SI Combo

Stainless Steel Thru Hull Transducers	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XD SSW50	5027827	710219-1	$1099.99	Stainless Steel thru hull transducer 50 kHz tilted element for ION Series Note: ION Series must also have the Sonar module	ION 10 ION 12
XD SSW200	5027828	710220-1	$1099.99	Stainless Steel thru hull transducer 200 kHz tilted element for ION Series Note: ION Series must also have the Sonar module	ION 10 ION 12

Plastic Thru Hull Transducers	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XPTH 9 QB 90 T	5025123	710209-1	$159.99	Quad/Tri Beam 20/60/90 Degree 200/83/455 kHz Transducer: 3.9"L x 2.5"W x 1.16"D Shaft: 1.0" diameter	300 TX (Tri Beam only, no temp) 400 TX (Tri Beam only, no temp) 717, 718, 727, 728, 737, 747c, 755c, 757c, 767, 768, 777c2, 778c, 778c HD, 785 c2, 787c2, 787c2I, 788C, 788ci, 788ci HD, 858c, 917c, 957c, 958c, 1157c, 1158c Matrix® 35, Matrix® 37, PiranhaMAX™ 180 (Tri Beam only), WIDE OPTIC (Tri Beam only, no temp), WIDE PANORAMA (Tri Beam only, no temp), WIDE PARAMOUNT (Tri Beam only, no temp), WIDE PORTRAIT (Tri Beam only, no temp)

Plastic Thru Hull Transducers (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XTH 9 20 P	5025355	710167-1	$139.99	Single/Dual Beam 20/60 Degree 200/83 kHz Transducer: 3.9"L x 2.5"W x 1.16"D Shaft: 1.0" diameter	Matrix® 10, 12, 15, 17, 20, 27, 67, 77c, 87c, 97 All PiranhaMAX™ exxcept 240,180 All 300 Series except DI All 500 Series except DI All 600 Series except DI All 700 Series except DI All 800 Series except DI All 900 Series except DI & 3D models All 1100 Series except DI
XTH 9 20	5026882	710181-1	$119.99	Dual Beam 20/60 Degree 200/83 kHz Flush Mount Bottom: 3.0" diameter Depth: 0.200" Shaft: 2.0" diameter	Matrix® 10, 12, 15, 17, 20, 27, 67, 77c, 87c, 97 All PiranhaMAX™ exxcept 240,180 All 300 Series except DI All 500 Series except DI All 600 Series except DI All 700 Series except DI All 800 Series except DI All 900 Series except DI & 3D models All 1100 Series except DI
XPTH 9 HDSI 180 T	5025124	710210-1	$279.99	Dual/HD Side Imaging 20/74/180 Degree 200/50/455 kHz Temp	899ci HD SI 999ci HD SI 1199ci HD SI 398 ci SI 798ci SI 798ci HD SI 797ci SI
XTH 9 DB 74 P	5027829	710185-1	$249.99	Dual Beam 20/74 Degrees 200/50 kHz temp included 6.7"L x 3"W x 1.4"D (below boat hull) Shaft: 1" diameter 30' cable	678c HD XD 688ci HD XD Combo 859ci HD Combo 859ci HD XD Combo 859ci HD SI Combo 931c 931c DF 959ci HD Combo 959ci HD XD Combo 1159ci HD Combo 1159ci HD XD Combo
XPTH 9 DI T	5027156	710243-1	$199.99	Down Imaging/Dual Beam Plus 75/45 Degree, 455/800 kHz (DI) and 25/16 Degree, 200/455 kHz, with built-in temperature, 30' cable	345c DI, 385ci DI, 386ci DI, 571 HD DI, 561 DI, 570 DI, 858ci HD DI, 858 DI, 958ci HD DI, 858ci DI, 1158ci DI
XPTH 14 20 T	5027529	710252-1	$149.99	Plastic thru hull transducer Dual Beam 20/60 Degree 200/83 kHz temp included for ION/ONIX Series Note: ION Series must also have the Sonar module	ION 10 ION 12 ONIX10ci Combo ONIX8ci Combo

Plastic Thru Hull Transducers (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XPTH 14 74 T	5027530	710258-1	$199.99	Dual Beam 20/74 Degrees 200/50 kHz, temp included plastic thru hull Note: ION Series must also have the Sonar module	ION 10 ION 12 ONIX10ci Combo ONIX8ci Combo
XPTH 14 74 DI T	5027531	710261-1	$229.99	Dual Beam/Down Imaging 50/200/455/800 kHz, temp included for ION/ ONIX Series Note: ION Series must also have the Sonar module	ION & ONIX Series
XPTH 14 20 HDSI T	5027532	710241-1	$299.99	Plastic Thru Hull transducer HD Side Imaging, Dual Beam 20/60/180 Degrees 200/83/455/800 kHz, temp included for ION/ ONIX Series Note: ION Series must also have the Sonar module	ION & ONIX Series
XPTH 14 74 HDSI T	5027533	710242-1	$349.99	HD Side Imaging, Dual Beam 20/74/180 Degrees 200/50/455/800 kHz, temp included plastic thru hull transducer Note: ION Series must also have the Sonar module	ION & ONIX Series
XD 600P	5027830	710223-1	$299.99	Plastic thru hull transducer dual beam 200/50 kHz 600 watts for ION Series Note: ION Series must also have the Sonar module	ION Series
XD R99 2K		710221-1		In-Hull transducer Airmar Array 50/200 kHz, 2KW for ION/ONIX products for single layer fiberglass hull boats Note: ION Series must also have the sonar module	ION 10 ION 12 ONIX10ci Combo ONIX10ci SI Combo ONIX8ci Combo ONIX8ci SI Combo

Ice Transducers	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
XI 9 20	5026883	710211-1	$94.99	Single/Dual Beam 20/60 Degree 200/83 kHz 8' Cable	All 100 & 300 Series except DI All 500 Series except DI All 600 Series except DI All 700 Series except DI All 800 Series except DI All 900 Series excpet DI & 3D models All 1100 Series except DI ICE 385ci Combo
XI 9 19		710215-1		Single/Dual Beam 9/19 Degree 455/240 kHz 8' Cable	ICE 35 ICE 45 ICE 55

Trolling Motor Choke	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
TMC 1	5025704	790050-1	$64.99	The accessory is connected through your trolling motor to reduce noise created by maximizers that help you optimize power and reduce heat.	All Side Imaging and Down Imaging Units

Dual Beam Trolling Motor Transducer Kit	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
DBK2	5026885	700039-1	$104.99	Dual Beam Trolling Motor transducer kit includes an XTM 9 20 T, MS M and a PC 10	Matrix® 10, 12, 15, 17, 20, 25, 27, 55, 65, 67, 77c, 87c, 97, 141c, 161, 323, 343c, 363, 365i, 383c, 385ci, 515, 525, 535, 565, 570, 575, 580, 581i, 585c, 586c, 587ci, 587ci HD, 595c, 596c, 596c HD, 597ci, 597ci HD, all non HD 700 series except DI and SI units
AD STM 7	5001211	740006-3	$24.99	Metal for Large housing transducers	SHS 7W XT WS XHS 9 HDSI 180T
AD XTM 9	5025126	740087-1	$24.99	Trolling Motor Adapter for New XNT Transducer	XNT 9 20 XNT 9 20 T XNT 9 QB 90 T XNT 9 QB 90 XNT 9 SI 180 T XNT 9 DI T
AD TM 14	5027534	710141-1	$24.99	Trolling Motor Adapter for ION/ONIX Transducers	XNT 9 28 T XNT 9 14 20 T XNT 9 14 74 T XNT 14 DI T

Transom Mounting Hardware & Adapters	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
MHX HS	5001298	740011-1	$19.99	HDWE - High Speed 200 kHz Metal & Plastic	SHS 7W XT WS XHS 9 DB 74 T XHS 9 SI 160 T XHS 9 HDSI 180T XT 14 20 HDSI T XT 14 74 HDSI T
MHX XNT	5025127	740093-1	$19.99	HDWE - New XNT with kick-up	XNT 9 DI T XNT 9 28 T XNT 14 20 T XNT 14 74 T XNT 14 DI T
MHX XNTF	5025128	740091-1	$19.99	HDWE - New XNT without kickup	XNT 9 DI T XNT 9 28 T XNT 14 20 T XNT 14 74 T XNT 14 DI T

Kayak Transducer Mounting Kit	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
MHX XMK	5025703	740103-1	$49.99	HDWE - Kayak Transducer Installation Kit	XNT 9 28 T XNT 14 20 T XNT 14 74 T • temperature will react slow when transducer is mounted inside hull
MHX XMK DI	5026932	740125-1	$49.99	HDWE - Kayak Mounting Hardware	XNT 9 DI T XIH 9 DI T XNT 14 DI T • temperature will react slow when transducer is mounted inside hull

Portable Mounting Hardware	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
MHX PT	5027157	740011-2	$24.99	HDWE - Portable Transducer	SHS 7W XT WS XHS 9 DB 74 T
MHX XNPT	5026886	740090-1	$24.99	HDWE - New XNT Transducer	XNT 9 DI T XNT 9 28 T XNT 14 20 T XNT 14 74 T XNT 14 DI T

Quick Disconnect Mounts	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
MS M	5022996	740077-1	$34.99	Quick Disconnect Mount System Matrix® 700/500/300 Series	All 100 Series All Matrix® units except Matrix® 97 All 300 Series All 500 Series All 700 Series except HD Series
MS 700E	5027158	740119-1	$34.99	Quick Disconnect Mount System 700 HD Series	All 600 Series All 700 HD Series

In-Dash Mounts	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
IDMK M		740080-1		Matrix® In-Dash Mounting Kit	All Matrix® units except Matrix® 97 515, 525, 535, 565, 575, 580, 585c, 595c
IDMK300	5025133	740086-1	$39.99	IDMK300 300 Series In-Dash Mounting Kit	All 100 and 300 Series
IDMK700	5025132	740084-1	$39.99	700 Series In-Dash Mounting Kit	550, 560, 570, 581i 500 HD Series All 700 Series Units except 787c2i and 785c2i Chartplotter
IDMK700E	5026224	740121-1	$39.99	700 HD Series In-Dash Mounting Kit	All 600 Series All 700 HD Series
IDMK900	5025432	740094-1	$29.99	900 Series In-Dash Mounting Kit	All 800 Series All 900 Series

In-Dash Mounts (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
IDMK1100	5025431	740098-1	$39.99	1100 Series In-Dash Mounting Kit	All 1100 Series
IDMK PM		740110-1		PiranhaMAX™ Series In-Dash Mounting Kit	PiranhaMAX™ 150, 160, 170, 180, 190c
IDMK PM2	5027159	740133-1	$29.99	PiranhaMAX™ Series In-Dash Mounting Kit	PiranhaMAX™ 165 PiranhaMAX™ 165 PT PiranhaMAX™ 175 PT PiranhaMAX™ 176i PT PiranhaMAX™ 196ci PT PiranhaMAX™ 175 PiranhaMAX™ 176i PiranhaMAX™ 195c PiranhaMAX™ 196ci
IDMK 810	5027535	740136-1	$39.99	Kit for ONIX 8 & 10 to mount the unit in the dash	ONIX10ci SI Combo ONIX10ci Combo ONIX8ci SI Combo ONIX8ci Combo
IDMK H5		740142-1		In-Dash Mounting Kit •Allows quick and easy in-dash installation •Rugged and durable adhesive backing	HELIX 5 Series™ All Models

Mounting Hardware	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
MKH 2	5024240	740082-1	$16.99	Mounting Knobs - 900 Series	All 800 Series All 900 Series ICE 35 ICE 45 ICE 55
MKH 3	5025430	740100-1	$24.99	Mounting Knobs - 1100 Series	All 1100 Series

Mounting Hardware (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
MKH 4	5025707	740101-1	$17.99	Mounting Knobs - Piranha and PiranhaMAX™ Series	All Piranha and PiranhaMAX™ FB 110 FB 120 FB 130 FB 140c
MKH 6	5027162	740132-1	$19.99	PiranhaMAX™ knob kit	PiranhaMAX™ 165 PiranhaMAX™ 165 PT PiranhaMAX™ 175 PT PiranhaMAX™ 175 PiranhaMAX™ 176i PT PiranhaMAX™ 176i PiranhaMAX™ 195c PiranhaMAX™ 195ci PT PiranhaMAX™ 196ci
GM 2	5024239	740083-1	$39.99	Gimbal Mount - 900 Series	All 800 Series All 900 Series
GM 3	5025429	740099-1	$59.99	Gimbal Mount - 1100 Series	All 1100 Series
MS PM	5025706	740106-1	$29.99	Mount System, Tilt and Swivel Piranha	All Piranha and PiranhaMAX™
MS PM2	5027160	740131-1	$29.99	Swivel and Tilt mount	PiranhaMAX™ 165 PiranhaMAX™ 165 PT PiranhaMAX™ 175 PT PiranhaMAX™ 175 PiranhaMAX™ 176i PT PiranhaMAX™ 176i PiranhaMAX™ 195c PiranhaMAX™ 195ci PT PiranhaMAX™ 196ci
GM 8	5027536	740134-1	$39.99	Gimbal Mount - ONIX 8	ONIX8ci Combo ONIX8ci SI Combo

Mounting Hardware (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
GM 10	5027537	740135-1	$59.99	Gimbal Mount - ONIX 10	ONIX10ci Combo ONIX10ci SI Combo
BK 1	5027831	740113-1	$85.99	Gimbal mount for ION 12	ION 12
SC BK 1		740114-1		Gimbal mount for SC110 autopilot	SC110
BK 2	5027833	740115-1	$85.99	Gimbal mount for ION 10	ION 10
GM H5	5027854	740143-1	$39.99	Gimbal mount for Helix 5	Helix 5 Series

Other Mounting	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
RM ATV	5026216	740116-1	$99.99	Ram mount Handlebar Mounting Fits 1" tube	All 300 Series All 500 Series All 700 Series
RM AUTO	5026217	740117-1	$99.99	Ram mount for Wind-shield Mounting	All 300 Series All 500 Series All 600 Series All 700 Series

Temperature and Speed Sensors	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
TS W	5001081	730000-1	$69.99	Transom Mount Speed/Temp	ONIX 10 - TS W + PC 12 ST ONIX 8 - TS W + PC 12 ST 700 HD - TS W + AS TY 600 Series - TS W + AS TY
TG W	5001080	730010-1	$44.99	Transom Mount Temp	ONIX 10 - TS W + PC 12 ST ONIX 8 - TS W + PC 12 ST 700 HD - TS W + AS TY 600 Series - TS W + AS TY
SW	5024241	730021-1	$44.99	Transom Mount Speed	ONIX 10 - TS W + PC 12 ST ONIX 8 - TS W + PC 12 ST 700 HD - TS W + AS TY 600 Series - TS W + AS TY
TS WFM		730001-1		Flush Mount Speed/Temp	ONIX 10 - TS W + PC 12 ST ONIX 8 - TS W + PC 12 ST 700 HD - TS W + AS TY 600 Series - TS W + AS TY
ST 850	5027834	730026-1	$89.99	Spped/Temp sensor for ION	ION 10 ION 12

Extension Cables	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
EC W10	5001079	720003-1	$34.99	Transducer extension cable 10 feet, 7 pin	All units except the following: Wide 100, Wide 128, HDR 200, LCR W, 100sx, 200dx, ION, Onix and Fishing Buddy

Extension Cables (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
EC W30	5001180	720003-2	$49.99	Transducer extension cable 30 feet, 7 pin	All units except the following: Wide 100, Wide 128, HDR 200, LCR W, 100sx, 200dx, ION, Onix and Fishing Buddy
EC TS10	5001179	720004-1	$49.99	Temp/Speed extension cable 10 feet, 4 Pin	TS W, SW, TG W, TSW FM
AS EXC10	5023111	720050-1	$34.99	10' cable that allows the connection of an Advanced Accessory System unit to our Fishing System products	All Matrix™ All 700 Series All 800 Series All 900 Series All 1100 Series
EC 14W10	5027835	720081-1	$44.99	10' externsion cable for transducers	ION and ONIX Series XPTH 14 74 HDSI T XPTH 14 74 T
EC 14W30	5027836	720081-2	$54.99	30' externsion cable for transducers	IOn and ONIX Series XPTH 14 74 HDSI T XPTH 14 74 T XT 14 20 HDSI T XT 14 74 HDSI T XTH 14 20 XTM 14 20 HDSI T XTM 14 20 T XTM 14 DI T XB SSI
XT5	5027837	720066-1	$89.99	16' transducer extension cable for ION	ION 10 ION 12 ST 850 XD 600P XD B164 1K XD B260 1K XD M260 1K XD R99 2K XD SSW200 XD SSW50

Power Cable	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
PC 10	5001023	720002-1	$19.99	Power Cable - 6 feet	All Humminbird Models adter 1988 except 800, 900, 100, ION & ONIX Series and Side Imaging Units

Power Cable (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
PC 11	5025438	720057-1	$19.99	Power cable w/choke - 6 feet	All 700 HD Series All 800 Series All 900 Series All Side Imaging Units Except ION and ONIX Series
AD ICE 1	5026889	760021-1	$19.99	12V Cigarette Lighter Adapter	ICE 35 ICE 45 ICE 55
PC 12	5027538	720085-1	$29.99	6 feet power cable for ONIX products	ONIX8ci Combo ONIX8ci SI Combo ONIX10ci Combo ONIX10ci SI Combo
PC 12 ST	5027838	720086-1	$49.99	6 feet power cable with speed and temp adapter cable for support of optional temp and speed gauge for ONIX products	ONIX8ci Combo ONIX8ci SI Combo ONIX10ci Combo ONIX10ci SI Combo TS W TG W SW
PC 2	5027839	720065-1	$29.99	6 feet power cable for ION products	ION 10 ION 12 AS 360SSI

Adapter Cables	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
AD 629		760017-1		Transducer Adapter Cable - Converts 2 Pin older transducer to 7 Pin plugs	XHS 6 16 XHS 6 24 XT 6 20
AD 926	5025129	760020-1	$29.99	Transducer Adapter Cable - Coverts 7 Pin transducer connector to older 2 Pin model unit connections	XHS 9 DB 74 T XT 9 DB 74 T XNT 9 20 T XNT 9 QB 90 T XNT 9 QB 90 XNT 9 20

Adapter Cables (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
AS SIDB Y	5025433	720055-1	$29.99	Y Cable - Splits Side Imaging and Down Beam. Allows another transducer to be used for down beams	All 300, 500, 700, 800, 900, 1100 Side Imaging Units
AS SILR Y	5025434	720056-1	$44.99	Side Imaging Splitter Cable Y Cable - Seperates Side Imaging into left and right beams - for Side imaging products only. Allows the use of two side imaging transducers with one until without the need for a transducer switch	All 300, 500, 700, 800, 900, 1100 Side Imaging Units
AS 14 SI DB Y	5027539	720083-1	$49.99	Side Imaging - Down Imaging Transducer Y Cable splitter	ION 10 ION 12 ONIX10ci SI Combo ONIX8ci SI Combp XT 14 20 HDSI T XT 14 74 HDSI T
 AS 14SILRY	5027840	720082-1	$49.99	Splitter cable - Side Imaging left and right - ION/ONIX products	ION 10 ION 12 ONIX10ci SI Combo ONIX8ci SI Combp XT 14 20 HDSI T XT 14 74 HDSI T
AD 1429	5027654	760030-1	$49.99	Transducer adapter cable - converts 9 pin on transducer to 14 pin on unit - for ONIX	ONIX10ci Combo ONIX10ci SI Combo ONIX8ci Combo ONIX8ci SI Combo SM1000, 2000, 3000

Bluetooth® Remote with Wireless Dongle	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
AS RC1	5027853	409480-1	$119.99	Make your Humming-bird unit Bluetooth® wireless capable with this easy-to-install dongle. Just plug it into your unit and pair it with your Bluetooth® remote for quick, con-venient control of your most used functions.	Onix Series, 1199ci HD, 1159ci HD DI, 1159ci HD, 1198c, 1158c DI, 1158c, 999ci HD, 959ci HD, 959ci HD, 998c HD, 998c, 958c HD DI, 958c DI, 958c HD, 958c, 899ci HD, 859ci HD DI, 859ci HD, 898c HD, 898c, 858c HD DI, 858c HD, 858c, 798ci HD, 788ci HD DI, 788ci HD, 778c HD

Video Cable	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
VC 1	5025435	720054-1	$29.99	Video Cable - Provides video output from head unit. 6 foot length with RCA connectors	All 800 Series 958,998 All 1100 Series
VCA 1	5027841	760022-1	$79.99	Video USB converter accessory for ION	ION 10 ION 12
AD VIDEO	5027842	720084-1	$104.99	HDMI cable with waterproof connector at head until for ION/ ONIX products	ION 10 ION 12 ONIX10ci Combo ONIX10ci SI Combo ONIX8ci Combo ONIX8ci SI Combo

Ethernet Cables	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
AS EC 2E	5026218	720073-1	$44.99	Ethernet Cable - 2 ft Male-Male	All 700 HD Series 858, 898, 958, 998, 1157, 1197, 1158, 1198
AS EC 10E	5026219	720073-2	$54.99	Ethernet Cable - 10 ft Male-Male	All 700 HD Series 858, 898, 958, 998, 1157, 1197, 1158, 1198
AS EC 15E	5026874	720073-5	$59.99	Ethernet Cable The Ethernet cable is a 15' cable that allows the connection of two Ethernet capable units to be connected.	All 700 HD Series 858, 898, 958, 998, 1157, 1197, 1158, 1198
AS EC 20E	5026220	720073-3	$64.99	Ethernet Cable - 20 ft Male-Male	All 700 HD Series 858, 898, 958, 998, 1157, 1197, 1158, 1198

Ethernet Cables (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
AS EC 30E	5026221	720073-4	$74.99	Ethernet Cable The Ethernet cable is a 30' cable that allows the connection of two Ethernet capable units to be connected.	ION, ONIX, 858, 898, 958, 998, 1157, 1197, 1158, 1198 Also Requires AS ECQDE: 1199ci HD SI, 1159ci HD DI, 1159ci HD, 999ci HD, 959ci HD DI, 959ci HD, 899ci HD, 859ci HD DI, 859 ci HD, 798 ci HD, 788ci HD DI, 788ci HD
AS ECX 30E	5027163	760025-1	$74.99	Ethernet Cable The Ethernet cable is a 30' cable that allows you to extend the length of your ethernet cables	Requires at least one - AS EC 2E, AS EC10E, AS EC15E, AS EC20E, AS ECE30 - ALL 700 HD SERIES 858, 898, 958, 998, 1157,1197, 1158, 1198
AS EC QDE	5026222	720074-1	$29.99	Ethernet Adapter Cable (Adapts 8 pin cable to 5 pin unit)	MS 700E 778c HD 788ci HD Combo 798ci HD SI Combo
AS EC QDE 12	5027843	720074-12	$27.99	Ethernet Adapter Cable (Adapts 8 pin cable to 5 pin unit) Bulk Package of 12 pcs.	MS 700E 778c HD 788ci HD Combo 798ci HD SI Combo
AS EC CHART	5027453	760032-1	$64.99	Cable used with the AutoChart product to allow select Humminbird units to connect to a PC or Laptop for mobile map creation Additional Purchase Required.	ION, ONIX, 858, 898, 958, 998, 1157, 1197, 1158, 1198 Also Requires AS ECQDE: 1199ci HD SI, 1159ci HD DI, 1159ci HD, 999ci HD, 959ci HD DI, 959ci HD, 899ci HD, 859ci HD DI, 859 ci HD, 798 ci HD, 788ci HD DI, 788ci HD
AS DPS Y	5026876	720076-1	$34.99	Add two serial port accessories. Simply connect Y cable to the secondary serial port tower on the back of your Humminbird® unit.	899CI HD SI Combo 859CI HD DI Combo 859CI HD XD Combo 859CI HD Combo

Sonar Modules	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
SM1000	5027508	408050-1	$499.99	MFD Black Box Ethernet Sonar Sonar Module-Speed & temp, ethernet, 2D digital sonar	ION 10, ION 12 XD M260 1K, XD B260 1K, XD B164 1K, XD SSW50, XD SSW200, XD 600P

Sonar Modules (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
SM2000	5027509	407610-1	$699.99	MFD Black Box Ethernet Sonar Sonar Module-Speed & temp, ethernet, 2D digital sonar, DI, SI	ION 10, ION 12 XD M260 1K, XD R99 2K, XD B260 1K, XD B164 1K, XD SSW50, XD SSW200, XD 600P
SM3000	5027510	408040-1	$1,999.99	MFD Black Box Ethernet Sonar Sonar Module-Speed & temp, ethernet, 2D digital sonar, DI, SI, Chirp	ION and ONIX Series XD M260 1K, XD R99 2K, XD B260 1K, XD B164 1K, XD SSW50, XD SSW200, XD 600P

Advanced Fishing Systems	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
AS BP		405130-1		WeatherSense Barometric Pressure Monitor	All Matrix® All 700 Series All 800 Series All 900 Series All 1100 Series Except 859ci HD, 859ci HD DI, 899ci HD SI, 989ci HD, 959ci HD DI, 999ci HD SI, 1159ci HD, 1159ci HD DI and 1199ci HD SI
AS GR50		407480-1		Precision GPS/WAAS Receiver	All Matrix® 580 and 595 All 700 Series All 800 Series All 900 Series All 1100 Series
AS ETH NMEA2K	5026870	408390-1	$199.99	Waterproof black box, connects via Ethernet Connects to established NMEA 2000® network. Intuitive user interface features data boxes and pre-programmed instrument views	All 700 HD Series All 800 Series All 900 Series All 1100 Series Also Requires AS ECQDE: 1199ci HD SI, 1159ci HD DI, 1159ci HD, 999ci HD, 959ci HD DI, 959ci HD, 899ci HD, 859ci HD DI, 859ci HD, 798ci HD, 788ci HD DI, 788ci HD
AS INTERLINK	5025130	406820-1	$199.99	Links two units for GPS Data communications. This allows waypionts and routes to be shared between units	All Matrix® All 700 Series All 800 Series All 900 Series All 1100 Series Except 859ci HD, 859ci HD DI, 899ci HD SI, 989ci HD, 959ci HD DI, 999ci HD SI, 1159ci HD, 1159ci HD DI and 1199ci HD SI

Advanced Fishing Systems (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
AS PC3	5026871	700051-1	$59.99	USB PC Connection Kit. Access software updates to enhance performance. Download entirely new features and capabilities. Store waypoints, routes and other navigational data in your PC	300, 500, 600, 700 series without card readers
AS PC2	5023107	700035-1	$29.99	Personal Computer Serial Connection Cable	300, 500, 600, 700 series without card readers
AS ETH 5PS		408200-1		Easily connect 5 ethernet items. Waterproof, NMEA 2000 compliant. Backbone cables and connectors not included.	798ci HD SI Combo, 788ci HD, 788ci HD DI Combo, 778c HD, 898c SI, 858c, 958c DI, 998c SI, 958c, 958c DI, 1198c SI, 1197c SI
AS HHGPS	5023108	700030-1	$34.99	Handheld GPS Connection Kit includes: NMEA connection cable, Y cable and detailed instructions. This connection kit requires the handheld GPS manufacturers NMEA data cable to complete the connection to your handheld GPS.	Matrix® 47 3D, Matrix® 67, Matrix® 97 Combo 363 Combo 581i Combo 700, 800, 900, 1100 Series
AS SYSLINK	5025336	720052-1 EACH	$39.99	10' Accessory System Extension Y cable to connect two units to one GPS receiver - NMEA 0183	All Matrix® 580 and 595 All 700 Series All 800 Series All 900 Series All 1100 Series
AS T Y	5026875	720075-1	$39.99	This Y cable is required for optional temp sensor to connect to a 700 HD Series products	899ci HD SI 859ci HD DI 859ci HD 798ci HD 788ci HD DI 788ci HD

Advanced Fishing Systems (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
AS ETH 5PXG	5027164	408450-1	$269.99	5-Port Ethernet Switch This waterproof switch allows you to quickly and easily connect up to five Ethernet items. Use it to link mulitple Humminbird head units, share transducers, add an NMEA 2000 network or step up to the Humminbird radar. With so many options and even more to come, the possibilities are endless. The purchase of Ethernet cables is required depending on the number of devices you plan to add to this switch.	898c SI, 858c, 859ci HD Combo, 859ci HD DI Combo, 859ci HD XD Combo, 899ci HD SI Combo 958c DI, 998c SI, 958c, 958c DI, 959ci HD Combo, 959ci HD DI Combo, 959ci HD XD Combo, 999ci HD SI Combo 1198c SI, 1159ci HD Combo, 1159ci HD DI COmbo, 1159ci HD XD Combo, 1199ci HD SI Combo ION and ONIX Series Also reuires AS EC QDE: 798ci HD SI Combo, 788ci HD, 788ci HD DI Combo, 778c HD
AS 360SSI	5027015	408310-1	$1,999.99	Humminbird's 360 Imaging© provides a complete around-the-boat, underwater image with the same sharp detail anglers have come to know with Side Imaging® technology. With a single sweep, 360 Imaging has the ability to cover a 300-foot diameter circle (70,685 square feet). Maximum depth is 150 feet. This optional accessory DOES NOT replace your standard Side Imaging transducer, it enhances your product. You must use standard transducer in order to have a digital depth reading. This product includes the AS GPS HS (GPS Receiver with Heading Sensor), standard 360 Imaging transom mount bracket and a 20' ethernet cable	Side Imaging and Ethernet capable units
SPC 360	5027844	780027-1	$34.99	Cover for 360 Imaging Pod	AS 360SSI

Advanced Fishing Systems (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
AS GRP	5027165	408920-1	$149.99	Precision GPS/WAAS receiver provides fast position fixes accurate within 2.5 meters. Provides more accurate position fixes than the industry standard GPS. The receiver's dimensions are: 3.25" diameter, 1.5" high and comes with 20' cable and has 1"-14 thread count stem mountable with an optional antenna stem (antenna stem not included). Software must be 6.300 or higher for the Humminbird system to be compatible with the AS GRP GPS receiver. This GPS receiver WILL NOT work with interlink.	800, 900, 1100, ION and ONIX Series
AS GPS HS	5027166	408400-1	$199.99	Precision GPS/WAAS receiver provides fast position fixes accurate within 2.5 meters. Provides more accurate position fixes than the industry standard GPS. The receiver's dimensions are: 3.25" diameter, 1.5" high and comes with 20' cable and has 1"-14 thread count stem mountable with an optional antenna stem (antenna stem not included).	859ci HD Combo 859ci HD DI Combo 859ci HD XD Combo 899ci HD SI Combo 959ci HD Combo 959ci HD DI Combo 959ci HD XD Combo 1159ci HD Combo 1159ci HD DI Combo 1159ci HD XD Combo 1199ci HD SI Combo ONIX Series AS 360SSI
GPS CI	5027540	409110-1	$199.99	ION Precision GPS receiver with heading sensor	ION 10 ION 12
AS 360 TM	5027455	409250-1	$1,499.99	The bow mount 360 Imaging is designed to work exclusively with Minn Kota® Maxxum® & Minn Kota® Fortex trolling motors with foot controls only. It attaches directly to the shaft of the trolling motor with a quick release bracket & stows & deploys quickly & easily.	Side Imaging and Ethernet capable units

Advanced Fishing Systems (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
PORT 360 BKT	5027456	740140-1	$249.99	Portable mounting bracket for 360 Imaging	AS 360SSI
 AS GPS NMEA	5027743	720080-1	$49.99	ONIX splitter cable to connect with optional external GPS receiver AS GRP or AS GPS HS for 1 additional NMEA 0183 communication	ONIX10ci Combo ONIX10ci SI Combo ONIX8ci SI Combo ONIX8ci Combo
 AS DUAL NMEA	5027845	720079-1	$19.99	ONIX splitter cable to connect with optioanl ecternal GPS receiver AS GRP or AS GPS HS for 2 additional NMEA 0183 communication	ONIX10ci Combo ONIX10ci SI Combo ONIX8ci SI Combo ONIX8ci Combo
HRS1	5027846	730027-1	$59.99	Three Axis Heading/ Pitch/Roll/Heave Sensor	ION 10 ION 12
DC 1	5027847	720067-1	$59.99	1m serial cable (RS-422/NMEA 0183) for ION	ION 10 ION 12
DCX 5	5027848	720068-1	$85.99	5m serial cable (RS-422/NMEA 0183) for ION	ION 10 ION 12
SC1	5027849	720064-1	$49.99	1m serial cable (RS-232) for ION	ION 10 ION 12

Advanced Fishing Systems (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
SXTS	5027850	720061-1	$75.99	5m serial extension cable for ION	ION 10 ION 12
SPK2	5027851	720060-1	$49.99	2m speaker cable for ION	ION 10 ION 12
ALM2	5027852	720062-1	$35.90	2m alarm cable for ION	ION 10 ION 12

Antennas	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
HWA 11	5027511	408840-1	$199.99	Surf the web using the built-in browser on your ION Series unit. This -11dB gain antenna extends your wireless Internet access up to 2 miles offshore (line of sight, performance may vary based on conditions). For use in US and Canada only.	ION 10 ION 12

AIS	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
RX AIS	5027512	409290-1	$199.99	Class B AIS Receiver	ION 10 ION 12
TX AIS	5027513	409310-1	$599.99	Class B AIS Transceiver	ION 10 ION 12

AIS (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
AIS 100	5027514	409320-1	$2,999.99	Class A AIS Transceiver	ION 10 ION 12
SAR TX1	5027515	409300-1	$599.99	Search & Rescue AIS Transmitter	ION 10 ION 12
ASP 1	5027516	409280-1	$249.99	VHF Splitter for AIS	ION 10 ION 12

Switches	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
TS3	5002077	720012-1	$81.99	Transducer Switch - Allows one unit to use two transducers	All Matrix® except 47 3D All PiranhaMAX™ All 100 and 300 Series All 500 Series All 700 Series All 800 Series All 900 Series except 947c & 967c 3D All 1100 Series HDR610
US3	5025164	720014-1	$81.99	Unit Switch - Allows two units to use one transducer	All Matrix® except 47 3D All PiranhaMAX™ All 100 and 300 Series All 500 Series All 700 Series All 800 Series All 900 Series except 947c & 967c 3D All 1100 Series HDR610
TS3-W	5026213	720069-1	$89.99	This switch allows you to use two transducers on one depth sounder. The cable going to the depth finder is approximately 3.5 feet long and the two cables going to the transducers are approximately 24 inches long.	All PiranhaMAX™ All 100 and 300 Series All 500 Series All 700 Series All 800 Series All 900 Series except 947c & 967c 3D All 1100 Series

Switches (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
US3-W	5026214	720070-1	$89.99	This switch connects two fishfinders to one transducer. This switch includes three cables: 24 inches to the transducer, approximately 4.5 feet to one unit and 20 feet to the other unit.	All PiranhaMAX™ All 100 and 300 Series All 500 Series All 700 Series All 800 Series All 900 Series except 947c & 967c 3D All 1100 Series

Unit Covers	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
UC M	5022995	780007-1	$19.99	Unit Cover - Matrix® & 500 Series	All Matrix® (except Matrix® 97) 515, 525, 535, 565, 575, 580, 585c, 595c
UC 3	5025983	780010-1	$19.99	Unit Covers - 700 Series	550, 560, 570, 581i, 586c, 587ci, 596c, 597ci All 700 Series
UC 4A		780011-1		Unit Cover - 300 & 100 Series	All 300 & 100 Series **does not fit PiranhaMAX™ and Fishin' Buddy® units
UC 4A	5027167	780018-1	$19.99	Protective hard cover for all 100 and 300 Series products. Color: white. Not for use while trailering.	All 300 & 100 Series **does not fit PiranhaMAX™ and Fishin' Buddy® units
UC 5	5025436	780012-1	$24.99	Unit Cover - 800 & 900 Series	All 800 Series All 900 Series

Unit Covers (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
UC 6	5025437	780014-1	$34.99	Unit Cover - 1100 Series	All 1100 Series
UC 7	5025708	780016-1	$19.99	Unit Cover - Piranha/PiranhaMAX™	All Piranha, PiranhaMAX™
MC W		740036-1		Unit Cover - Matrix® & 500 Series	All Matrix® (except Matrix® 97) 515, 525, 535, 565, 575, 580, 585c, 595c
UC8	5027541	780022-1	$24.99	Unit Cover - ONIX 8	ONIX8ci Combo ONIX8ci SI Combo
UC10	5027542	780023-1	$34.99	Unit Cover - ONIX 10	ONIX10ci Combo ONIX10ci SI Combo
CV110	5027856	780026-1	$24.99	Unit Cover for SC110	SC110
CV10	5027857	780024-1	$34.99	Unit Cover for ION 10	ION 10
CV12	5027858	780025-1	$39.99	Unit Cover for ION 12	ION 12

Unit Covers (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
UC H5	5027855	780028-1	$39.99	Unit Cover for Helix 5	Helix 5 Series

Portable Configurations	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
PTC P		4054801-1		Portable Conversion Kit - PiranhaMAX™	All Piranha, PiranhaMAX™
PTC U	5027859	406900-1	$169.99	Soft Portable Case (includes gelcell battery and charger)	All 100 & 300 Series All 500 Series All 700 Series
PTC UNB	5027860	406900-1NB	$139.99	Soft Portable Case without battery (unit not included)	All 100 & 300 Series All 500 Series All 700 Series
GCB	5027861	770027-1	$49.99	Portable 7Ah Battery Only	PTC U, PTC UNB
GCBK	5027862	770028-1	$59.99	Portable Battery and Charger	PTC U, PTC UNB
MS PPM		740072-1		Portable Case Lock Down Mount for use with PTC P	PTC P

Fishin' Buddy® Accessories	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
BRH 1		740097-1		Fishin' Buddy® Replacement Handle	Fishin' Buddy® 110, 120, 130, 140c
BCC 1	5025410	780013-1	$49.99	Fishin' Buddy® Carry Case	Fishin' Buddy® 110, 120, 130, 140c
BMB 1	5025411	740095-1	$49.99	Fishin' Buddy® Mounting Bracket	Fishin' Buddy® 110, 120, 130, 140c
BFT 1	5025412	740096-1	$39.99	Fishin' Buddy® Float Tube Strap Strap Length is 36 inches	Fishin' Buddy® 110, 120, 130, 140c

Connector Collectors	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
MBCC M		740078-1		This connector manages the cables that connect into the back of your unit, holding them securely in place	300 Series 500 Series 600 Series 700 Series (not HD)
MBCC 700E	5026223	740120-1	$19.99	This connector manages the cables that connect into the back of your unit, holding them securely in place for the 700 HD Series	700 HD Series
MBCC 900	5026887	740129-1	$24.99	Cable management kit collects all the cables that connect into the back of your unit, holding them securely in place.	858c Combo 858c DI Combo 858c HD Combo 858c HD DI Combo 958c DI Combo 958c HD DI Combo 998c SI Combo 998c HD SI Combo

Connector Collectors (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
MBCC 1100	5026888	740130-1	$24.99	Hardware management kit collects all the cables that plug inot the back of your unit and holds them securely in place	1198c SI Combo 1197c SI Combo 1158c Combo 1157c Combo

Ice Flasher Accessories	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
MHX ICE	5026890	740105-1	$34.99	Mounting Hardware - Transducer and Unit	ICE 35, ICE 45, ICE 55
CC ICE	5027863	780015-1	$49.99	Carry Case	ICE 35, ICE 45, ICE 55
AD ICE 1	5026889	760021-1	$19.99	12v Cigarette Lighter Adapter	ICE 35, ICE 45, ICE 55

Autopilot And Accessories	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
SC 110 AP Kit	5027457	700052-1	$2,199.99	Kit includes Autopilot 3.5" color TFT display. Course Computer with Fluxgate Compass, Rudder Reedback Unit and Rate Gyro with 30m cable, rotary knob and push button controls	ION 10 ION 12
SC 110 AP Kit w/o FB	5027458	700053-1	$1,999.99	Kit includes Autopilot 3.5” color TFT display, Course Computer with Fluxgate Compass, and Rate Gyro with 30m cable, rotary knob and push button controls	ION 10 ION 12

Autopilot And Accessories (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
SC 110 Display Only	5027459	409100-1	$599.99	3.5” color TFT display with rotary knob and push button controls	ION 10 ION 12 PC VHF2 SC 110 AP Kit w/o FB
SCP 110 Course Computer	5027460	408180-1	$1,099.99	High speed, highly reliable SCP 110 course computer. It optimizes rudder movement by working with the GPS speed, Flugate Compass and Rate Gyro	SC 100 AP Kit SC 110 AP Kit w/o FB SC 110 Display Only
FB 30	5027461	408150-1	$299.99	This brushless RFU features a unique, liner variable transformer - proving decades of reliable performance	SC 100 AP Kit SC 110 AP Kit w/o FB SC 110 Display Only
FXC 110	5027462	408210-1	$259.99	This reliable electronic compass maintains your course based on magnetic heading reference. Automatic Self-Compensation, Ensures Relevant Magnetic Reference, Durable Construction	SC 100 AP Kit SC 110 AP Kit w/o FB SC 110 Display Only
TC 110	5027463	408080-1	$329.99	Easily perform jog steering maneuvers that require fast action. Release the joystick and Autopilot resumes steering	SC 100 AP Kit SC 110 AP Kit w/o FB SC 110 Display Only
HHRP 11-12	5027464	408340-1	$789.99	Built with the finest components. Humminbird & reg pumps feature a full range of flow rates, pressure ratings and oil tank capacities. 1.0 cubic in per second, 12 VDC	SC 100 AP Kit SC 110 AP Kit w/o FB SC 110 Display Only

Autopilot And Accessories (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
HHRP 17-12	5027465	408350-1	$789.99	Built with the finest components. Humminbird & reg pumps feature a full range of flow rates, pressure ratings and oil tank capacities. 1.6 cubic in per second, 12 VDC	SC 100 AP Kit SC 110 AP Kit w/o FB SC 110 Display Only
SCP Cable 30	5027466	720077-1	$99.99	30 meter cable for the FB 30 and FXC 110 (included in Autopilot Kit SKU)	SC 100 AP Kit SC 110 AP Kit w/o FB SC 110 Display Only FB30 FXC 110
SC BK1	5027467	740137-1	$59.99	Autopilot gimbal mounting metal bracket. Includes knobs and washers.	SC 100 AP Kit SC 110 AP Kit w/o FB SC 110 Display Only

Radar	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
AS 12RD2KW	5026930	408550-1	$1,499.99	12 inch radomes easily connects to Ethernet Network	898c SI, 858c DI, 858c, 859ci HD Combo, 859ci HD DI Combo, 859ci HD XD Combo, 899ci HD SI Combo 998c SI, 958c DI, 958c, 959ci HD Combo, 959ci HD DI Combo, 959ci HD XD Combo, 999ci HD SI Combo 1159ci HD Combo, 1159ci HD DI Combo, 1159ci HD XD Combo, 1199ci HD SI Combo ION and ONIX Series
AS 21RD4KW	5026931	408560-1	$2,199.99	21-inch radomes easily connects to Ethernet Network	898c SI, 858c DI, 858c, 859ci HD Combo, 859ci HD DI Combo, 859ci HD XD Combo, 899ci HD SI Combo 998c SI, 958c DI, 958c, 959ci HD Combo, 959ci HD DI Combo, 959ci HD XD Combo, 999ci HD SI Combo 1159ci HD Combo, 1159ci HD DI Combo, 1159ci HD XD Combo, 1199ci HD SI Combo ION and ONIX Series

Radar (Cont.)	Order Number	Item Number	Sugg. Ret.	Description	Compatible Units
RH 44	5027468	750011-1	$3,999.99	47" 4kW Open Array Radar with Ethernet Connection	898c SI, 858c DI, 858c, 859ci HD Combo, 859ci HD DI Combo, 859ci HD XD Combo, 899ci HD SI Combo 998c SI, 958c DI, 958c, 959ci HD Combo, 959ci HD DI Combo, 959ci HD XD Combo, 999ci HD SI Combo 1159ci HD Combo, 1159ci HD DI Combo, 1159ci HD XD Combo, 1199ci HD SI Combo ION and ONIX Series
RH 45	5027469	750012-1	$4,449.99	59" 4kW Open Array Radar with Ethernet Connection	898c SI, 858c DI, 858c, 859ci HD Combo, 859ci HD DI Combo, 859ci HD XD Combo, 899ci HD SI Combo 998c SI, 958c DI, 958c, 959ci HD Combo, 959ci HD DI Combo, 959ci HD XD Combo, 999ci HD SI Combo 1159ci HD Combo, 1159ci HD DI Combo, 1159ci HD XD Combo, 1199ci HD SI Combo ION and ONIX Series

HUMMINBIRD®

SIMPLY. CLEARLY. BETTER.

LOWRANCE
FIND. NAVIGATE. DOMINATE.

LOWRANCE® HDS GEN3

•Combines a brighter, multi-touch display and enhanced processor w/leading edge fishfinder technologies - including CHIRP Sonar, Broadband Sonar™, StructureScan® HD, DownScan Imaging™ and Trackback™ view - plus the latest advances in navigation & user interface - including internal 10Hz GPS, dual microSD-card slots, touch-plus-keypad operation and built-in wireless connectivity - all in one easy-to-use display •Improved interface w/touchscreen or keypad option provides lightning fast, fingertip access to all HDS features •View CHIRP Sonar & StructureScan® HD at the same time to get the best possible view of fish & structure, both below and to the side of the boat •Quickly make adjustments w/enhanced, faster processor & intuitive user-interface features including scrolling menus, cursor assist, snap-to setting markers & innovative preview panes w/quick touch slider bars •Integrated wireless connectivity w/Lowrance GoFree App & other onboard devices - view and control select HDS Gen3 displays wirelessly using supported tablets & smartphones •Plug-and-play compatibility w/Broadband Radar, SonicHub Marine Audio, SiriusXM® Marine Weather & audio, Class B AIS and DSC VHF, as well as industry leading technologies such as SmartSteer control for MotorGuide Pinpoint GPS and the Lowrance Outboard Pilot •Connects & communicates w/HDS Gen2 Touch & HDS Gen2 MFDs •Micro-C connection for NMEA 2000® devices •Video input via optional adapter cable

NEW

LOWRANCE® HDS-7 GEN3

•7'' LED-backlit, multi-touch, widescreen display •WVGA color TFT LCD 800x480 resolution Power output: RMS (PTP); Max 500W RMS Depth alarm •Sonar frequencies: 455/800 kHz (StructureScan® HD), 40-60kHz, 85-145kHz, 130-210kHz (CHIRP), 50kHz/83kHz/200kHz (Narrow Band) •Max side-scanning range: 300' per side •Shallow alarm •Temperature •Max depth per sonar operation: StructureScan HD: 300' @ 455/800 kHz; CHIRP: 3500' (transducer dependent) •Navigation routes: 200 •5000 waypoint storage •Plot trails: Up to 100 trails - up to 10,000 points/trail •GPS alarm •Built-in Insight mapping for US waters & world reference background map •Waterproof: IPx7 •Single Ethernet networking port •Same flush-mount cutout & bracket as HDS-7 Gen2 Touch

•000-11784-001: HDS-7 Gen3 - NO transducer
•000-11785-001: HDS-7 Gen3 Insight USA™ - 83/200 transducer
•000-11786-001: HDS-7 Gen3 Insight USA™ - 50/200 transducer
•000-11788-001: HDS-7 Gen3 Bundle - Insight USA™, 83/200 transducer + LSS

Order #	Mfg. #	Sugg.Ret.
5027890	000-11784-001	$1,249.99
5027891	000-11785-001	1,299.99
5027892	000-11786-001	1,349.99
5027893	000-11788-001	1,499.99

NEW

LOWRANCE® HDS-9 GEN3

•9'' LED-backlit, multi-touch, widescreen display •WVGA color TFT LCD 800x480 resolution Power output: RMS (PTP); Max 500W RMS Depth alarm •Sonar frequencies: 455/800 kHz (StructureScan® HD), 40-60kHz, 85-145kHz, 130-210kHz (CHIRP), 50kHz/83kHz/200kHz (Narrow Band) •Max side-scanning range: 300' per side •Shallow alarm •Temperature •Max depth per sonar operation: StructureScan HD: 300' @ 455/800 kHz; CHIRP: 3500' (transducer dependent) •Navigation routes: 200 •5000 waypoint storage •Plot trails: Up to 100 trails - up to 10,000 points/trail •GPS alarm •Built-in Insight mapping for US waters & world reference background map •Waterproof: IPx7 •Dual Ethernet networking ports •Same flush-mount cutout & bracket as HDS-9 Gen2 Touch

•000-11789-001: HDS-9 Gen3 - NO transducer
•000-11790-001: HDS-9 Gen3 Insight USA™ - 83/200 transducer
•000-11791-001: HDS-9 Gen3 Insight USA™ - 50/200 transducer
•000-11793-001: HDS-9 Gen3 Bundle - Insight USA™, 83/200 transducer + LSS

Order #	Mfg. #	Sugg.Ret.
5027894	000-11789-001	$2,049.99
5027895	000-11790-001	2,099.99
5027896	000-11791-001	2,149.99
5027897	000-11793-001	2,299.99

NEW

LOWRANCE® HDS-12 GEN3

•12'' LED-backlit, multi-touch, widescreen display •WXGA color TFT LCD 1280x800 resolution •Power output: RMS (PTP); Max 500W RMS Depth alarm •Sonar frequencies: 455/800 kHz (StructureScan® HD), 40-60kHz, 85-145kHz, 130-210kHz (CHIRP), 50kHz/83kHz/200kHz (Narrow Band) •Max side-scanning range: 300' per side •Shallow alarm •Temperature •Max depth per sonar operation: StructureScan HD: 300' @ 455/800 kHz; CHIRP: 3500' (transducer dependent) •Navigation routes: 200 •5000 waypoint storage •Plot trails: Up to 100 trails - up to 10,000 points/trail •GPS alarm •Built-in Insight mapping for US waters & world reference background map •Waterproof: IPx7 •Dual Ethernet networking ports •Same flush-mount cutout & bracket as HDS-12 Gen2 Touch

•000-11794-001: HDS-12 Gen3 - NO transducer
•000-11795-001: HDS-12 Gen3 Insight USA™ - 83/200 transducer
•000-11796-001: HDS-12 Gen3 Insight USA™ - 50/200 transducer
•000-11798-001: HDS-12 Gen3 Bundle - Insight USA™, 83/200 transducer + LSS

Order #	Mfg. #	Sugg.Ret.
5027898	000-11794-001	$3,149.00
5027899	000-11795-001	3,199.00
5027900	000-11796-001	3,249.00
5027901	000-11798-001	3,399.00

LOWRANCE® HDS GEN2 TOUCH

•Powerful touchscreen w/redesigned menus & 5 push-button controls simplify operation without sacrificing features •Dedicated StructureScan HD signals for left-, right- and down-looking images, plus award-winning Broadband Sounder •Real-time StructureMap™ capability allows you to overlay StructureScan™ Sonar Imaging data onto your favorite chart for a life-like underwater view w/greater perspective of your boat's position to nearby structure •Overlay DownScan Imaging™ onto your BroadBand Sounder view for the ultimate fish-and structure-finding display •A super-accurate, internal GPS receiver comes standard on all HDS Gen2 Touch models, plus built-in Insight USA™ high-definition mapping w/contour shading •3D perspective view is also available w/both Insight USA maps & optional Navionics charts, plus a dual-view option allows you to simultaneously use 2 maps at once •Create high-definition contours, bottom hardness, & more from personalized sonar log recordings on a powerful, Lowrance web-based map creation tool •Standard on all HDS® Gen2 Touch models, network & share data across all HDS displays for the ultimate flexibility & cost-savings •NMEA 2000®, NMEA 0183 and Ethernet-compatible with up to two Ethernet ports •Compatible with Broadband 4G™ and 3G™ Radar, LWX-1 SIRIUS® satellite radio and weather receiver, LGC-4000 external GPS antenna, SonicHub™ marine audio server, AIS collision-avoidance system, engine interface cables, plus video camera inputs on 9" & 12" models •Up to 2 waterproof SD card slots to load Insight™ HD, Navionics® map options, Fishing HotSpots PRO®, backup waypoints, routes, trails & settings, and create personalized Insight Genesis™ maps and StructureMap™ from recorded sonar log recordings •GoFree WiFi-1 module compatible via Ethernet, when combined with a GoFree Wireless app provides remote viewing and control of HDS Gen2 Touch on the iPhone, iPad & Android devices •Supported by Lowrance Advantage Service program and 2-year warranty

continued next page

continued from previous page

LOWRANCE®
HDS-7 GEN2 TOUCH
FISHFINDER/CHARTPLOTTER

•High definition 7" widescreen color display w/touchscreen functionality for fast & easy operation •Brilliant, enhanced SolarMAX™ PLUS display for superior sunlight & wider angle viewing •Single Ethernet port & full size SD card slot

•000-10761-001: HDS-7M Gen2 Touch w/Insight USA™, Chartplotter only
•000-10764-001: HDS-7 Gen2 Touch w/Insight USA™, no transducer
•000-10765-001: HDS-7 Gen2 Touch w/Insight USA™ 83/200 kHz
•000-10766-001: HDS-7 Gen2 Touch w/Insight USA™ 50/200 kHz
•000-10778-001: HDS-7 Gen2 Touch w/Insight USA™ 83/200 kHz & StructureScan transducer

Order #	Mfg. #	Sugg.Ret.
5027179	000-10764-001	$1,149.99
5027180	000-10765-001	1,199.99
5027181	000-10766-001	1,249.99
5027189	000-10778-001	1,399.99

HDS7 TOUCH SPECIFIC ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5027204	000-11019-001	Gimbal Bracket (HDS7 Touch)	$29.99
5027314	000-11115-001	Dash Mount Adapter	19.99
5027315	000-11033-001	Bezel & Card Door	26.99
5027316	000-11030-001	Sun Cover	19.99

LOWRANCE®
HDS-9 GEN2 TOUCH
FISHFINDER/CHARTPLOTTER

•High definition 9" widescreen color display w/touchscreen functionality for fast & easy operation •Brilliant, enhanced SolarMAX™ PLUS display for superior sunlight & wider angle viewing •Dual Ethernet ports & full size SD card slots, and video-camera input

•000-10767-001: HDS-9M Gen2 Touch w/Insight USA™
•000-10770-001: HDS-9 Gen2 Touch w/Insight USA™, no transducer
•000-10771-001: HDS-9 Gen2 Touch w/Insight USA™ 83/200 kHz
•000-10772-001: HDS-9 Gen2 Touch w/Insight USA™ 50/200 kHz
•000-11280-001: HDS-9 Gen2 Touch w/Insight USA™ 83/200 kHz & LSS-2 System

Order #	Mfg. #	Sugg.Ret.
5027183	000-10770-001	$2,149.99
5027184	000-10771-001	2,199.99
5027185	000-10772-001	2,249.99
5027493	000-11280-001	2,399.99

HDS9 TOUCH SPECIFIC ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5027205	000-11020-001	Gimbal Bracket (HDS9 Touch)	$39.99
5027317	000-11116-001	HDS8 to HDS9 Touch Dash Mount Adapter	24.99
5027318	000-11117-001	HDS10 to HDS9 Touch Dash Mount Adapter	24.99
5027320	000-11034-001	Bezel & Card Door	32.99
5027342	000-11031-001	Sun Cover	19.99

LOWRANCE®
HDS-12 GEN2 TOUCH
FISHFINDER/CHARTPLOTTER

•Lowrance's largest, high definition 12" widescreen color display w/touchscreen functionality for fast & easy operation •Brilliant, enhanced SolarMAX™ PLUS display for superior sunlight & wider angle viewing •Built-in, exclusive Insight USA™ mapping, Broadband Sounder & StructureScan HD Sounder •Dual Ethernet ports & full size SD card slots, and video-camera input

•000-10775-001: HDS-12 Gen2 Touch w/Insight USA™, no transducer
•000-10776-001: HDS-12 Gen2 Touch w/Insight USA™ 83/200 kHz
•000-10777-001: HDS-12 Gen2 Touch w/Insight USA™ 50/200 kHz
•000-11281-001: HDS-12 Gen2 Touch w/Insight USA™ 83/200 kHz & LSS-2 System

Order #	Mfg. #	Sugg.Ret.
5027186	000-10775-001	$3,149.99
5027187	000-10776-001	3,199.99
5027188	000-10777-001	3,249.99
5027494	000-11281-001	3,399.99

HDS12 SPECIFIC ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5027206	000-11021-001	Gimbal Bracket (HDS12 Touch)	$49.99
5027343	000-11035-001	Bezel & Card Door	32.99
5027344	000-11032-001	Sun Cover	19.99

HDS TOUCH ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5027313	000-11050-001	Gen 2 Touch Flush Mount Kit	$14.99
5027319	000-11010-001	HDS 9 Touch & HDS 12 Touch Video Adapter Cable	49.99

HDS-5 GEN 2 SPECIFIC ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5026841	000-0124-61	CVR-12 Protective Cover	$25.99
5025917	124-57	GB-19 Gimbal Bracket	28.99
5026262	000-00124-79	BZ-DR-1 Bezel & SD card door	22.99
5027490	000-11061-001	Portable Cover (Blue)	99.99

HDS-7 GEN 2 SPECIFIC ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5026842	000-0124-62	CVR-13 Protective Cover	$29.99
5027314	000-11115-001	Dash Mount Adapter	19.99
5026084	124-58	GB-20 Gimbal Bracket	33.99
5026263	000-00124-80	BZ-DR-2 Bezel & SD card door replacements	27.99

HDS-8 GEN 2 SPECIFIC ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5026843	000-0124-63	CVR-14 Protective Cover	$29.99
5026083	124-59	GB-19 Gimbal Bracket	39.99
5026264	000-00124-81	BZ-DR-3 Bezel & SD card door replacements	39.99

HDS-10 GEN 2 SPECIFIC ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5026844	000-0124-64	CVR-15 Protective Cover	$29.99
5026082	124-60	GB-22 Gimbal Bracket	28.99
5026265	000-00124-82	BZ-DR-4 Bezel & SD card door replacements	32.99

TRANSDUCERS FOR HDS GEN2 TOUCH & HDS GEN 2

Order #	Mfg. #	Type	Sugg.Ret.
5024098	106-72*	HST-WSBL Transom Mt., 20º Skimmer w/Built-in Temp.	$58.99
5024096	106-74*	PDT-WBL Trolling Motor Mt., 20º Pod-Type w/Built-in Temp.	69.99
HDS GEN 2 TOUCH TRANSDUCERS			
5024597	106-77	HST-DFSBL Transom Mt., DF Skimmer w/Built-in Temp.	94.99
5023159	106-89	PDRT-WBL Trolling Motor Mt. 20º Pod-Type w/Remote Temp. Sensor to fit Blue units	79.99
5027500	000-11133-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 0º Tilt Angle	469.99
5027501	000-11134-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 12º Tilt Angle	469.99
5027502	000-11135-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 20º Tilt Angle	469.99
HDS GEN 2 TRANSDUCERS			
5024097	106-73*	PD-WBL Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type	79.99
5026840	000-0106-94	PTI-WBL - Ice Transducer	69.99

*Multifunctional Display Not Included

LOWRANCE®
FIND. NAVIGATE. DOMINATE.

HDS GEN2 TOUCH & HDS GEN 2 ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5001237	51-83	GBSA-1 Gimbal Bracket Swivel Adapter	$19.99
5025916	124-65	FM-12 Flush Mounting Kit	15.99
5025914	127-49	RS422 Power/Data Cable	29.99
5026157	127-51	ETHEXT-6YL 6' Ethernet Cable	29.99
5024106	99-97*	ST-TBL Speed/Temp. Probe	79.99
5024105	99-96*	Speed Probe	65.99
5024104	99-95	TS-1BL Temp Probe for TEMP 1	69.99
5024102	99-94	XT-20BL 20' Transducer Extension Cable	39.99
5024100	46-26	SB-9BL Transducer Switch Box - Switches 2 Transducers to 1 SONAR Unit	149.99
5026838	000-0051-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low-Profile Skimmer® Transducer	14.99

NEW

LOWRANCE® SONICHUB® MARINE AUDIO SERVER for HDS®

•Connect either directly to one HDS® display or to multiple displays via an NMEA 2000® network to control onboard music components •Features high-power amplifiers & consolidates multiple input/output sources •Bluetooth® connectivity •Subwoofer line out •Stereo AUX line input for audio •Mono line input for intercom, alarm & emergency override •Music control for up to (2) individual zones •Compatible w/the WM-3 SiriusXM® satellite radio/marine weather module (USA only; service subscription required) **•Included in the Box:** (1) SonicHub® server, (1) pair of Lowrance® 6.5" 4 Ohm, 200W 2-way speakers, (1) Fusion® Bluetooth® module (MS-BT100), (1) NMEA 2000® network T-connector plus 6 ft. cable, hardware mounting kit, install manual, warranty, & accessory brochure •Size(LxWxH): 4.21" x 8.9" x 2.4" **•NOTE:** AM/FM antenna sold separately

Order #	Mfg. #	Sugg.Ret.
5103632	000-11605-001	$299.00
6.5'' MARINE-GRADE SPEAKER SET (200W)		
5103182	000-10142-001	59.99

LOWRANCE® SONIC HUB UNI DOCK

•Features a 6' USB cable for connection to Sonic Hub •Designed to offer water-resistant security to your smartphone in a marine environment •Improved SS locking mechanism which is easier to use & stronger than previous docking solutions to keep your smartphone/media player safer for longer •Includes 3 adapter cables which support & charge Apple 30 Pin iPhones and iPods, the new generation iPhones and iPods w/Lightning connectors, & a micro USB for selected Android devices (Android charging only) •When bulkhead mounted, it complies with IPx5 water-resistant standards ***•NOTE:*** Does not support video output from iDevices •Dim: 7-1/16''Lx6-3/16''Wx 2-11/16''H •Mounting depth: 6-1/16''

Order #	Mfg. #	Sugg.Ret.
5027492	000-11256-001	$129.99

LOWRANCE® NAVICO EXPANSION PORT

•A plug-and-play hub for high-speed data-sharing of StructureScan™ imaging system, solid-state BR24 Broadband Radar™, &/or multiple HDS displays across the onboard network •Compatible w/all HDS models, plus 2007 & later LCX, LMS, X & GlobalMap® models w/yellow 5-pin ethernet connector •Waterproof expansion ports resist corrosive marine environments •Unused expansion ports capped for future expansion •100-megabit switch for high-speed data transfer •Transmits sonar graphing display/control on compatible chartplotters when networked w/echosounder-equipped Lowrance® displays & StructureScan™ imaging system option •Rugged & fully waterproof to IPX-7 •Connectivity for up to 4 compatible head units or ethernet performance product options per expansion module •Links w/other Expansion Port-1 modules for added/future expansion

Order #	Mfg. #	Sugg.Ret.
5026272	000-10029-001	$268.99

Order #	Mfg. #	Type		Sugg.Ret.
ACCESSORIES				
5026157	127-51	ETHEXT-6YL	6' Ethernet Cable	$29.99

LOWRANCE® X-4 SERIES FISHFINDERS

•240Vx160H pixel, 4'' diagonal display •Film SuperTwist LCD w/4-level gray scale definition. Screen backlighting for low light conditions •Skimmer® w/built-in temp sensor •ASP™ (Advanced Signal Processing) •GRAYLINE® •Advanced Fish I.D.™ fish symbols w/Fish Track™ •Auto depth range tracking w/instant screen updates •Auto/Zoom bottom track •Selectable deep water, shallow water & fish alarm alerts •One-year limited warranty **•X-4 Pro:** Dual frquency 83/200 kHz transom mount transducer •Up to 120º expanded fish-finding coverage •Operates at boats speeds to 70 mph •1500W peak-to-peak/188W RMS •Depths to 1000'

Order #	Mfg. #	Type	Sugg.Ret.
5026236	10229-001	X-4 Pro	99.99

LOWRANCE® MARK-5x FISHFINDER SERIES

•480Vx480H pixel, 5'' diagonal display •High-contrast Film SuperTwist LCD w/16-level gray scale definition •Improved, brighter white LED backlit screen & keypad •1600 watts peak-to-peak/200 watts RMS •Quick release tilt & swivel bracket •Skimmer w/built-in temp sensor •Graphically enhanced menus make operation a breeze •Limited one-year warranty **•Mark-5x Pro:** 83/200 kHz transducer •1000' depth capability •Sonar History Scrollback

Order #	Mfg. #	Type	Sugg.Ret.
5026116	175-001	Mark-5x Pro	$159.99

LOWRANCE® MARK-5x DSI FISHFINDER

•DownScan Imaging™ sonar technology •Displays crystal-clear photo-like views of the underwater worlds below the boat •480Vx480H pixel, 5'' diagonal display •Film SuperTwist LED w/16-level gray scale definition •Adjustable, bright-white LED backlit screen & keypad •Slim, low profile, high-speed, transom mount 455/800 kHz Skimmer® DSI imaging transducer w/down-looking crystal & built-in temp sensor and trolling motor-mount bracket option •2400W peak-to-peak/300W RMS power •Tested depths to 200 ft. and bottom readings at boat speeds up to 40 mph •Optimum imaging speed of 8 mph & under •Automatic fine tuning or Advanced User Mode for full manual control settings •TrackBack™ feature scrolls-back sonar history •Simplified menu w/ text & icons for faster & easier selections •Adjustable tilt & swivel mounting system

Order #	Mfg. #	Type	Sugg.Ret.
5026237	10233-001	Mark-5x DSI	$199.99

LOWRANCE
FIND. NAVIGATE. DOMINATE.

MARK 5x & MARK 5x DSI ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5026271	000-10027-001	Bracket	$19.99
5026273	000-10050-001	CVR-16 Screen Cover	25.99
5026151	10028-001	FM-ME5 Flush Mt. Kit for 5'' Models	15.99
5026243	10261-001	Trolling Motor Transducer Mount for DSI Skimmer	19.99
5026245	10263-001	15' DSI Skimmer Transducer Extension Cable	39.99
TRANSDUCERS			
5026242	10260-001	455/800 kHz Skimmer Transducer w/Temp Sensor	79.99

LOWRANCE®
MARK-4 HDI COMBO

•36% larger Mark display •4.3'' grayscale TFT LCD display offers best viewing ability in any boating condition •Hybrid Dual Imaging (HDI) brings the power of two award winning technologies together to provide the best possible view beneath your boat •Broadband Sounder™ - excellent for marking fish arches & tracking lure action •PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of bait fish, predator fish & structure w/no interpretation needed •High accuracy internal GPS antenna •User-friendly features include quick-release tilt & swivel bracket •Easier-to-use menu system w/quick access to all features using one-thumb operation •Page selector does not hide live sonar & map while making page decision •Multi-Window Displays let you choose up to 3 panels in split-screen mode to view chart, sonar & DownScan Imaging all on 1 screen simultaneously •Saves up to 3000 waypoints, 100 routes/100 waypoints per route & 100 retraceable plot trails/up to 10,000 points per trail •MicroSD card slot for multiple card options •Compatible w/ all Lake & Nautic Insight™ PRO & HD, Navionics® Gold & Fishing Hot Spots® via microSD™ cards •NMEA 0183 output •Depths to 300' w/ DownScan & 1000' Broadband •View up to 1' of sonar display history w/Trackback™ feature •IPx7 waterproof standard

•000-11299-001: Mark-4 HDI w/50/200 + 455/800 kHz transducer

Order #	Mfg. #	Sugg.Ret.
5027487	000-11299-001	329.99

MARK-4 HDI COMBO ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
5027755	000-11308-001	Flush Mount Kit	$14.95
5027756	000-11307-001	Sun Cover	29.99

NEW

LOWRANCE®
MARK-4 CHIRP FISHFINDER/CHARTPLOTTER

•Includes all of the proven features of the Mark-4 HDI Series with the addition of CHIRP sonar technology - providing greater sensitivity, improved target resolution & superior noise rejection for clearer, easy-to-see bait fish & game fish targets •Highly accurate, built-in GPS antenna plus a detailed U.S. map featuring more than 3000 lakes and rivers & coastal contours to 1000' •4.3'', LED-backlit, grayscale display •480x272 resolution •Multi-window display •ASP •TrackBack™ •Power output: Max 250W RMS, 30,000W Peak-to-Peak •CHIRP Sonar frequencies: Low, Med, High - 50 kHz/83 kHz/200 kHz •Depth alarm •Shallow alarm •Temperature •Waterproof IPx7 rating •NMEA Output: NMEA 0183

•000-11826-001: Mark-4 CHIRP - NO transducer
•000-11823-001: Mark-4 CHIRP - 83/200 transducer
•000-11824-001: Mark-4 CHIRP - 83/200 HDI transducer with 455/800 kHz DownScan Imaging™
•000-11827-001: Mark-4 CHIRP - 50/200 HDI transducer with 455/800 kHz DownScan Imaging™

Order #	Mfg. #	Sugg.Ret.
5027916	000-11826-001	$179.99
5027914	000-11823-001	199.99
5027915	000-11824-001	299.99
5027917	000-11827-001	329.99

LOWRANCE®
MARK 4 FISHFINDER/CHARTPLOTTER SPECIFIC ACESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026861	000-10495-001	Sun Cover	$22.99
5027258	000-10662-001	Flush Mount Kit	14.99
5026839	000-0106-68	PTI-WSU - Ice Transducer	69.99

MARK SERIES ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5024127	99-91	XT-15U 15' Sonar Extension Cable	$29.99
5027490	000-11061-001	Portable Cover (Blue)	99.99
5026244	10262-001	Replacement Mount for Skimmer & top housing	29.99
5027258	000-10662-001	Flush Mount Kit	14.99
5026861	000-10495-001	Sun Cover - Mark/Elite-4/Elite-3x	22.99

NEW



LOWRANCE®
ELITE-9 CHIRP COMBO FISHFINDER/CHARTPLOTTER

•Combines the benefits of CHIRP Sonar w/DownScan Imaging™ technology, bundled with Navionics+ high-definition chartcard for the best possible view below your boat - providing greater sensitivity, improved target resolution & superior noise rejection for clearer, easy-to-see bait fish & game fish targets •Highly accurate, built-in GPS antenna plus a detailed U.S. map featuring more than 3000 lakes and rivers & coastal contours to 1000' •9'', Full SolarMax™ Plus, 16-bit color TFT, LED-backlit display •800x480 resolution •Multi-window display •ASP •TrackBack™ •Power output: Max 250W RMS, 30,000W Peak-to-Peak •CHIRP Sonar frequencies: Low, Med, High - 50 kHz/83 kHz/200 kHz •DownScan Imaging™ sonar frequency: 455/800 kHz •Depth alarm •Shallow alarm •Temperature •Waterproof IPx7 rating •NMEA Output: NMEA 0183 & NMEA 2000®

•000-12175-001: Elite-9 CHIRP Combo - NO transducer w/Navionics®+ chartcard featuring full coastal & inland coverage of the US & Canada, plus the Great Lakes, Alaska, Hawaii & the Bahamas - plus online access to Navionics® chart enhancements
•000-12176-001: Elite-9 CHIRP Combo - 83/200 HDI transducer w/ Navionics®+ chartcard featuring full coastal & inland coverage of the US & Canada, plus the Great Lakes, Alaska, Hawaii & the Bahamas - plus online access to Navionics® chart enhancements
•000-12178-001: Elite-9 CHIRP Combo - 50/200 HDI transducer w/ Navionics®+ chartcard featuring full coastal & inland coverage of the US & Canada, plus the Great Lakes, Alaska, Hawaii & the Bahamas - plus online access to Navionics® chart enhancements
•000-12179-001: Elite-9 CHIRP - NO transducer
•000-12180-001: Elite-9 CHIRP - 50/200 HDI transducer with 455/800 kHz DownScan Imaging™
•000-12181-001: Elite-9 CHIRP - 83/200 HDI transducer with 455/800 kHz DownScan Imaging™

Order #	Mfg. #	Sugg.Ret.
5027919	000-12175-001	$1,499.99
5027920	000-12176-001	1,599.99
5027921	000-12178-001	1,699.99
5027922	000-12179-001	1,399.99
5027923	000-12180-001	1,599.99
5027924	000-12181-001	1,499.99

LOWRANCE
FIND. NAVIGATE. DOMINATE.

LOWRANCE® ELITE 9x CHIRP FISHFINDER

•Combines the benefits of CHIRP Sonar w/DownScan Imaging™ technology for the best possible view below your boat - providing greater sensitivity, improved target resolution & superior noise rejection for clearer, easy-to-see bait fish & game fish targets •9", Full SolarMax™ Plus, 16-bit color TFT, LED-backlit display •800x480 resolution •Multi-window display •ASP •TrackBack™ •Power output: Max 250W RMS, 30,000W Peak-to-Peak •CHIRP Sonar frequencies: Low, Med, High - 50 kHz/83 kHz/200 kHz •DownScan Imaging™ sonar frequency: 455/800 kHz •Depth alarm •Shallow alarm •Temperature •Waterproof IPx7 rating **•000-12182-001:** Elite-9x CHIRP - NO transducer **•000-12183-001:** Elite-9x CHIRP - 50/200 HDI transducer with 455/800 kHz DownScan Imaging™ **•000-11820-001:** Elite-9x CHIRP - 83/200 HDI transducer with 455/800 kHz DownScan Imaging™

Order #	Mfg. #	Sugg.Ret.
5027925	000-12182-001	$1,199.99
5027926	000-12183-001	1,399.99
5027927	000-12184-001	1,299.99

ELITE-7 HYBRID DUAL IMAGING™ (HDI) SERIES

•7" widescreen color fishfinders & chartplotters •The power of 2 award-winning technologies combined to provide the best-possible view beneath your boat •Broadband Sounder™ -- excellent for marking fish arches and tracking lure action -- PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of structure & bottom with no interpretation needed •70% larger display for viewing detail in all conditions •Exclusive technology overlays DownScan Imaging onto Broadband Sounder display for a stunning view that separates & clearly exposes fish targets from surrounding structure •Overlay transparency & color palettes are fully adjustable •TrackBack™ allows you to immediately scroll back in sonar history to review covered areas & pinpoint spots (saves time and fuel trying to re-trace your path) •With chartplotter models, simply mark a waypoint at your cursor location with the press of a button •ASP™ (Advanced Signal Processing) reduces manual adjustments to automatically see fish, structure & bottom detail more clearly •Highly accurate, built-in GPS antenna plus a detailed U.S. background map, w/optional charting upgrades to Navionics® Gold and HotMaps® Premium, Fishing Hotspots® PRO as well as Lake Insight and Nautic Insight PRO •Works w/high-capacity micro SD cards •Advanced NMEA 2000® networking capability •Multi-Window display let's you choose up to three panels in split-screen mode to view chart, sonar and DownScan Imaging -- all on one screen simultaneously •Page selector allows quick & easy selection of 8 preset page layouts •Page selection does not block live sonar & map while making page decision •Easier to use menu system w/quick access to all features using one-thumb operation •Supported by Lowrance Advantage Service program & limited 1-year warranty

LOWRANCE® ELITE-7 HDI COMBO FISHFINDER/CHARTPLOTTER

•7" widescreen color fishfinders & chartplotters •The power of 2 award-winning technologies combined to provide the best-possible view beneath your boat •Broadband Sounder™ -- excellent for marking fish arches and tracking lure action -- PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of structure & bottom with no interpretation needed •70% larger display for viewing detail in all conditions •With chartplotter models, simply mark a waypoint at your cursor location with the press of a button •Highly accurate, built-in GPS antenna plus a detailed U.S. background map, w/optional charting upgrades to Navionics® Gold and HotMaps® Premium, Fishing Hotspots® PRO as well as Lake Insight and Nautic Insight PRO **•000-11051-001:** Elite-7 HDI Gold 83/200/455/800 transducer; Pre-packaged w/Navionics® chartcard featuring US/Canada coastal, Great Lakes & major Canadian lakes detail

Order #	Mfg. #	Sugg.Ret.
5027350	000-11051-001	$769.99

ELITE HDI ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5025914	127-49	RS422 Power/Data Cable	$29.99

TRANSDUCERS FOR ELITE HDI SERIES

Order #	Mfg. #	Type	Sugg.Ret.
5027200	000-10976-001	HDI Skimmer XDCR 83/200 455/800 kHz	$119.99
5027201	000-10977-001	HDI Skimmer XDCR 50/200 455/800 kHz	234.99
5027500	000-11133-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 0º Tilt Angle	469.99
5027501	000-11134-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 12º Tilt Angle	469.99
5027502	000-11135-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 20º Tilt Angle	469.99

LOWRANCE® ELITE-7 CHIRP & ELITE-5 CHIRP CHARTPLOTTER/FISHFINDERS

•Same features as the Elite HDI Series w/CHIRP Sonar technology •Features TrackBack™ technology that allows you to rewind recorded sonar history including structure, transitions or fish targets, plus pinpoint locations w/waypoints •Advanced Signal Processing (ASP) reduces the need to manually adjust settings to see fish, structure & bottom detail more clearly •Clutter-free, SolarMax™ Plus color display •Quick & easy, 1-thumb operated Page Selector Menu provides multi-window display options w/pre-set page layouts, plus 3-Panel View (chart, CHIRP sonar options & DownScan Imaging™) •CHIRP Sonar technology uses multiple sonar frequencies at once, instead of single frequency, thus providing greater sensitivity, improved target resolution, & superior noise rejection for clearer, easy-to-use bait fish & game fish targets •Display CHIRP Sonar & DownScan Imaging™ together in split-screen view, or combine them in full-screen mode using DownScan Overlay™ (*HDI Transducer required*) •Multiple CHIRP settings (High/Med./Low) from one transducer gives you the option of using more than one CHIRP Sonar frequency to access your specific fishing situation •CHIRP Frequency Settings: <u>High</u> - freshwater & shallow coastal areas (greatest detail for tracking smaller objects or game fish that are near structures or on the bottom); <u>Medium</u> - wide coverage for large areas while searching for structure or fish (not as detailed as High CHIRP & will not penetrate as deep as Low CHIRP); <u>Low</u> - greatest depth performance, while marking fish targets throughout the entire water column •Insight Genesis™ compatibility allows you to create free customized maps based on your own survey data •Includes built-in GPS antenna, (1) microSD slot, & US basemap w/more than 3000 lakes & rivers **•NOTES: *Medium & High CHIRP Sonar**** (83/200kHz); ***Low & High CHIRP Sonar**** (50/200kHz); ***HDI Skimmer® Transducer**** (455/800kHz) enables DownScan Imaging™ for picture-like images of fish-holding structures beneath your boat; ***HST Transducer**** does <u>*NOT*</u> feature DownScan Imaging™; ***Elite-7 CHIRP GOLD**** models include HDI Transducer* & Navionics® chartcard featuring US/Canada/Alaska & Bahamas coastal, Great Lakes & major Canadian lakes detail

Order #	Mfg. #	Description	Sugg.Ret.
<u>ELITE-7 CHIRP w/7.0" DISPLAY</u>			
HDI SKIMMER® TRANSDUCER*			
5027706	000-11665-001	Medium & High CHIRP Sonar* + DownScan Imaging™	$799.99
5027707	000-11664-001	Low & High CHIRP Sonar* + DownScan Imaging™	899.99

continued next page

LOWRANCE®
ELITE-7 CHIRP & ELITE-5 CHIRP CHARTPLOTTER/FISHFINDERS

continued from previous page

Order #	Mfg. #	Description	Sugg.Ret.
HST TRANSDUCER*			
5027708	000-11663-001	Medium & High CHIRP Sonar* (No DownScan Imaging™)	699.99
ELITE-7 CHIRP GOLD* w/7.0" DISPLAY			
HDI SKIMMER® TRANSDUCER*			
5027709	000-11659-001	Medium & High CHIRP Sonar* + DownScan Imaging™	869.99
5027711	000-11661-001	Low & High CHIRP Sonar* + DownScan Imaging™	969.99
ELITE-5 CHIRP w/5.0" DISPLAY			
HDI SKIMMER® TRANSDUCER*			
5027712	000-11655-001	Medium & High CHIRP Sonar* + DownScan Imaging™	599.99
5027716	000-11654-001	Low & High CHIRP Sonar* + DownScan Imaging™	699.99
ELITE-5 CHIRP GOLD* w/5.0" DISPLAY			
HDI SKIMMER® TRANSDUCER*			
5027714	000-11652-001	Medium & High CHIRP Sonar* + DownScan Imaging™	669.99
5027717	000-11651-001	Low & High CHIRP Sonar* + DownScan Imaging™	769.99

NEW

LOWRANCE®
ELITE-7X CHIRP & ELITE 5X CHIRP FISHFINDERS

•Same features as the Elite HDI Series w/CHIRP Sonar technology •Clutter-free, SolarMax™ Plus color display •Quick & easy, 1-thumb operated, Page Selector Menu provides multi-window display options w/pre-set page layouts •Advanced Signal Processing (ASP) reduces the need to manually adjust settings to see fish, structure & bottom detail more clearly •CHIRP Sonar technology uses multiple sonar frequencies at once, instead of single frequency, thus providing greater sensitivity, improved target resolution, & superior noise rejection for clearer, easy-to-use bait fish & game fish targets •Display CHIRP Sonar & DownScan Imaging™ together in split-screen view, or combine them in full-screen mode using DownScan Overlay™ (*HDI Transducer required*) •Multiple CHIRP settings (High/Med./Low) from one transducer gives you the option of using more than one CHIRP Sonar frequency to access your specific fishing situation •CHIRP Frequency Settings: High - freshwater & shallow coastal areas (greatest detail for tracking smaller objects or game fish that are near structures or on the bottom); Medium - wide coverage for large areas while searching for structure or fish (not as detailed as High CHIRP & will not penetrate as deep as Low CHIRP); Low - greatest depth performance, while marking fish targets throughout the entire water column •Includes (1) microSD slot •**NOTES:** ***Medium & High CHIRP Sonar**** (83/200kHz); ***Low & High CHIRP Sonar**** (50/200kHz); ***HDI Skimmer® Transducer**** (455/800kHz) enables DownScan Imaging™ for picture-like images of fish-holding structures beneath your boat

Order #	Mfg. #	Description	Sugg.Ret.
ELITE-7X CHIRP w/7.0" DISPLAY			
HDI SKIMMER® TRANSDUCER*			
5027732	000-11668-001	Medium & High CHIRP Sonar* + DownScan Imaging™	$649.00
5027710	000-11667-001	Low & High CHIRP Sonar* + DownScan Imaging™	749.99
ELITE-5X CHIRP w/5.0" DISPLAY			
HDI SKIMMER® TRANSDUCER*			
5027713	000-11657-001	Medium & High CHIRP Sonar* + DownScan Imaging™	499.99
TRANSDUCER *NOT* INCLUDED			
5027715	000-11653-001	No Transducer	399.99

LOWRANCE®
ELITE-7M CHARTPLOTTER

•7" widescreen color chartplotter •70% larger display for viewing detail in all locations •Mark a waypoint at your cursor location with the press of a button •Highly accurate, built-in GPS antenna plus a detailed U.S. background map, w/optional charting upgrades to Navionics® Gold and HotMaps® Premium, Fishing Hotspots® PRO as well as Lake Insight and Nautic Insight PRO

Order #	Mfg. #	Sugg.Ret.
5027198	000-10975-001	$669.99

LOWRANCE®
ELITE-5M GOLD

•High resolution 5" color display provides visibility & viewing detail in all conditions •480x480 pixel display resolution •256-color SolarMAX™ PLUS TFT display •Adjustable screen & keypad backlighting levels •Easier-to-use menu system w/quick access to all features using one-thumb operation •Multi-window displays •World reference basemap & US enhanced basemap w/over 3000 enhanced lake maps w/depth contour & shoreline detail, plus coastal depth contours/shoreline detail & spot depth soundings to 1000' •Mapping options include Lake Insight™, Nautic Insight™ PRO and HD, Navionics® Gold & HotMaps® Premium, Fishing Hotspots® PRO and Jeppessen C-Map Max-N •Internal high-sensitivity WAAS + EGNOS + MSAS GPS antenna •Bundled with a special-issue Navionics® Gold microSD chartcard with US & Canada coatal detail, plus Great Lakes & major Canadian lakes coverage •Waterproof IPx7 rating

Order #	Mfg. #	Sugg.Ret.
5027392	000-11176-001	$469.99

ELITE-5 & ELITE-5M GOLD SPECIFIC ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5027490	000-11061-001	Portable Cover (Blue)	$99.99

LOWRANCE®
ELITE-4 HDI COMBO

•36% larger Elite color dispaly •4.3" 480x272 resolution, 16-bit color TFT LCD color display offers best viewing ability in any boating condition •Hybrid Dual Imaging (HDI) brings the power of two award winning technologies together to provide the best possible view beneath your boat •Broadband Sounder™ - excellent for marking fish arches & tracking lure action •PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of bait fish, predator fish & structure w/no interpretation needed •DownScan Imaging Overlay •High accuracy internal GPS antenna •User-friendly features include quick-release tilt & swivel bracket •Easier-to-use menu system w/quick access to all features using one-thumb operation •Page selector does not hide live sonar & map while making page decision •Multi-Window Displays let you choose up to 3 panels in split-screen mode to view chart, sonar & DownScan Imaging™ all on 1 screen simultaneously •Saves up to 3000 waypoints, 100 routes/100 waypoints per route & 100 retraceable plot trails/up to 10,000 points per trail •Compatible w/all Lake & Nautic Insight™ PRO & HD, Navionics® Gold & Fishing Hot Spots® via microSD™ cards •NMEA 0183 output •Depths to 300' w/DownScan & 1000' Broadband •View up to 1' of sonar display history w/Trackback™ feature •IPx7 waterproof standard
•000-11288-001: 50/200 + 455/800 kHz transducer
•000-11292-001: 83/200 + 455/800 kHz transducer plus Pre-loaded w/Navionics® Gold

Order #	Mfg. #	Sugg.Ret.
5027480	000-11288-001	$399.99
5027482	000-11292-001	369.99

LOWRANCE
FIND. NAVIGATE. DOMINATE.

LOWRANCE®
ELITE-4x HDI

•4.3" 480x272 resolution, 16-bit color TFT LCD color display offers best viewing ability in any boating condition •Hybrid Dual Imaging (HDI) brings the power of two award winning technologies together to provide the best possible view beneath your boat •Broadband Sounder™ - excellent for marking fish arches & tracking lure action •PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of bait fish, predator fish & structure w/no interpretation needed •DownScan Imaging Overlay •User-friendly features include quick-release tilt & swivel bracket •Easier-to-use menu system w/quick access to all features using one-thumb operation •Page selector does not hide live sonar & map while making page decision •Multi-Window Displays let you choose up to 3 panels in split-screen mode to view chart, sonar & DownScan Imaging all on 1 screen simultaneously •Depths to 300' w/DownScan & 1000' Broadband •View up to 1' of sonar display history w/Trackback™ feature •IPx7 waterproof standard

•000-11297-001: Elite 4x HDI w/50/200 + 455/800 kHz transducer

Order #	Mfg. #	Sugg.Ret.
5027478	000-11297-001	$299.99

LOWRANCE®
ELITE-4M HD CHARTPLOTTER

•36% larger Elite color display •4.3" 480x272 resolution, 16-bit color TFT LCD color display offers best viewing ability in any boating condition •High accuracy internal GPS antenna •User-friendly features include quick-release tilt & swivel bracket •Easier-to-use menu system w/quick access to all features using one-thumb operation •Page selector does not hide live sonar & map while making page decision •Multi-Window Display •Saves up to 3000 waypoints, 100 routes/100 waypoints per route & 100 retraceable plot trails/up to 10,000 points per trail •MicroSD card slot for multiple card options •Compatible w/all Lake & Nautic Insight™ PRO & HD, Navionics® Gold & Fishing Hot Spots® via microSD™ cards •NMEA 0183 output

•000-11293-001: Elite-4M HD Chartplotter

•000-11294-001: Chartplotter w/Navionics® Gold card w/US & Canada coastal detail

Order #	Mfg. #	Sugg.Ret.
5027483	000-11293-001	$199.99
5027484	000-11294-001	269.99

NEW

LOWRANCE®
ELITE-4 HDI GOLD CHARTPLOTTER/FISHFINDER

•Compact unit features Hybrid Dual Imaging™ that combines Broadband Sounder™ w/DownScan Imaging™ technology, high-resolution SolarMax™ LED-backlit display, built-in GPS antenna & high-definition Navionics+ chartcard featuring full coastal & inland coverage of the U.S. & Canada, plus the Great Lakes, Alaska, Hawaii & Bahamas (plus online access to Navionics chart enhancements including Freshest Data, Sonar Charts & Community Edits) •TrackBack™ technology allows you to rewind recorded sonar history including structure, transitions or fish targets, plus pinpoint locations w/waypoints •Advanced Signal Processing (ASP) •Insight Genesis™ compatibility allows you to create free customized maps based on your own sonar data •4.3", 16-bit color TFT display features adjustable 11-level LED-backlighting & 480 x 272 resolution •Quick & easy, 1-thumb operated Page Selector Menu provides multi-window display options w/pre-set page layouts, including 3-Panel View (chart, Broadband Sounder™ & DownScan Imaging™) •Capable fo storing 100 routes, 3000 waypoints, & up to 100 trails & 10000 points •Equipped w/Navionics® Gold mapping, US background map w/over 3000 enhanced lake maps w/depth contour & shoreline detail, plus coastal depth contours/shoreline detail & spot depth soundings to 1000 ft. •GPS alarms •Depth & shallow alarms •Temperature readings •Operating Frequency: 83/200 kHz + 455/800 kHz •NMEA 0183 output •IPX7 waterproofing •(1) microSD slot •Size(LxWxH): 3.8"x2.2"x6.6" •1-Year Warranty

Order #	Mfg. #	Sugg.Ret.
5027481	000-11291-001	$469.99

ELITE-4 HDI/HD ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
5027755	000-11308-001	Flush Mount Kit	$14.95
5027756	000-11307-001	Sun Cover	29.99

NEW

LOWRANCE®
ELITE-4 CHIRP FISHFINDER/CHARTPLOTTER

•Includes all of the proven features of the Elite-4 HDI Series with the addition of CHIRP sonar technology - providing greater sensitivity, improved target resolution & superior noise rejection for clearer, easy-to-see bait fish & game fish targets •DownScan Imaging™ •Highly accurate, built-in GPS antenna plus a detailed U.S. map featuring more than 3000 lakes and rivers & coastal contours to 1000' •4.3", LED-backlit, 16-bit color TFT display •480x272 resolution •Multi-window display •ASP •TrackBack™ •Power output: Max 250W RMS, 30,000W Peak-to-Peak •CHIRP Sonar frequencies: Low, Med, High - 50 kHz/83 kHz/200 kHz •Depth alarm •Shallow alarm •Temperature •Waterproof IPx7 rating •NMEA Output: NMEA 0183

•000-11810-001: Elite-4 CHIRP - NO transducer

•000-11808-001: Elite-4 CHIRP - 83/200 HDI transducer with 455/800 kHz DownScan Imaging™

•000-11812-001: Elite-4 CHIRP - 50/200 HDI transducer with 455/800 kHz DownScan Imaging™

•000-11815-001: Elite-4 CHIRP - NO transducer, but with Navionics®+ chartcard featuring full coastal & inland coverage of the US & Canada, plus the Great Lakes, Alaska, Hawaii & the Bahamas - plus online access to Navionics® chart enhancements

•000-11816-001: Elite-4 CHIRP - 50/200 HDI transducer with 455/800 kHz DownScan Imaging™ and Navionics®+ chartcard featuring full coastal & inland coverage of the US & Canada, plus the Great Lakes, Alaska, Hawaii & the Bahamas - plus online access to Navionics® chart enhancements

•000-11817-001: Elite-4 CHIRP - 83/200 HDI transducer with 455/800 kHz DownScan Imaging™ and Navionics®+ chartcard featuring full coastal & inland coverage of the US & Canada, plus the Great Lakes, Alaska, Hawaii & the Bahamas - plus online access to Navionics® chart enhancements

•000-11821-001: Elite-4 CHIRP Ice Machine Portable - w/Ice transducer; weatherproof, soft-sided pack w/easy-to-find, front & rear zipper access; adjustable display platform for easy viewing; two (2) StowAway® utility boxes; 12v battery and charger for a full day of operation

Order #	Mfg. #	Sugg.Ret.
5027905	000-11810-001	$249.00
5027904	000-11808-001	299.99
5027906	000-11812-001	399.99
5027907	000-11815-001	229.99
5027908	000-11816-001	429.99
5027909	000-11817-001	329.99
5027912	000-11821-001	399.99

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

LOWRANCE
FIND. NAVIGATE. DOMINATE.

NEW

LOWRANCE® ELITE 4x CHIRP FISHFINDER

•Includes all of the proven features of the Elite-4x HDI Series with the addition of CHIRP sonar technology - providing greater sensitivity, improved target resolution & superior noise rejection for clearer, easy-to-see bait fish & game fish targets •4.3'', LED-backlit, 16-bit color TFT display •480x272 resolution •Multi-window display •ASP •TrackBack™ •Power output: Max 250W RMS, 30,000W Peak-to-Peak •CHIRP Sonar frequencies: Low, Med, High - 50 kHz/83 kHz/200 kHz •Depth alarm •Shallow alarm •Temperature •Waterproof IPx7 rating •NMEA Output: NMEA 0183
•000-11819-001: Elite-4x CHIRP - NO transducer
•000-11806-001: Elite-4x CHIRP - 83/200 transducer
•000-11820-001: Elite-4x CHIRP - 50/200 HDI transducer with 455/800 kHz DownScan Imaging™
•000-11807-001: Elite-4x CHIRP - 83/200 HDI transducer with 455/800 kHz DownScan Imaging™
•000-11822-001: Elite-4x CHIRP Ice Machine Portable - w/Ice transducer; weatherproof, soft-sided pack w/easy-to-find, front & rear zipper access; adjustable display platform for easy viewing; two (2) Stow-Away® utility boxes; 12v battery and charger for a full day of operation

Order #	Mfg. #	Sugg.Ret.
5027910	000-11819-001	$149.99
5027902	000-11806-001	169.99
5027911	000-11820-001	299.99
5027903	000-11807-001	199.99
5027913	000-11822-001	299.99

NEW

LOWRANCE® ELITE-3x COLOR FISHFINDER

•3.5'', 256-color TFT LCD •LED-backlit color display w/detailed 320Hx240W resolution that's easy to see in full sunlight & from wide viewing angles •Broadband Sounder™ detail easily identifies fish targets, bottom contour, structure detail, bottom hardness, thermoclines & more •Patented Skimmer® transducer w/built-in water-temperature sensor can track bottom up to 75mph •Fish I.D. displays fish icons instead of fish arches to help identify fish targets & includes track and alarm options •Advanced Signal Processing (ASP) reduces the need to manually adjust settings to see fish, structure & bottom detail more clearly •Pages button allows user to quickly switch between sonar frequency views •Dedicated quick keys allow user to zoom up to four times the standard view & focus on key fishing areas •Power button doubles as backlight control to adjust for daylight or nighttime fishing situations •Tilt & swivel bracket
•000-11448-001: Elite-3x - 83/200 kHz transducer
•000-11673-001: Elite-3x All Season Pack - 83/200 transducer, easy-to-transport pack design, 2 integrated mounts, suction-cup transducer mount, ice transducer w/float & power cable, 2 Stowaway utility drawers, 12v battery & charger and ample accessory storage space
•000-11449-001: Elite-3x DSI - Downscan Imaging™ dual frequency 455/800 kHz operation reveals easy-to-understand photo-like underwater detail. DSI transducer design can track bottom depth & contours at up to 55 mph.

Order #	Mfg. #	Model	Sugg.Ret.
5027757	000-11448-001	Elite-3x	$99.00
5027759	000-11673-001	Elite-3x All Season Pack	249.00
5027758	000-11449-001	Elite-3x DSI	129.00

ELITE SERIES ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5024106	99-97*	ST-TBL Speed/Temp. Probe	$79.99
5024104	99-95	TS-1BL Temp Probe for TEMP 1	69.99
5024102	99-94	XT-20BL 20' Transducer Extension Cable	39.99
5026151	10028-001	FM-ME5 Flush Mt. Kit	15.99
5027202	000-10978-001	Troll. Mtr. Adapter for Skimmer XDCR	19.99
5027203	000-10979-001	Flush Mount Kit for All Elite -7	14.99
5027328	000-11069-001	Elite-7 Sun Cover/Dust Cover	19.99
5022955	99-75	ST-TU Speed/Temp. Probe	79.99
5027258	000-10662-001	Flush Mount Kit	14.99
5026861	000-10495-001	Sun Cover - Mark/Elite-4/Elite-3x	22.99

LOWRANCE® PPP-18I ICE FISHING KIT

•A great way to make your own Lowrance® portable •Kit comes with all the accessories you need - soft pack, bullet ice transducer, platform, tackle trays, 12 vDC battery & charger •Works with most Lowrance® and Eagle® w/uniplug connectors, including the Elite™ & Mark™ series

Order #	Mfg. #	Sugg.Ret.
5026846	000-10209-001	$149.99

LOWRANCE® BSM-1 BROADBAND SOUNDER™ MODULE

•Advanced upgrade to the previous LBS-1. Module brings built-in HDS Broadband Sounder™ technology to 2007-2008 Lowrance LCX, LMS, X and GlobalMap® models w/yellow 5-pin ethernet connector •Enhanced separation of fish targets from structure, baitfish, thermoclines, clutter & bottom •Improved underwater fish-holding structure identification; channels, rock piles, wrecks, drop-offs & more •Performs in any water/weather, at any depth or boat speed •Works w/any compatible transducer: Skimmer®, pod, shoot-thru & Airmar® bolt-thru hull •Automatic operation at any functional frequency: 50, 83 and 200 kHz •Tested sounding depths to 5000'

Order #	Mfg. #	Model	Sugg.Ret.
5026150	132-05	BSM-1	$699.99

LOWRANCE® ENDURA™ SERIES

•FEATURES: 2.7'' color touch screen and physical buttons •Enhanced GPS+WAAS positioning •Best-in-class preloaded Accu-Terra™ maps w/NAVTEQ® road data for each price range •MicroSD expansion slot supporting up to 32GB of additional storage for trails, geocaches, waypoints, pictures, etc. •Mark waypoints using any of over 190 assorted outdoor icons •Trip computer lets you record trails, map elevation changes, & share online or with your friends •Quick access to all primary functions using gloves in harsh weather or rugged conditions using physical buttons •Photo Viewer and Video Player* (*Sierra and Safari models only) are compatible w/standard file formats for digital cameras, trail cameras, etc. using MicroSD cards w/SD adapter •Waterproof (IPx7) w/rubber armoring •Mini USB data/power port •Uses 2 AA batteries (not included) •Wt. w/o batteries: 5.8 oz. •Dimensions: 5.1''Hx2.3''Wx1.2''D

LOWRANCE® ENDURA™ OUT&BACK

•Easy-to-use color touch screen, straight-forward menus & "hot key" physical buttons •Choose your activities & download maps or use plug & play microSD cards •Expand with routes/trails, POIs, elevation data, etc. in GPX format through drag-and-drop to the device •Easy to understand basemap w/hillshade, primary roads and key POIs •Sport-specific trail content available for purchase online: hiking, mountain biking, skiing, snowmobiling, kayaking, offroad/ATV, and many more •Multiple mounting options w/two lanyard attachment points for lanyard, RAM mount handlebar mounts, etc.

Order #	Mfg. #	Color	Sugg.Ret.
5025906	125-38	Yellow	$198.99

continued next page

LOWRANCE®
ENDURA™ OUT&BACK

continued from previous page

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5026141	002-033	Mini USB & NMEA Cable IPx4	$29.99
5026142	002-034	Cradle & Handle Bar Mount	29.99
5026143	002-035	Carrying Case	19.99
5026144	002-036	Cig. Lighter Power Cable	29.99
ENDURA™ MAP CARDS			
5026133	002-014	US -Northeast/ ME,NH,MA,RI,CT, NJ,VT,NY,PA,DE,MD & VA	98.99
5026134	002-015	US -Southeast/ TN,NC,SC,GA,FL, AL & MS	98.99
5026135	002-016	US -South/ OK,AR,LA & TX	98.99
5026136	002-017	US - Great Lakes/ MI,WI,OH,IN, WV,KY & IL	98.99
5026137	002-018	US - Mid West/ MN,IA,MO,ND, SD,NE & KS	98.99
5026138	002-019	US -West/ CA,NV,OR & WA	98.99
5026139	002-020	US - Rockies/ MT,ID,WY,CO,UT, NM & AZ	98.99

Ellett.Link
The Retailers Connection
www.ellettbrothers.com
1-800-845-3711

LOWRANCE®
NMEA 2000® NETWORKING SYSTEM

•ABOUT NMEA 2000® : World standard in marine electronics data protocol, established by the National Marine Electronics Association, for networking multiple instruments on a boat •Compatible device (sensor, sonar, GPS, multi-function gauge) regardless of brand, will share & display user-selectable data w/any or all other display instruments installed in NMEA 2000® network LowranceNet™ offers: owners of small to large boats a series of affordable & easy-to-install intelligent sensors (Electronic Probes-EPs) to monitor an array of vital engine & boating functions

LOWRANCE®
NMEA 2000® CONNECTIVITY

Order #	Mfg. #	Model	Description	Sugg.Ret.
POWER CABLE				
5025217	119-75	NK2-PWR-RD	For use w/Red NMEA network	$49.99
NMEA NETWORK ADAPTER CABLE				
5025221	127-05	NAC-FRD2FBL	Adapts male Red connector to male Blue connector	39.99
NMEA2000 4-WAY JOINER				
5027497	000-10996-001	N2K 4-WAY T	Connect 4 NMEA2000 Micro-C Devices to the NMEA2000 Network	51.99
ENGINE INTERFACE CABLE - RED NETWORK				
5025193	120-62	EVINRUDE	Between an Evinrude engine and NMEA network to display engine data.	89.99
5025194	120-37	YAMAHA	Between a Yamaha engine and NMEA network to display engine data.	89.99
EXTENSION CABLE				
5025215	119-83	N2KEXT-25RD	25' cable for use w/LGC-3000 and Red NMEA network	69.99
5025214	119-86	N2KEXT-15RD	15' cable for use wLGC-2000 and Red NMEA network	49.99
5026267	000-00127-53	N2KEXT-6RD	6' NMEA 2000® cable for network extension or connection to additional network device	39.99
5025534	127-29	ETHEXT-15YL	15' Ethernet extension cable	49.99
5025535	127-30	ETHEXT-24YL	24' Ethernet extension cable	69.99
5025537	127-37	ETHEXT-50YL	50' Ethernet extension cable	99.99
OHM TERMINATING RESISTOR ACCESSORIES				
5026266	000-00127-52	TR-120-KIT	Set of 1 Male & 1 Female 120 ohm NMEA 2000 Terminators	19.99
FUEL PROBES				
5025205	120-39	EP-60R Fuel Flow	Flow probe. Includes N2K-T-RD(119-79) and 10' cable. Red network	199.99
5025206	120-41	EP-65R Fuel Level	Level probe. Includes N2K-T-RD(119-79) and 10' cable. Red network	99.99
SPEED PROBES				
5025207	120-49	EP-70R Speed Sensor	Speed sensor electronic probe. Includes N2K-T-RD(119-79) and 10' cable. Red network	99.99
TEMPERATURE SENSOR ELECTRONIC PROBES				
5025208	120-51	EP-80R Temp. Sensor	Includes N2K-T-RD(119-79) and 10' cable. Red network	99.99
5025209	120-53	EP-80R TH Temp. Sen.	Thru-hull. Includes N2K-T-RD(119-79) and 10' cable. Red network	99.99
WATER PRESSURE SENSOR				
5026257	000-00120-29	EP-90R (NMEA 2000)	Water Pressure Sensor w/10ft. Cable. Includes N2K-T-RD (119-79).	99.99
T-CONNECTOR				
5025218	119-79	N2K-T-RD	T-connector. For use w/Red NMEA network	19.99
NMEA STARTER KIT				
5025915	124-69		Network starter kit. Includes (2) terminating resistors (TR-120M-RD, TR-120F-RD), (2) T-connectors (N2K-T-RD0, (1) 2' extension cable (N2KEXT-2RD), (1) 15' extension cable (N2KEXT-15RD) & a power node (N2K-PWR-RD). For use with all Red network devices.	69.99

LOWRANCE
FIND. NAVIGATE. DOMINATE.

LOWRANCE® LMF-200 MULTIFUNCTION IN-DASH GAUGE

•Provides precision & versatility in real-time delivery of vessel & engine data •User custom screens of up to 4 different data readings in analog graphics or alpha/numeric •13 customizable screen types, up to 16 page views in static, manual & timer screen rotation •Displays imperial or metric fuel economy readings using EP-60R Fuel Flow Sensor & speed sensor: EP70R Speed, EP90R Pressure or speed over ground from GPS •1.4'' 65x65 pixel Film SuperTwist 4-level grayscale display, superb viewing in direct sunlight •Advanced white LED screen backlighting •Sealed & waterproof to IPX-7 •Fits standard 2-1/8'' diameter hole

Order #	Mfg. #	Sugg.Ret.
5026837	000-0049-551	$169.99

LOWRANCE® SONARHUB™ SOUNDER MODULE

•High performance sonar module including both StructureScan HD plus CHIRP sonar •Identical performance as current StructureScan HD •CHIRP w/Airmar TM 150 & B150 transducers for optimal sonar performance •Broadband dual frequency - single frequency sonar (83, 50, 200kHz) & DownScan Imaging also works with HDI transducers or use any of the existing 50/200kHz & 83/200kHz Lowrance/Simrad/Airmar 7 pin blue transducers for excellent single frequency performance •**CHIRP Sonar:** Improved target resolution •Improved noise rejection •Wide angular transducer coverage allows for perfect fish arch detection •**StructureScan HD:** Only scanning system w/dedicated DownScan Imaging components to provide a crystal clear image beneath your boat •Best in class range & resolution Side Scan Imaging •View DownScan Imaging, Side Scan Imaging plus a single frequency 50, 83 or 200kHz all at one time w/single SonarHub •While using CHIRP sonar - Side Scan & DownScan will not be available and this view is possible w/any StructureScan HD transducer plus a TM 150 or any 83/200kHz transducer •To view CHIRP & StructureScan HD displayed at the same time either two SonarHubs are needed or the display or another module must be connected directly to a StructureScan HD •3 Ethernet ports for convenient networking

Order #	Mfg. #	Model	Sugg.Ret.
5103555	000-11142-001*	SonarHub Module Only	$599.99
5027629	000-11142-001	SonarHub Module Only	599.99
5103554	000-11141-001*	SonarHub w/LSS HD Transom Transducer	799.99
5027630	000-11141-001	SonarHub w/LSS HD Transom Transducer	799.99
5103557	000-11300-001*	SonarHub w/TM 150	799.99
5027631	000-11300-001	SonarHub w/TM 150	799.99
5103558	000-11301-001*	SonarHub w/TM 150 & LSS HD Transducer	999.99
5027632	000-11301-001	SonarHub w/TM 150LSS HD Transducer	999.99
5103559	000-11304-001*	SonarHub w/SpotlightScan Transducer	999.99
5027633	000-11304-001	SonarHub w/Spotlight Scan Transducer	999.99

Order #	Mfg. #	Type	Sugg.Ret.
TRANSDUCERS			
5027634	000-11303-001	Spotlight Scan Transducer	$499.99

LOWRANCE® STRUCTURESCAN® HD SONAR IMAGING

•For HDS® Gen2 and HDS® multifunction displays •Improved transducer design & module enhancements •Delivers the widest sonar imaging range to reveal targets at farther distances than ever before, with extended side-to-side coverage of 600 ft./183 m •Delivers the highest level of definition •In depths to 50 ft./15 m, it sees twice as far as before with the greatest imaging resolution possible of structure, fish, thermoclines & more •With HDS® Gen2 multifunction displays, anglers & boaters can easily overlay StructureScan® HD images on traditional charting for real-time views of all underwater structure and their precise location on the map •Plus, you can create and save StructureMap™ charts of scanned areas for a complete & detailed underwater view all around the boat •Networkable with up to 3 HDS multifunction displays or high-speed ethernet sensors •Rugged, low-drag Skimmer® imaging transducer with kick-up bracket for transom mounting, or direct flush-mount to transom step bottom or under the engine jackplate

Order #	Mfg. #	Model	Sugg.Ret.
5027007	000-10800-001	LSS-2 System	$599.99
5027008	000-10801-001	LSS-2 Module Only	529.99
5027009	000-10802-001	LSS-2 Transducer Only	299.99
5027208	000-11029-001	LSS-2 Plastic Thru Hull Trans.	499.99
5027495	000-10946-001	LSS-2 Bronze Thru Hull Trans. (Single)	799.99
5027496	000-10947-001	LSS-2 Bronze Thru Hull Trans. (Pair)	1,299.99
ACCESSORIES			
5027312	000-0127-54	PC-31BLN - Power Cable	37.99
5026067	99-006	10' 9-Pin Transducer Extension Cable	69.99
5027209	000-11040-001	Adapter Used to Adapt the LSS-1 transducer to a LSS-2 Ready Unit	99.99

LOWRANCE® LAKE INSIGHT HD 2013

•High resolution 1- to 3' contours & high-definition shaded relief on more than 650 lakes in Texas, Oklahoma, Kansas, Missouri, Illinois, Iowa, North Dakota, South Dakota, Nebraska, Michigan, Minnesota and Wisconsin, plus Lake of the Woods & Rainy Lake •8000 US lakes plus rivers & the Great Lakes w/detailed contour lines •An additional 100,000 named bodies of water w/shoreline detail

Order #	Mfg. #	Sugg.Ret.
5027324	000-11055-001	$149.99

LOWRANCE® LAKE INSIGHT PRO 2013

•High resolution 1- to 3' contours on more than 650 lakes in Texas, Oklahoma, Kansas, Missouri, Illinois, Iowa, North Dakota, South Dakota, Nebraska, Michigan, Minnesota and Wisconsin, plus Lake of the Woods & Rainy Lake •8000 US lakes plus rivers & the Great Lakes w/detailed contour lines •An additional 100,000 named bodies of water w/shoreline detail

Order #	Mfg. #	Sugg.Ret.
5027325	000-11056-001	$99.99

LOWRANCE
FIND. NAVIGATE. DOMINATE.

LOWRANCE®
NAUTIC INSIGHT HD 2013

•Superb, higher-definition shaded relief display of U.S. coastal & offshore cartography •Hundreds of improvements to shoreline detail, updated navigation aids, marina detail, and Fishing HotSpots points-of-interest, plus significant software enhancements for higher performance & accuracy ***•WEST:*** California to Washington, plus Hawaii & Alaska - features Lake Insight™ HD inland detail within 100 miles of coastline ***•EAST:*** Maine to all of Texas plus Caribbean & Bahamas coverage added - features Lake Insight™ HD inland detail within 100 miles of coastline

Order #	Mfg. #	Type	Sugg.Ret.
5027321	000-11052-001	West	$149.99
5027322	000-11053-001	East	149.99

LOWRANCE®
NAUTIC INSIGHT PRO 2013

•Superb U.S. coastal & offshore cartography •Improved shoreline detail & ENC data including California Marine Protected Areas •Covers Maine to all of Texas, plus Cuba, Bahamas and Caribbean - and California to Washington, plus Alaska & Hawaii •Features the same coverage area as Nautic Insight HD 2013 - East & West - all on one card, and without shaded relief

Order #	Mfg. #	Sugg.Ret.
5027323	000-11054-001	$99.99

NEW

LOWRANCE®
INSIGHT PLANNER™ SCRATCH CARD

•Create & update high-definition maps every time you're on the water •Include optional bottom-composition & vegetation overlays •Secure, unlimited online storage of maps & data available anywhere •Share your sonar recordings w/others or keep them private for personal use only •Additional feature upgrades automatically added thru our "cloud" interface •Auto tidal adjustments •Includes free Insight Planner™ software

Order #	Mfg. #	Sugg.Ret.
5027723	000-11199-001	$99.00

NEW

LOWRANCE®
NAUTIC INSIGHT™ HD V14

•High-definition US coastal & offshore cartography for fishing, cruising & sailing navigational needs •Improved bathymetric data (coverage & detail) •Supports 3D perspective •Updated MapTech (marina detail) & fishing hotspots points-of-interest (POI) •Includes (20) more levels of HD shaded relief imagery beyond the built-in Insight USA charts •Compatible w/HDS Gen2 Touch, HDS Gen2, Elite HDI & Endura •**NOTES:** ***Nautic Insight™ HD West**** includes West Coast US mapping, plus Alaska & Hawaii; ***Nautic Insight™ HD East**** includes East Coast US mapping, plus the Great Lakes & the Caribbean

Order #	Mfg. #	Description	Sugg.Ret.
5027718	000-11269-001	Nautic Insight™ HD West*	$109.79
5027719	000-11270-001	Nautic Insight™ HD East*	109.79

NEW

LOWRANCE®
NAUTIC INSIGHT™ PRO V14

•High-definition US coastal & offshore cartography for fishing, cruising & sailing navigational needs •Features West & East Coast US mapping, including Alaska, Hawaii, the Great Lakes & the Caribbean •Improved bathymetric data (coverage & detail) •Supports 3D perspective •Updated MapTech (marina detail) & fishing hotspots points of interest (POI) •Compatible w/HDS Gen2 Touch, HDS Gen2, Elite HDI & Endura

Order #	Mfg. #	Sugg.Ret.
5027720	000-11268-001	$99.99

NEW

LOWRANCE®
LAKE INSIGHT™ V14

•US cartography for inland lake fishing, cruising & sailing navigational needs •Includes the lower 48 states on single card •Features 700+ new lakes w/standard definition contours added, 100+ new lakes w/high-definition (1-3') contours added, & nearly 9,000 lakes w/contours, including 750+ w/1-3' detail •Updated fishing hotspots points of interest (POI) •Compatible w/ HDS Gen2 Touch, HDS Gen2, Elite HDI & Endura ***•NOTES: Lake Insight™ HD**** includes High-Definition shaded relief imagery for enhanced view of underwater structure

Order #	Mfg. #	Description	Sugg.Ret.
5027721	000-11267-001	Lake Insight™ HD*	$149.99
5027722	000-11266-001	Lake Insight™ PRO	99.00

LOWRANCE®
NAUTIC INSIGHT™ HD

•Two card choices w/superb U.S. coastal & offshore saltwater coverage to find productive marine fishing fast •4X the detail of built-in HDS Insight maps •Loads of free space to save sonar & navigation data •Features: Exclusive coastal & offshore fishing Hotspots® w/ fishery details & fishing tips; Highly-detailed inshore/offshore contour lines w/high resolution shaded (dimensional) relief viewing; 8MP up to canyons & 32MP beyond canyons detail; User-selectable depth contour lines; Accurate navaids & info; Displays tides & currents; Lake Insight™ HD inland lake mapping detail w/fishing Hotspots® lakes data w/in 100mi. of coast •**NOTE:** For use in HDS units

Order #	Mfg. #	Description	Sugg.Ret.
WEST COVERAGE			
5026192	000-10040-001	Inshore/Offshore Coverage from California to Washington & Hawaii	$98.99

LOWRANCE®
TOPO INSIGHT PRO 2013

•Compatible with Lowrance Elite, Mark & HDS products •Topographic chartcard choices including elevation line overlay at 30' intervals •Includes street networks, forests, park information, points-of-interest & other data to aid navigation by ATV or off-road vehicle •Topo lines show elevation in the same way that bathy lines show depth contours •There is room to save routes, waypoints & POIs to the microSD card ***•East:*** From Texas, up through the Dakotas & all points east ***•West:*** From New Mexico, up through Montana & all pionts west - excluding Alaska & Hawaii

Order #	Mfg. #	Type	Sugg.Ret.
5027327	000-11067-001	West	$99.99

LOWRANCE
FIND. NAVIGATE. DOMINATE.

LOWRANCE®
INSIGHT PLANNER

•Ultimate PC software for marine navigation planning w/Lowrance chartplotters •Create waypoints, routes, & points of interest (POIs), on a wide variety of supported cartography platforms such as Insight, Navionics, and raster charts using the BSB format •Splitscreen options allow you to view multiple charts from different supported formats at different zoom levels •Plan routes using multiple charts for verification & safety purposes •Transfer waypoints directly to Google Earth or GPX file •Plan & transfer using Lowrance waypoint & POI icons •Use multiple vector & raster charts including: Insight charts including Lake, Nautic, Topo & Genesis; C-MAP by Jeppeson; Navionics® Platinum+, Platinum, Gold+, HotMaps® Premium, & HotMaps Platinum charts; S-57 nautical charts (e.g. NOAA ENC®, Army Corps iENC); S-63 Encrypted ENC charts (requires user permit); BSB Version 1 through 5 raster nautical charts (NOAA RNC™, MAPTECH™, CHS, NDI Digital-Ocean, Fugawi, GPS GmbH); NV.Digital (BSB/EAP from Nautische Veröffentlichung Verlagsgesell); TRAK Maps

Order #	Mfg. #	Type	Sugg.Ret.
5027345	000-11092-001	Downloadable Version	$29.99
5027346	000-11093-001	DVD Version	49.99

NEW

LOWRANCE®
OUTBOARD PILOT

•HDS Autopilot add-on system designed for boats up to 30' w/ single outboard motor •Available for Gen2 & Gen2 Touch systems •Easy to install •Dash-mount button for one-touch Auto/Standby activation •Steer to Heading, Course or Route •Automatic turn patterns •NAC-1 plug & socket connectors - no screw terminals or wire stripping necessary •High efficiency, super quiet 0.8L hydraulic gear pump •Add a second Helm station to a boat using the HDS Power steer commands - no need for additional hydraulics + steering wheel ***•Hydraulic Package:*** Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump - 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components ***•Cable Steer Package:*** Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components

Order #	Mfg. #	Package	Sugg.Ret.
5027885	000-11748-001	Hydraulic	$999.99
5027886	000-11749-001	Cable Steer	1,899.99

NEW

LOWRANCE®
NAC-1 AUTOPILOT COMPUTER

•The "brains" behind the Outboard Pilot system •Contains the steering computer & electronics for the drive unit motor and clutch

Order #	Mfg. #	Sugg.Ret.
5027887	000-11769-001	$599.99

NEW

LOWRANCE®
PUMP-1 HYDRAULIC PUMP

•0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci

Order #	Mfg. #	Sugg.Ret.
5027888	000-11770-001	$549.99

NEW

LOWRANCE®
HELM-1 MANUAL HELM DRIVE UNIT

•For Outboard Pilot •Replaces a Manual Helm drive unit •Compatible w/ Morse 290,304411 and Teleflex SSC52 cables •Features a variable voltage rudder feedback sensor •Only compatible with NAC-1 autopilot computer

Order #	Mfg. #	Sugg.Ret.
5027889	000-11771-001	$1,300.99

LOWRANCE®
GOFREE WIFI1 WIRELESS MODULE

•Creates a Wifi hotspot on your boat •Simply connect to a MFD via the yellow-plug Network port •Data from the navigation system is bridged onto Wifi via the MFD •Install anywhere on boat •View & edit WIFI-1 SSID and Passphrase from MFD

Order #	Mfg. #	Sugg.Ret.
5027381	000-11068-001	$229.99

LOWRANCE®
BROADBAND RADAR

•Unrivaled target separation & detection near and far – with greater range •Solid-state technology produces an immediate, accurate on screen image, w/o the lengthy warm-up delay of magnetron pulse radars. Ideal for boats of any size •Proven automatic harbor/marina & offshore modes •MARPA Target Tracking - up to 10 targets (requires a heading sensor) •Crystal clear image •Quick installation •Safer than any other radar currently on the market & emitting less radiation than a mobile phone •Can be mounted anywhere •Select 36 RPM for almost instant updating at less than 2nm •**Broadband 3G:** 30% more range than BR24 •**Broadband 4G:** 100% more range than BR24, 50% more than 3G

Order #	Mfg. #	Model	Sugg.Ret.
5026799	000-10418-001	3G™	$1,298.99
5026851	000-10419-001	4G™	1,898.99

LOWRANCE®
LST-3800 IN-DASH DIGITAL DEPTH/TEMP GAUGE

•1.5" circular, 65Vx65H pixel, sunlight-viewable display •White LED backlighting •Water temp capable •Mounts in 2.25" diameter hole •With 200 kHz Skimmer transducer, 800W peak-to-peak with built-in temp sensor

Order #	Mfg. #	Sugg.Ret.
5024340	47-94	$179.99

LOWRANCE®
POINT-1 ANTENNA PRECISION GPS/GLONASS RECEIVER w/ELECTRONIC COMPASS

•Provides extremely accurate & rapid boat position and speed updates •Provides heading for accurate boat direction at any speed & for radar/chart overlay •Easily connects to any HDS Gen2, HDS Gen2 Touch or Elite-7 display or any NMEA 2000® network •Fully waterproof & can be pole or surface mounted on any boat •NMEA 2000® position & heading sensor •Supports GPS & GLONASS, Galileo-capable w/ future software update •Supports SBAS including WAAS/EGNOS/MSAS •10Hz updates for smooth & accurate location •Integrated electronic compass provides 10Hz heading for chart stabilization & radar overlay, plus accurate course over ground even at low speeds •Compact, rugged design for all marine environments & fully waterproof •Includes spat/pole mount •Not recommended for use with MARPA or Autopilot •Box contains: Antenna w/4' cable, T-connector, spat/pole mount, mounting hardware, gasket seal & install guide

Order #	Mfg. #	Sugg.Ret.
5027340	000-11047-001	$199.99

LOWRANCE
FIND. NAVIGATE. DOMINATE.

LOWRANCE® WM-3 SIRIUS SAT WEATHER & RADIO MODULE

•Replaces the original LWX-1 with an integrated antenna with a small tri-cable splitter box that receives subscription data from SiriusXM North America equatorial satellite system •Professional quality that works with both 12 & 24 volt systems •Networked over high speed Ethernet 2m (6.5 ft.) output cable •Dual RCA male audio 2m (6.5 ft.) output cable interfaces direct to Sonic Hub or virtually any marine stereo system •Cable length to antenna is 10m (33 ft.)

Order #	Mfg. #	Sugg.Ret.
5027499	000-11076-001	$799.99

LOWRANCE® & EAGLE® GPS MODULES

•12 parallel-channel GPS modules •LGC-16W: Use w/Elite-5 & Elite-5m

Order #	Mfg. #	Model	Sugg.Ret.
5026146	146-001	LGC-16W	$79.99

LOWRANCE® TRANSDUCER KAYAK SCUPPER MOUNT

•Ultimate transducer mounting system for the sit-on-top fishing kayak •Perfect for all HDS®, Elite™, Mark™ and X-Series Lowrance Skimmer® transducers, both 83/200 kHz and 455/800 kHz DownScan Imaging™ (DSI) models alike, as well as earlier 1'' 200 kHz transducers •Easy to install in most any scupper opening, with few tools & w/out messy adhesives •Positions the Skimmer® transducer so it's totally submerged in the water

Order #	Mfg. #	Sugg.Ret.
5026821	000-10606-001	$39.99

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

LOWRANCE®/EAGLE® TRANSDUCERS

Order #	Mfg. #	Description	Sugg.Ret.
DUAL-FREQUENCY - 50 kHz/200kHz			
TRANSOM MOUNT			
5022957	106-49	HST-50/200-WSU Transom Mt., DF Skimmer w/Built-in Temp. & Power Cord	$149.99
5024597	106-77	HST-DFSBL Transom Mt., DF Skimmer w/Built-in Temp. (X59 DF). Compatible With: HDS-10, HDS-5, HDS-5x, HDS-7, HDS-8, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-525C DF, LMS-527C DF iGPS, X105C DF, X107C DF, X126DF, X136DF, X515C DF, X-515C DF, X59DF	94.99
BLUE CONNECTOR TRANSDUCERS			
TRANSOM MOUNT			
5024098	106-72*	HST-WSBL Transom Mt., 20º Skimmer w/Built-in Temp. For use with all Lowrance units with blue connector including X, LCX, HDS & Broadband units.	58.99
TROLLING MOTOR MOUNT			
5023159	106-89	PDRT-WBL - 20º pod-type w/remote temp sensor to fit blue units.	79.99
5024096	106-74*	PDT-WBL Trolling Motor Mt., 20º Pod-Type w/Built-in Temp. For use with all Lowrance units with blue connector including X, LCX, HDS & broadband units. Includes expoy.	69.99
5024097	106-73*	PD-WBL Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type. For use with all Lowrance units with blue connector including X, LCX, HDS & broadband units. Includes expoy.	79.99
2003 UNI-PLUG SERIES 200kHz			
TRANSOM MOUNT			
5022949	106-48	HST-WSU Transom Mt., 20º Skimmer w/Built-in Temp. & Power Cord.	59.99
5022951	106-50	PDT-WSU Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod-Type w/Built-in Temp.	69.99
5024092	106-69	HST-50/200-WSU Trolling Motor Mt., 20º Pod-Type w/Remote Temp. & power Cord	79.99
5022950	106-52	PD-WSU Trolling Motor Mt. or Shoot-Thru-Hull, 20º Pod Type. Fits same as HS-WSU.	79.99
5026839	000-0106-68	PTI-WSU - Ice Transducer with uniplug connector	69.99

LOWRANCE®/EAGLE® TRANSDUCER CABLES

Order #	Mfg. #	Description	Sugg.Ret.
EXTENSION CABLES			
5024102	99-94	XT-20BL 20' Transducer Extension Cable. Compatible With: LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X102C, X105C DF, X107C DF, X125, X126DF, X135, X136DF, X510C, X-510C, X515C DF, X-515C DF, X52, X59DF	$39.99
5024127	99-91	XT-15U 15' transducer extension cable. Includes power lead. Compatible With: Cuda 128, Cuda 168, Cuda 168 EX, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, Cuda 350, Elite-5, Elite-5x, FishEasy 240, FishEasy 245 DS, FishEasy 250 DS, FishEasy 320, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishMark 320, FishMark 480, FishMark 500C, FishMark 640C, FishStrike 1000C, FishStrike 2000C, LST-3800, M56 S/MAP, M68C S/MAP, Mark-5x, Mark-5x Pro, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 642C DF iGPS, SeaFinder 240DF, SeaFinder 245DS, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, X-4, X-4 Pro, X47, X47EX, X-50 DS, X67C, X-86 DS, X96	29.99

LOWRANCE
FIND. NAVIGATE. DOMINATE.

LOWRANCE®/EAGLE® TRANSDUCER ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
ADAPTERS			
5026274	000-10052-001	TA-UQ2BL-T - Adapts blue connector 50/200 kHz or 200 kHz transducers to units w/newer black 50/200 or 200 kHz transducer power connector w/the quarter turn connector for Mark & Elite Units	$34.99
5026778	000-0127-66	TA-BL2U-T - Adapts/Connects Blue Transducer to Uniplug Transducer w/Temperature	34.99
ADAPTERS CABLES			
5026256	000-00119-31	NMEA-0183 Output/Adapter Cable. Compatible With: Elite-5, Elite-5 DSI, Elite-5m, Elite-5x, Elite-5x DSI, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishStrike 1000C, FishStrike 2000C, IntelliMap 480, IntelliMap 500C, IntelliMap 502C iGPS, IntelliMap 642C iGPS, M56 S/MAP, M68C S/MAP, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 640C DF	29.99
BOXES - SWITCH			
CABLES - POWER			
5025490	127-08	PC-27BL - LCX-112C, LCX-0113C HD, LCX-27C, LCX-28 HD, LCX-37C, LCX-38C HD, LMS-520C, LMS-522CiGPS, LMS-525C DF, LMS-527C DFiGPS, X510C, X515CDF	49.99
FLOAT			
5027169	000-10442-001	Ice Transducer Float for Elite-5 PPP18I Ice Fishing Machine	9.99
KNOBS - GIMBAL			
5026259	000-00124-56	GK-12 HDS-10, HDS-5, HDS-7, HDS-8	14.99
5001241	51-81	GK-8-SupraPro ID®, Magna® III (Plus), MagnaView® (Plus), View, X-22A, X-25A, X-25B, X-45, GlobalNav® 200	19.99
TRANSDUCER BRACKET			
5001467	99-06	HS-WS-SS Replacement SS Transom Mount Bracket for 20º HS-WS transducer. Compatible With: Fish I.D. II Plus, Magna II, Magna II Plus, SeaView 2000, Ultra, Ultra II, Ultra II Plus, Ultra Plus, UltraNav, UltraNav II, X-55, X-70, X-70A	19.99
5026066	99-005	Skimmer Mount Transducer Bracket. for LSS-1 StuctureScan Sonar Imaging.	49.99
TRANSDUCER MOUNTING ACCESSORIES			
TROLLING MOTOR MOUNTING			
SUCTION CUP KIT			
5001464	51-52	For portable mounting - any 192 kHz Skimmer® Transducer	15.99

LOWRANCE®/EAGLE® GPS/FISHFINDER ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
CONNECTOR CAPS			
5026260	000-00124-70	CAP-1 Set of Connector Caps for HDS Units: 10, 10m, 5, 5m, 5x, 7, 7m, 8, 8m	$16.99
FLUSH MOUNT KIT			
5024492	113-20	Compatible With: Cuda 128, Cuda 168, Cuda 242, Cuda 250 S/Map, Cuda 300, Cuda 350, FishEasy 240, FishEasy 245 DS, FishEasy 320, SeaFinder 245DS, X-4, X-4 Pro, X-47, X-50 DS	19.99
5022772	113-03	Compatible With: SeaFinder 240DF, Trifinder 2, X51, X52, X59DF	15.99
GIMBAL BRACKET			
5022766	101-99	GB-14 Fits: Cuda168EX, X47EX, X71, X86, X87, X88, X91, X96, X97, X98, X100, X102, X105C, X107, X125, X126DF, X135, X136DF, X510, X515, LMS-240, LMS320, LMS330, LMS332, LMS335, LMS337, LMS480, LMS520, LMS522, LMS525, LMS527, GM2400, GM3200, GM3300, GM3500, GM4800, GM5200, GM5300, GlobalMap Baha 540, FishEasy250, FishMark 160/240/320/480/500/640, FishElite 320/480/500/502/640/642, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500DF, SeaFinder 640DF, SeaCharter 320/480/500/502/640/642, IntelliMap 320/480/500/502/640/642	29.99
5022765	101-98	GB-13 Compatible With: FishEasy 2 (w/Black Connector), FishEasy 2 (w/Gray Connector), SeaFinder 240 DF, Trifinder 2, X51, X52, X58DF, X59DF	29.99
5024512	113-16	GB-17 Compatible With: Cuda 128, Cuda 168, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, Cuda 300, Cuda 350, FishEasy 240, FishEasy 245 DS, FishEasy 320, M56 S/MAP, M68C S/MAP, SeaFinder 245DS, X-4, X-4 Pro, X47, X-50 DS, X67C	24.99
GIMBAL BRACKET SWIVEL ADAPTER			
5001237	51-83	GBSA-1 Gimbal Bracket Swivel Adapter For Units Ussing GB-8, 10, 13, 14	19.99
5024043	113-26	GBSA-3 Compatible With: Cuda 128, Cuda 168, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, FishEasy 240, FishEasy 245 DS, FishEasy 320, M56 S/Map, M68C S/Map, SeaFinder 245DS, X-4, X-4 Pro, X-50 DS	19.99
GIMBAL KNOBS (SET OF 2)			
5022508	101-80	GK-9 Fits: Cuda 168EX, FishEasy 250, FishElite 480/500/502/640/642, FishMark 320/480/500/640, FishStrike 1000/2000, GM3000/35000, GM4000/4800/4900, GM5000/5200/5300/5500, GM6000/6500/6600, GM7000/7200/7300/7500/7600, GM8200/8300, GMBaja, GMBaja480/540, IntelliMap 320/480/500/502/640/642, LCX 15/16/17/18/19/20/25/26/27/28/37/38, LCX 104/110/111/112/113, LMS330, LMS332, LMS335, LMS337, LMS480, LMS520, LMS522, LMS525, LMS527, SeaChamp 1000/2000, SeaCharter 480/500/502/640/642, SeaFinder 250/320/480/500/640, X47EX, X71, X86, X87, X88, X91, X96, X97, X98, X100, X102, X105, X107, X125, X126, X135, X136DF, X510, X515	22.99
MOUNTING ACCESSORIES			
5002185	101-63	MB-8 - R-A-M® 1-1/2" ball-mounting bracket and arm w/holder. For GlobalMap® 2000	49.99
5026261	000-00124-78	LWX-1 Spare Parts Kit: Pole mount. w/1"-14 Thread Adapter. SS Hardware & Cover Plugs	89.99

continued next page

LOWRANCE®/EAGLE® GPS/FISHFINDER ACCESSORIES

continued from previous page

Order #	Mfg. #	Description	Sugg.Ret.
POWER CABLE			
5026252	000-0099-83	PC-24U Compatible With: IntelliMap 320, IntelliMap 480, IntelliMap 500C, IntelliMap 502C iGPS, IntelliMap 642C iGPS	$22.99
5022947	99-78	Fits: Cuda 128, Cuda 168, Cuda 168 EX, Cuda 242, Cuda 250 S/Map, FishEasy 245 DS, FishEasy 250 DS, FishElite 320, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishStrike 1000C, FishStrike 2000C, M56 S/Map, M68C S/Map, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF i GPS, SeaFinder 240DF, SeaFinder 245DS, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, SeaFinder640C DF, X-4, X-4 Pro, X-47, X-47EX, X-50 DS, X67C, X-86DS	33.99
5024107	99-98	Compatible With: GlobalMap 3300C, GlobalMap 3500C, GlobalMap 3600C iGPS, GlobalMap 4800, GlobalMap 4900M, GlobalMap 5500C, GlobalMap 6500C, GlobalMap 6600C HD, GlobalMap 7500C, GlobalMap 7600C HD, GlobalMap Baja, GlobalMap Baja C, LCX-110C, LCX-111C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, X100C, X102C, X105C DF, X107C DF, X125, X126DF, X135, X136DF, X52, X59DF	39.99**S**
PEED/TEMP. PROBE			
5024106	99-97*	ST-TBL Compatible With: LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X100C, X102C, X105C DF, X107C DF, X125, X126DF, X135, X136DF, X-510C, X-515C DF, X52, X59DF	79.99
SPEED/TEMP. PROBE			
5022955	99-75	ST-TU Compatible With: Elite-5, Elite-5 DSI, Elite-5x, FishEasy 2 (w/ Black Connector), FishEasy 240, FishEasy 320, FishElite 320, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishMark 320, FishMark 480, FishMark 500C, FishMark 640C, FishStrike 1000C, FishStrike 2000C, M56 S/MAP, M68C S/MAP, Mark-5x, Mark-5x DSI, Mark-5x Pro, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 642C DF iGPS, SeaFinder 240DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, SeaFinder 640C DF, X67C, X96	79.99
SPEED PROBE			
5024105	99-96*	Compatible With: HDS-5x, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X102C, X107C DF, X125, X126DF, X135, X136DF, X-510C, X-515C DF, X52, X59DF	65.99
TEMP. PROBE FOR TEMP. 1			
5024104	99-95	TS-1BL Compatible With: LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X102C, X107C DF, X125, X126DF, X135, X136DF, X-510C, X-515C DF, X52, X59DF	69.99
TEMP. PROBE FOR TEMP. 2			
5026251	000-0099-77	TS-2U Fits: X47, FishEasy2 (black conn), FishEasy 240, FishEasy 320C, FishElite 480, FishElite 500C, FishMark 320, FishMark 480, FishMark 500C, FishStrike 1000C/2000C, SeaChamp 1000C DF/2000C DF, SeaCharter 500C DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF	69.99

LOWRANCE®/EAGLE® MISCELLANEOUS ACCESSORIES

Order #	Mfg. #	Description	Sugg.Ret.
CIGARETTE PLUG POWER CABLES			
5026250	000-0099-11	XT-15U 8 ft. - Works with: AirMap 100, AirMap 1000, AirMap 2000C, Cuda 168 EX, Eagle Expedition, Eagle Expedition II, Eagle Explorer, Eagle Map Guide, Eagle Map Guide Pro, Eagle View, FishElite 320, GlobalMap 100, GlobalNav units 12, 200, 212 & 310, IntelliMap units 320, 480, 500C, 502C iGPS, 642C iGPS, SeaFinder 320DF, X47 & X47EX	$38.99
5026255	000-00119-10	Model CA-8 - Power cable w/12 vDC accessory (cigarette lighter) plug compatible w/all Lowrance blue power connector models.	39.99
EPOXY KIT			
5022413	106-98		4.99

NAVIONICS
THE LEADER IN ELECTRONIC CHARTS

NAVIONICS+

NAVIONICS®
NAVIONICS®+

•Flexible coverage selection online •Get detailed 2D chart content for marine areas & lakes, plus receive a 12 month subscription to Freshest Data™ which includes: free daily chart updates, Community Edits™ (UGC, Community Layer, POI, point objects, Community sourced data), SonarCharts™ (Fishing data, Fish 'N Chip, FNC, Fishing data with community sonar, UGC 3D, UGD etc.), & more •Choose your coverage area from around the globe & download the charts you want •Plug your chip into your PC/Mac & download from Navionics.com •You choose data from Gold & HotMaps Premium charts •Great for boaters & fishermen who need data from more than one chart

Order #	Mfg. #	Format	Sugg.Ret.
5027232	MSD/NAV+NI	Micro SD card	$179.99
5027233	CF/NAV+NI	Compact Flash card	179.99

NAVIONICS Updates

NAVIONICS®
NAVIONICS® UPDATE

•Flexible coverage selection online •Buy a Navionics Update chip & activate with your old chart to get updates and even expand your Navionics coverage w/flexible chart selection online •Get detailed 2D chart content for marine areas & lakes, plus receive a 12 month subscription to Freshest Data™ which includes: free daily chart updates, Community Edits™ (UGC, Community Layer, POI, point objects, Community sourced data), SonarCharts™ (Fishing data, Fish 'N Chip, FNC, Fishing data with community sonar, UGC 3D, UGD etc.), & more •Choose your coverage area from around the globe & download the charts you want •Plug your chip into your PC/Mac & download from Navionics.com •You choose data from Gold & HotMaps Premium charts •Great for boaters & fishermen who need data from more than one chart

Order #	Mfg. #	Format	Sugg.Ret.
5027234	MSD/NAVU-NI	Micro SD card	$99.99
5027235	CF/NAVU-NI	Compact Flash card	99.99

Ellett Link
The Retailers Connection
www.ellettbrothers.com

NAVIONICS®
PLATINUM+™
MULTI-DIMENSIONAL CHARTS

•Includes all of the Navionics Gold marine content, plus 3D view, high resolution photo/chart overlay, port photos, geo-referenced coast pilots, & incredible fishing detail •Includes one year of Freshest Data updates to the Nautical Charts, SonarCharts™, & Community Edits •High-resolution satellite photo overlay •3-dimensional view. Panoramic port pictures •Geo-Referenced Coast Pilot •Coastal Points-of Interest •High-definition fishing detail •Highly detailed 2-dimensional charts for coastal marine areas •Paper-like charts •Full seamless & IC™ technology (Intelligent Clarity) •Safety depth contours (user-selectable) •Navaids with XPLAIN™ (navaid description feature) •Port Services (such as fuel, transient berths, repairs, etc., including phone #s where available) •Tides & Currents •TurboView™ compatible (w/select chartplotters)

EXTENDED AREA COVERAGE

•900P+: Michigan, Superior, Huron - Including Lake of the Woods, Rainy Lake, North Channel, Georgian Bay, Green Bay & Lake Winnebago
•901P+: Ontario, Erie and St. Clair, Huron, Ottawa River - Including North Channel, Georgian Bay, Trent Severn Waterway, Rideau Waterway, The Finger Lakes & Lake Champlain
•904P+: Maine, Mass., New York, Hudson River, North Atlantic Canyons from Passamaquoddy Bay & Grand Manan Island to Shark River Inlet, including Hudson River to New York State Barge Canal to Lake Ontario, Oneida Lake, The Finger Lakes, Lake Champlain and bathymetric details of all North Atlantic Canyons from Delaware Bay offshore to Georges Bank and East to 64° West
•905P+: New Jersey, Delaware Bay, Chesapeake Bay, North Carolina from New York Harbor to Cape Romain, including Philadelphia, Norfolk and bathymetric details of all Mid-Atlantic Canyons
•906P+: South Carolina, Florida, Bahamas North from Cape Fear to Long Island to Cedar Keys, including the entire Florida Keys, Dry Tortugas and Cay Sal Bank
•907P+: East, Central & West Gulf of Mexico from Venice, FL to Brownsville, TX
•912P+: Puget Sound, Washington, Oregon, California, Baja, Hawaii from Vancouver, BC to Cabo San Lucas, MX, Cape Flattery and offshore bathymetric data, the entire chain of the Hawaiian Islands, and the Columbia River from the entrance to Lake Wallula/Snake River entrance

AREA DETAIL (numbers begin w/MSD)

•649P+: North to Saginaw Bay, MI; east to Toronto, ON
•630P+: Venice, FL to Biloxi, MS
•642P+: Cape Fear, NC to Melbourne, FL
•646P+: US waters including Green Bay & Lake Winnebago
•644P+: Fort Bragg, CA to Cabo San Lucas, MX
•673P+: West Quoddy Head, ME to Marblehead
•638P+: US waters
•635P+: Baton Rouge, LA to Brownsville, TX
•643P+: Grays Harbor, WA to Newport Beach, CA
•632P+: Daytona to Cedar Key, FL incl. Bimini, Keys & Dry Tortugas
•637P+: NY Harbor to Cape Hatteras, NC & North & Mid Atl. Canyons
•634P+: Delaware Bay, DE to Norfolk, VA
•645P+: Chincoteague Inlet, VA to Cape Romaine, SC
•674P+: Salisbury MA to Shark River Inlet, NJ & North Atl. Canyons
•651P+: Apalachicola, FL to Baton Rouge, LA
•647P+: Lake Superior
•699P+: Ft. Pierce, FL to Long Island Bahamas incl. FL Keys & Cay Sal Bank

Order #	Mfg. #	Type	Sugg.Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026228	MSD/904P+	US Northeast & Canyons	$398.99
5026230	MSD/906P+	US Southeast - Bahamas	398.99
5026231	MSD/907P+	Gulf of Mexico	398.99
5026232	MSD/912P+	US West Coast	398.99
5026008	MSD/649P+	Lake Erie & Saint Clair	248.99
5026009	MSD/630P+	East Gulf of Mexico	198.99
5026010	MSD/642P+	SC to North Florida	198.99
5026014	MSD/638P+	Puget Sound	198.99
5026015	MSD/635P+	West Gulf of Mexico	198.99
5026017	MSD/632P+	Central & South Florida	198.99
5026020	MSD/645P+	North Carolina	198.99
5026022	MSD/651P+	Central Gulf of Mexico	198.99
5026024	MSD/699P+	North Bahamas	198.99
COMPACT FLASH CARTRIDGES			
5026718	CF/906P+	US Southeast - Bahamas	398.99
5026902	CF/642P+	SC to North Florida	198.99

NAVIONICS
THE LEADER IN ELECTRONIC CHARTS

NAVIONICS® GOLD ALL-IN-ONE 2D CHARTS

•Detailed 2D Charts that set the standard for marine navigation plus navaids, tides, currents, water depth, wrecks, rocks, marinas, & port services •Includes one year of Freshest Data updates to the Nautical Charts and Community Edits

Order #	Mfg. #	Area	Sugg.Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026030	MSD/1XG	All USA & N. Bahamas	$198.99
COMPACT FLASH CARTRIDGES			
5026653	CF/1XG	All USA & N. Bahamas	198.99



NAVIONICS® HOTMAPS® PLATINUM MULTI-DIMENSIONAL LAKE MAPS

•Enhances Navionics' extensive library of lake maps with 3D views, including high-resolution satellite imagery & panoramic pictures on the most popular lakes •Includes one year of Freshest Data updates to the Nautical Charts, SonarCharts™, & Community Edits •Panoramic pictures •Satellite photo overlay •3-dimensional view •Structures, reefs, drop-offs, vegetation, boat ramps, marinas •Safety depth contours (user-selectable) •Navaids

Order #	Mfg. #	Area	Sugg.Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026040	MSD/HMPT-N6	North	$198.99
5026041	MSD/HMPT-S6	South	198.99
5026042	MSD/HMPT-E6	East	198.99
5026043	MSD/HMPT-W6	West	198.99



NAVIONICS® HOTMAPS® PREMIUM 2D LAKE MAPS

•The most detailed 2D lake maps available with 1' contours on over 2,500 High Definition Lakes plus 18,000 lake maps •Includes one year of Freshest Data updates for the most current Nautical Charts and Community Edits •Structures, reefs, drop-offs, vegetation, etc. •Boat ramps, marinas •Safety depth contours •Navaids

Order #	Mfg. #	Area	Sugg.Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026050	MSD/PREM-N6	North	$148.99
5026051	MSD/PREM-S6	South	148.99
5026052	MSD/PREM-E6	East	148.99
5026053	MSD/PREM-W6	West	148.99

NorCross® HawkEye®

NORCROSS® HAWKEYE® HANDHELD SONAR SYSTEM PX

•SideScan fish sonar •Algorithmic programming •Instant depth readings & updates at 60 MPH •English & metric calculations •Dry seal battery housing •Dual temperature readout (water or air) •SureGrip housing •Auto & manual readout modes •ShootThru Technology •Silverscreen backlit LCD •Waterproof to 200' •Floatable •Integrated wrist strap •Two-year warranty

Order #	Mfg. #	Sugg.Ret.
5025489	H22PX	$99.99

NORCROSS® HAWKEYE® IN-DASH DIGITAL DEPTH SOUNDER w/AIR & WATER TEMP.

•Algorithmic programming •Instant depth updates •Water & Air Temperature readings •Easy Touch Digital programming •Keel offset •English & metric readings •Dual depth alarms •Advanced Warning System •Automatic mute control •Memory retention •Extended mounting coupler •Quad face system •Polarized LCD •Waterproof fuse housing •Largest LCD available •SoftGlow backlit display •Plug & Play connectors •IPX6 waterproof rating •Transducer exchange •Patented technology •2-Year Warranty

Order #	Mfg. #	Type	Sugg.Ret.
5025961	D10DX.01T	w/Transom Mount Transducer	$129.99

NORCROSS® HAWKEYE® IN-DASH DIGITAL DEPTH SOUNDER

•Instant depth readings, updated 4 times per second •Uninterupted readings at speeds up to 60 MPH •Digital, easy-touch programming •Keel offset •English & metric readings •Dual depth alarms •Advanced warning system •Automatic mute control •Memory retention •Dual mount transducer •Removable transom bracket •ShootThru Technology •Quad face system •Polarized LCD •Waterproof fuse housing •SoftGlow backlit display •Plug & Play connectors •IPX6 waterproof rating •Two-year warranty

Order #	Mfg. #	Sugg.Ret.
5025488	D10D	$109.99

Raymarine®

RAYMARINE® a SERIES MULTIFUNCTION DISPLAYS

•Powerful, compact multifunction touch screen LED display features the simplified LightHouse II multi-touch user interface w/"pinch-to-zoom" for intuitive, quick access to navigation info •Sunlight viewable optically-bonded display •Super-fast dual core processor •Powerful graphics processor •Internal 50-channel, 5Hz GPS receiver for fast & smooth vessel tracking with WAAS/EGNOS/MSAS •Connect w/NMEA2000 compatible engines for graphical engine data displays •Monitor & manage your fuel w/time-to-empty & distance to empty calculations & fuel range rings display overlaid on navigation charts •Control your audio w/Bluetooth or FUSION link - get full control of FUSION 700 Series marine stereos •Radar capable w/(optional) Digital, HD & SHD Color radar antennas (not included) •Network sonar support •IP Camera support (requires ONVIF compatibility) •Supports Raymarine LightHouse & Navionics charts •Includes (1) metal silver front bezel, (1) mounting gasket, (1) sun cover, (1) trunnion bracket kit, & (1) power cable •IPX6 & IPX7 waterproof rating •**NOTES:** ***Value Pack**** includes digital Radome Radar Antenna (RD418D) w/10M RayNet cable; ***a67, a77, a97, & a127 Series Displays*** feature built-in ClearPulse™ digital sonar; ***a68, a78, a98, & a128 Series Displays*** feature built-in dual channel sonar w/both CHIRP DownVision™ & CHIRP fish targeting sonar imagery

Order #	Mfg. #	Display	Charts	Sugg.Ret.
a65 SERIES DISPLAY (NO SONAR)				
INCLUDES WiFi				
5027683	E70162-LNC	5.7"	LightHouse Vector USA	$799.99
a68 SERIES DISPLAY w/BUILT-IN CHIRP DOWNVISION SONAR				
INCLUDES WiFi & CPT-100 TRANSOM MNT. TRANSDUCER				
5027686	E70207-LNC	5.7"	LightHouse Vector USA	1089.99
a75 SERIES DISPLAY (NO SONAR)				
INCLUDES WiFi				
5027684	E70166-LNC	7.0"	LightHouse Vector USA	999.99
a77 SERIES DISPLAY w/BUILT-IN CLEARPULSE SONAR				
INCLUDES WiFi				
5027685	E70167-LNC	7.0"	LightHouse Vector USA	1,199.99

continued next page

RAYMARINE®
a SERIES MULTIFUNCTION DISPLAYS

continued from previous page

Order #	Mfg. #	Display	Charts	Sugg.Ret.
a78 SERIES DISPLAY w/BUILT-IN CHIRP DOWNVISION SONAR				
INCLUDES CPT-100 TRANSOM MNT. TRANSDUCER (NO WiFi)				
5027564	T70203-GLD	7.0"	North America Gold	1,389.99
INCLUDES WiFi & CPT-100 TRANSOM MNT. TRANSDUCER				
5027687	E70209-LNC	7.0"	LightHouse Vector USA	1,289.99
a95 SERIES DISPLAY (NO SONAR)				
INCLUDES WiFi				
5027769	E70232-LNC	9.0"	LightHouse Vector USA	1,899.99
a97 SERIES DISPLAY w/BUILT-IN CLEARPULSE SONAR				
INCLUDES WiFi, TRANSDUCER SOLD SEPARATELY				
5027771	E70233-LNC	9.0"	LightHouse Vector USA	1,999.99
a98 SERIES DISPLAY w/BUILT-IN CHIRP DOWNVISION SONAR				
INCLUDES WiFi & CPT-100 TRANSOM MNT. TRANSDUCER				
5027773	E70234-LNC	9.0"	LightHouse Vector USA	2,099.99
a125 SERIES DISPLAY (NO SONAR)				
INCLUDES WiFi				
5027770	E70235-LNC	12.1"	LightHouse Vector USA	2,799.99
a127 SERIES DISPLAY w/BUILT-IN CLEARPULSE SONAR				
INCLUDES WiFi, TRANSDUCER SOLD SEPARATELY				
5027772	E70236-LNC	12.1"	LightHouse Vector USA	2,899.99
a128 SERIES DISPLAY w/BUILT-IN CHIRP DOWNVISION SONAR				
INCLUDES WiFi & CPT-100 TRANSOM MNT. TRANSDUCER				
5027774	E70237-LNC	12.1"	LightHouse Vector USA	2,999.99

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
ANTENNAS			
5027775	A80288	a9x/a12x Series GPS/Glosnass Antenna - Passive	$99.99
BRACKETS			
5027776	R70305	a9x Series Trunnion Bracket	49.99
5027777	R70309	a12x Series Trunnion Bracket	54.99
TRANSDUCERS			
5027565	A80270	CPT-100 Trans. Mt.	89.99

RAYMARINE®
c95 & c97 SERIES MULTIFUNCTION DISPLAYS

•Features 9.0" (diagonal) ultra-sunlight viewable (16x9 widescreen) TFT 18-bit color display w/LED backlighting •Resolution: 800x480 pixels (WVGA) •LightHouse User Interface offers fast, easy control using keypad/Unicontroller •Equipped w/built-in high-sensitivity GPS receiver •Dual chart reader slots for Navionics® charts on microSD cards •Wi-Fi (802.11 b/g) video streaming & waypoint synchronization w/iPhone & iPad or Android Tablets & Smartphones •Bluetooth connectivity (AVCRP 2.1+ EDR power class 1.5) for optional RCU-3 remote control & multimedia control •Dual core main processor & dedicated graphics co-processor for speed & performance •Offers robust wired networking including SeaTalkhs, SeaTalkng, NMEA2000, NMEA 0183 & (1) composite video input •Network up to 6 displays together & match them w/your choice of Raymarine HD Color radar scanners, thermal imaging cameras, SIRIUS weather receivers, AIS transceivers, marine cameras & more •Includes rubberized protective sun cover, flush mounting hardware, power/data/video cable, installation guide and multi-language handbook on CD-ROM •Size: 11.4"x6.8" (not including mounting bracket) •**NOTE:** Built-in Sonar (c97 Series Display Only) is capable of imaging fish & bottom structure at depths to 3000 ft.

Order #	Mfg. #	Charts	Sugg.Ret.
c95 SERIES DISPLAY (NO SONAR)			
5027688	E70011-LNC	LightHouse Vector USA	$1,699.99
c97 SERIES DISPLAY w/BUILT-IN SONAR			
5027690	E70012-LNC	LightHouse Vector USA	1,799.99
TRUNION MOUNTING BRACKETS			
5027025	R70001	C9X/E9X for C90W/E90W	49.99
5027026	R70002	C12X/E12X for C120W/E120W	54.99
WIDESCREEN EASY-FIT BEZEL UPGRADE KITS			
5027028	R70008	Fits 9" C90W/E90W Displays	149.99
5027029	R70009	Fits 12" C120W/E120W Displays	149.99

RAYMARINE®
c125 & c127 SERIES MULTIFUNCTION DISPLAYS

•12.1" sunlight viewable widescreen (1280 x 800 pixels) LCD display w/LED backlighting •Easy-to-use LightHouse™ user interface features menus & functions located by using the rotary controller & button controls •Dual-core processor & dedicated graphics processor for amazing speed & performance •Composite video input •Built-in high-sensitivity 50-channel GPS receiver for fast & smooth vessel tracking with WAAS/EGNOS/MSAS •WiFi & Bluetooth wireless connectivity •(2)SeaTalkhs ports, (1) SeaTalkng connection, (2) NMEA 0183 ports •Mounting Options: Surface mount; Trunnion mount w/ optional bracket •Size: 13.94" x 2.72" x 8.74" •IPX6 waterproofing

Order #	Mfg. #	Charts	Sugg.Ret.
c125 SERIES DISPLAY (NO SONAR)			
5027689	E70013-LNC	LightHouse Vector USA	$2,299.99
c127 SERIES DISPLAY w/BUILT-IN SONAR			
5027691	E70014-LNC	LightHouse Vector USA	2,399.99

RAYMARINE®
eSERIES HYBRIDTOUCH™ MULTIFUNCTION DISPLAYS

•Features ultra-sunlight viewable (16x9 widescreen) TFT 18-bit color display w/LED backlighting •Resolution: 800x480 pixels WVGA (e97/e7/e7D/e95/e97), 1280x800 WVGA (e125/e127/e165) •HybridTouch™ LightHouse II user interface offers intuitive full-touch screen or button-based control •Built-in high-sensitivity 50-channel GPS receiver (NOT included w/e165 Series Display) & (optional) 600 Watt digital sonar that is capable of imaging fish & bottom structure at depths to 3000ft. •Capable of being networked w/Digital, CHIRP & CHIRP DownVision™ sonar modules (not included) •Dual chart reader slots for Navionics® charts on microSD cards •Built-in WiFi & Bluetooth wireless connectivity for optional RCU-3 remote control & multimedia control •Dual core main processor & dedicated graphics co-processor for speed & performance •SeaTalk^{hs} network connectivity •NMEA2000 & NMEA0183 connectivity •Get expanded video capability w/composite video input connector (PAL/NTSC formats) •Supports IP cameras •Network up to (6) displays together & match them w/your choice of Raymarine HD Color radar scanners, thermal imaging cameras, SIRIUS weather receivers, AIS transceivers, marine cameras & more •IPX6 & IPX7 waterproof ratings •Includes rubberized protective sun cover, flush mounting hardware, power/data/video cable, installation guide and multi-language handbook on CD-ROM •Size (LxHxD): 9.2"x5.7"x2.5 (e7/e7D), 11.4"x6.8"x2.5" (e95/e97), 13.9"x8.7"x2.7" (e125/e127), 16.8"x11.1"x3.5 (e165) •**NOTE:** ***e165 Series Display**** is NOT equipped w/an internal GPS - Raystar 130 GPS (sold separately) works w/any e165 installation - Install the CP450C CHIRP sonar module (sold separately) to add DownVision technology or the CP100 sonar module (sold separately)

Order #	Mfg. #	Charts	Sugg.Ret.
e7 SERIES 7.0" DISPLAY (NO SONAR)			
5027692	E62354-LNC	LightHouse Vector USA	$1,099.99
e7D SERIES 7.0" DISPLAY w/BUILT-IN SONAR			
5026827	E62355	No Charts	1,199.99
5027696	E62355-LNC	LightHouse Vector USA	1,199.99
e95 SERIES 9.0" DISPLAY (NO SONAR)			
5027693	E70021-LNC	LightHouse Vector USA	2,799.99
e97 SERIES 9.0" DISPLAY w/BUILT-IN SONAR			
5027697	E70022-LNC	LightHouse Vector USA	3,099.99
e125 SERIES 12.1" DISPLAY (NO SONAR)			
5027694	E70023-LNC	LightHouse Vector USA	3,399.99
e127 SERIES 12" DISPLAY W/BUILT-IN FISHFINDER (NO CARTOGRAPHY)			
5027698	E70024-LNC	LightHouse Vector USA	3,599.99

continued next page

continued from previous page

RAYMARINE®
eSERIES HYBRIDTOUCH™
MULTIFUNCTION DISPLAYS

Order #	Mfg. #	Description	Sugg.Ret.
ACCESSORIES			
TRUNION MOUNTING BRACKETS			
5027025	R70001	C9X/E9X for C90W/E90W	$49.99
5027026	R70002	C12X/E12X for C120W/E120W	54.99
WIDESCREEN EASY-FIT BEZEL UPGRADE KITS			
5027028	R70008	Fits 9” C90W/E90W Displays	149.99
5027029	R70009	Fits 12” C120W/E120W Displays	149.99

RAYMARINE®
DIGITAL RADOME
RADAR ANTENNAS

•4kW power •48 NM range •Combine with “a”, “c”, “e” or “G” Series Multifunction Displays for a complete radar system •Also compatible w/previous E Classic, C or E Widescreen Multifunction Displays, however you will need to use an A55076D, A55077D, A55078D or A55079D digital cable •Includes 10M RayNet Cable

Order #	Mfg. #	Model	Diameter	Sugg.Ret.
5027568	T70166	RD418D	18"	$1,199.99

RAYMARINE®
HD DIGITAL RADOME
RADAR ANTENNAS

•Combines the power & clarity of HD Digital signal processing w/an ultra-compact scanner suitable for all types of vessels •Compatible with a,c, e or G Series Multifunction Displays, these radomes offer a 256-color radar display & the clearest, most lifelike radar presentation •Also compatible w/previous E Classic, C or E Widescreen Multifunction Displays, however you will need to use an A55076D, A55077D, A55078D or A55079D digital cable •Adaptive digital receiver automatically adjusts to changing environmental & sea conditions for a dramatically clearer picture •High speed (48rpm) target tracking •Fast digital receiver processor •256 color multi-level display w/selectable color palettes •Bird Mode automatically optimizes the receiver for detecting sea birds above schools of fish •Automatic harbor, coastal, offshore & buoy operating modes •Dual-range mode allows you to monitor both long & short ranges simultaneously with a single scanner & display •Includes 10M RayNet Cable ***•NOTE:*** Target Tracking & Bird Mode not available when used w/E Series Classic & C Widescreen Displays

Order #	Mfg. #	Model	Diameter	Sugg.Ret.
5027569	T70168	RD418HD	18’’	$1,599.99

RAYMARINE®
RD418HD
DIGITAL RADOMES

•Superior display & simple, intuitive controls •Easily accessed auto modes •Broad compatibility across MFD range •Works with new C, E & G •All physical paramters same as NGS (except cable) •Mounting bolt pattern remains unchanged from current design •Re-designed antenna •Narrow horizontal beam angle - 5.1º for 18’’ and 3.9º for 24’’ •Custom designed LNC (Low Noise Converter) •Lowest noise on the front end of the system, superior sensitivity & weak target acquisition •Greatest number of pulse lengths, pulse repetition frequencies and IF bandwidths •Optimizes radar performance for every range scale •Better resolution & target detection •Quiet belt drive operation •Superior auto functions •User friendly •Thin (12.3mm) digital cable, same as digital scanners •5, 10, 15, 25m cables with 2.5, 5 & 10m extensions •Simplified installation w/plug - no requirement to open dome housing

Order #	Mfg. #	Model	Sugg.Ret.
5026088	E92142	RD418HD	$1,549.99

RAYMARINE®
HS5 SEATALK^{hs}
NETWORK SWITCH

•12V or 24V DC - Direct connect (wires - ST^{ng} power spur) •5 port - watertight RayNet connection •Supported Network Speeds: 10MB/sec., 100 MB/sec., 1 GB/sec. (5th port only) •Allows higher speed across switches should a second switch be necessary

Order #	Mfg. #	Sugg.Ret.
5027034	A80007	$269.99

RAYMARINE®
SEATALK hs
CROSSOVER COUPLER

•Provides a secure connection between any 2 SeaTalk hs devices •Commonly fitted on networks consisting of a single E-Series display with DSM300, or 2 E-Series displays with no DSM300 •For networks with 3 to 8 devices, please choose the SeaTalk hs Network Switch

Order #	Mfg. #	Model	Sugg.Ret.
5024581	E55060	SeaTalkhs for connecting 2 devices with no network switch	$49.99



RAYMARINE®
SEATALKNG BACKBONE KIT

•Contains everything you need to construct and wire a basic SeaTalkng navigation backbone on board your vessel •Contains the following components: (2) A060031 SeaTalkng Terminators, (1) A06037 20m Backbone Cable, (2) A06036 5m Backbone Cables, (4) A06028 T-Pieces, (1) A06049 Network Power Cable and (1) 81300 SeaTalkng Reference Manual

Order #	Mfg. #	Sugg.Ret.
5025631	A25062	$251.99

RAYMARINE®
DRAGONFLY™ SONAR/GPS

•CHIRP powered Dual Channel sonar •High resolution, photo like imagery of bottom structure using CHIRP DownVision™ •View structure images & target fish w/CHIRP sonar simultaneously using dual sonar mode •Dual-beam CHIRP transducer with a wide 60”x1.4” fan beam for DownVision™ imagery plus a conical 25º beam for targeting fish •DownVision™ & sonar images down to 600’ •High accuracy temp sensor built into transducer •Built-in 50 channel GPS sensor w/fast-acquisition technology •Simple user interface for easy access to menu options & display choices - simple 3-button control •Ultra-bright 1500 nit optically bonded sunlight display for max readability in all conditions •Tilt/Swivel quick-release drop-in base can be secured w/optional Thule lock core for added security

Order #	Mfg. #	Model	Sugg.Ret.
5.7" SCREEN			
5027354	E70085-GLD	w/Navionics® Gold Charts	$669.99
7" SCREEN			
5027658	E70230	No Chart, Transducer/Power Product Required	759.99
5027659	E70231	CPT-60 Transducer, No Chart	849.99
5027660	E70231-GLD	w/ Navionics® Gold Charts	899.99

Order #	Mfg. #	Type	Sugg.Ret.
ACCESSORIES			
5027333	A80223	Flush Mt. Kit (5.7" unit)	$19.99
5027662	A80287	Flush Mt. Kit (7" unit)	19.99
5027334	A80206	Carrier Pouch	24.99
5027335	R70134	Sun Cover (5.7" unit)	14.99
5027661	A80285	Sun Cover (7" unit)	14.99
5027337	A80207	Trans. Trolling Mtr. Bracket	124.99
TRANSDUCERS			
5027338	A80195	CPT-60 Transom Mt.	89.99

Raymarine®

RAYMARINE®
p70 AUTOPILOT CONTROL HEADS

•LightHouse user interface is simple and quick to use •Start up wizard helps you configure the pilot quickly and easily •Anti-reflective coating for improved visibility in bright sunlight •Four times brighter than previous generation product while consuming 27% less power •Supported autopilot modes: Auto; Standby; Pattern; Track; Wind Vane; Power Steer (p70R only) and Jog Steer •Simple system and group dimming/illumination •Support for multiple data sources •SeaTalkng/NMEA2000 and SeaTalk1 connectivity (no bridging required) **•p70 Keypad Control:** Simple Autohelm style 1 and 10 degree course change controls **•p70R Rotary Control:** Dial through menus or take control w/Power Steer Mode

Order #	Mfg. #	Model	Sugg.Ret.
5026833	E22166	Keypad Control	$534.99
5026834	E22167	Rotary Control	599.99

RAYMARINE®
CLEARPULSE CHIRP SOUNDER MODULE
CP100 DOWNVISION SONAR

•Coupled w/the intuitive LightHouse user interface, the CP100 can connect to a, c, e, and gS series Multifunction Displays •Will provide exceptionally detailed views of structure & objects on the bottom, as well as fish close to the bottom and in the water column •Use conventional CHIRP sonar to further ID fish & bottom-track at high speeds

Order #	Mfg. #	Model	Sugg.Ret.
5027572	E70204	Module Only	$519.99
5027573	E70205	Module w/CPT-100 Transom Mount Transducer	609.99
ACCESSORIES			
5027575	A80273	CP100 4M Transducer Extension Cable	27.99
TRANSDUCER OPTIONS			
5027565	A80270	CPT-100 Trans. Mt.	89.99

RAYMARINE®
CP300 CLEARPULSE SOUNDER MODULE

•Re-design of the ClearPulse high definition sonar technology •Provides high performance fish-finding & bottom tracking for all of the MFD ranges including E Classic, E & C Wide, G Series & the LightHouse platform used in a, c, & e series products, as well as future products using the LightHouse platform •Because the unit uses all of the current nonbroadband transducers, it makes a plug-and-play retrofit to a DSM30 or DSM300

Order #	Mfg. #	Model	Sugg.Ret.
5027574	E70154	Module Only	$699.99
ACCESSORIES			
5027575	A80273	CP100 4M Transducer Extension Cable	27.99

RAYMARINE®
DSM30 DIGITAL SOUNDER MODULE

•Digital Sounder Module adds HD Digital technology to Raymarine® E-Series and C-Series multifunction displays •600 watt operation •Dual frequency 50/200 kHz •Designed for 12VDC electrical systems only

Order #	Mfg. #	Sugg.Ret.
5025375	E63074	$499.99

RAYMARINE®
RS130 GPS RECEIVER

•Compact & accurate •ST^{ng}/NMEA 2000 (cerified) connectivity •Space Based Augmentation System (SBAS) enabled •Satellite differential type: WASS, EGNOS, MSAS and GAGAN •<9.84 ft. (3m) accuracy typical, <16.4 ft. (5m) accuracy guaranteed •Very high sensitivity: -162dBM •48 channel GPS receiver •Low power: 50mA (1 LEN) •12 or 24V DC •Pole mounting adapter included
•RS130 + ST1-STng Converter Retro Pack: Consists of E32153 RS 130 GPS Receiver & E22158 ST1 ti STng Converter kit

Order #	Mfg. #	Sugg.Ret.
5027260	E32153	$348.99
CONVERTER RETRO PACK		
5027551	T70133	389.99

RAYMARINE®
ST^{ng} STARTER KIT

•Consists of A06064 ST^{ng} 5-way connector, A06031 ST^{ng} Backbone Terminator (X2), A06040 ST^{ng} Spur Cable (3M), & A06049 ST^{ng} Power Cable (2M)

Order #	Mfg. #	Sugg.Ret.
5027370	T70134	$99.99

RAYMARINE®
EV-100 POWER PILOT

•A complete autopilot-in-a-box •Evolution AI™ enables autopilots to perceive their environment & then calculate and evolve steering commands to maximize performance •No calibration required •Built-in trolling patterns •Ideal for small, hydraulically steered powerboats •For 12V DC power systems •Box contains P70R Autopilot Control Head, EV-1 Unit only, ACU-100 (Autopilot Control Unit), 12V Type 0.5 Hydraulic Pump, & Evolution Cable Pack

Order #	Mfg. #	Sugg.Ret.
5027576	T70154	$1,499.99

RAYMARINE®
EV-200 SPORT PILOT

•A complete autopilot-in-a-box •Evolution AI™ enables autopilots to perceive their environment & then calculate and evolve steering commands to maximize performance •No calibration required •SeaTalk^{ng} Network compatible •ACU-200 Auxiliary power to SeaTalk^{ng} network •Box contains P70R Autopilot Control Head, EV-1 Unit only, ACU-200 (Autopilot Control Unit) which includes M81105 Rotary Rudder Reference, Wheel Mount Sport Drive, & Evolution Cable Pack •Hydraulic steering - max. 7000 lbs.; Mechanical steering - max 4400 lbs.

Order #	Mfg. #	Sugg.Ret.
5027577	T70159	$2,099.99

Raymarine®

RAYMARINE® EV-200 HYDRAULIC PACK

•A complete autopilot-in-a-box •Evolution AI™ enables autopilots to perceive their environment & then calculate and evolve steering commands to maximize performance •No calibration required •Includes Type 1 Hydraulic Drive Unit •SeaTalk^{ng} Network compatible •ACU-200 Auxiliary power to SeaTalk^{ng} network •Box contains P70R Autopilot Control Head, EV-1 Unit only, ACU-200 (Autopilot Control Unit) which includes M81105 Rotary Rudder Reference, Type 1 Hydraulic Pump, & Evolution Cable Pack

Order #	Mfg. #	Sugg.Ret.
5027578	T70157	$2,899.99

RAYMARINE® HIGH PERFORMANCE DSM300 TRANSDUCER

•Depth only •1 kW. For in-hull or transom mounting •Dual frequency 200/50 kHz •1000 watts w/30' cable •Includes in-hull mounting kit

Order #	Mfg. #	Sugg.Ret.
5025321	A66089	$1,049.99

RAYMARINE® RCU-3 STEERING WHEEL REMOTE CONTROL

•Gives you simple access to frequently used functions while underway •Change range scales, control your music, switch between apps, and even mark a waypoint •You can also attach the RCU-3 to the supplied lanyard & transform the RCU-3 into a convenient handheld remote control for the e7 •Bluetooth wireless technology makes configuring the RCU-3 remote easy and gives wireless control of the e7 from up to 15' from the display

Order #	Mfg. #	Sugg.Ret.
5026830	E62351	$134.99

RAYMARINE® SEATALK CABLE ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5022822	D284	SeaTalk Cable	$31.99
5022821	D244	SeaTalk Junction Box	26.99
SEATALKHS NETWORK CABLES (E-Series)			
5024613	E55049	SeaTalkhs 1.5m Network Cable	54.99
5024614	E55050	SeaTalkhs 5m Network Cable	109.99
5024959	E55051	SeaTalkhs 10m Network Cable	154.99
5024960	E55052	SeaTalkhs 20m Network Cabe	239.99
SEATALKHS DIGITAL RADAR INTERCONNECT CABLES			
5026091	A55077D	SeaTalkhs 10m Digital Cable	169.99

RAYMARINE® FISH FINDER ACCESSORIES

Order #	Mfg. #	For	Sugg.Ret.
TRANSDUCER - ADAPTER CABLE			
5024968	E66066	Transducers B117 (E66014) & B744VL (A66092)	$79.99
TRANSDUCER - THRU-HULL			
5025316	E66085	(B60)Bronze, 200kHz, Depth 20º Tilted Element, DSM300	289.99
5025854	E66087	(B60) Bronze, 200/50kHz, Depth & Temp, 20ºTilted Element, For A50D,A57D,A70D & DSM25	269.99
5027037	E66088	Bronze B60-12° Tilted Element™ - 50/200kHz, Compatible Hull Material: Fiberglass or Wood, 33 ft. Cable, Fits vessels w/hull deadrise of 5° to 8°, Compatible w/DSM25, A50D, A57D & A70D Sounders	269.99
TRANSDUCER - IN-HULL			
5027036	E66073	(P74) Dual Freq. Single Ceramic Element - 50/200kHz, Compatible Hull Material: Fiberglass, 25 ft. Cable, Compatible w/DSM25, A50D, A57D & A70D Sounders	109.99
TRIDUCERS - TRANSOM MOUNT			
5024356	E66054	Plastic, DSM250, DSM300, L770, L1260	149.99
TRIDUCERS - BRONZE THRU-HULL			
5024091	A66091	DSM300, Includes Fairing	429.99
TRIDUCERS - (P58) MULTI-FUNCTION-TRANSOM MOUNT			
5024898	A102138	DS400X, DS500X & DS600X	99.99

RAYMARINE® RAYNET TO ST^{hs} SOCKET CABLE ADAPTER

•Allows you to fit the existing waterproof, locking SeaTalk^{hs} cables used with G-Series, E-Wide, C-Wide & E-Classic MFDs to new generation RayNet multifunction displays •15" length

Order #	Mfg. #	Sugg.Ret.
5027268	A80160	$54.99

RAYMARINE® RAYNET(PINS) TO RAYNET (PINS) CABLE JOINER ADAPTER

•Lets you connect 2 standard RayNet networking cables together in instances where you need to extend the length of the cable run •3.9" length

Order #	Mfg. #	Sugg.Ret.
5027267	A80162	$54.99

RAYMARINE® ADAPTER CABLES

Order #	Mfg. #	Description	Sugg.Ret.
5027027	A62363	1m MinnKota Adapter Cable	$59.99
5027032	A62360	1m RayNet to RJ45 Male Cable	49.99
5027033	A62361	1m RayNet to RayNet Cable	54.99

RAYMARINE® ALARM AUDIO OUT & VIDEO IMPUT/OUTPUT CABLE

•Use for adding three additional video input sources as well as an HD compatible VGA output to external LCD monitors & TVs •For use w/E-Series Widescreen Multifunction Displays

Order #	Mfg. #	Sugg.Ret.
5026985	A62158	$79.99

RAYMARINE® COMPACT FLASH TO MICRO-SD CARD ADAPTER

Order #	Mfg. #	Sugg.Ret.
5026289	A62311	$29.99

SIMRAD

NEW

SIMRAD®
NSS evo2 CHARTPLOTTER/ MULTIFUNCTION DISPLAY

•Well suited for center consoles, sportfishing & power cruising boats •TouchSensible™ interface w/multi-touch control & rotary dial w/keypad •HEROiC software designed for mixed-mode user control to provide a powerful multi-touch user interface that can also be operated by a keypad when sea conditions get challenging •Embedded, high-gain 10Hz GPS/GLONASS antenna •WVGA Color TFT LCD 16:9 display features a tablet-style home screen w/pre-set & customizable navigation panels •Screen background can be customized •Embedded CHIRP enabled Broadband sounder & StructureScan Sonar •Complete vessel integration •Fast processor •Bright screen •Low Profile (~8mm) front mount option •Glass-Bridge look for any vessel •GPS works in flush mount installations* (*on MOST non-metal boats) •HDMI Video Output •Full autopilot integration capability •Simrad GoFree WiFi integration capability •Networking capability •Cartography compatibility includes Insight, C-MAP MAX-N & Navionics® •Flush-mount installation & classic black and brushed silver trim panels ***•NOTE:*** Bundles include MFD and 4G radar

•NSS7: 7" widescreen display - Built-in CHIRP Echosounder & StructureScan. Insight cartography

•NSS7M: 7" widescreen display - Chart only, no built-in echosounder

•NSS9: 9" widescreen display - Built-in CHIRP Echosounder & StructureScan. Insight cartography

•NSS9M: 9" widescreen display - Chart only, no built-in echosounder

•NSS12: 12.1" widescreen display - Built-in CHIRP Echosounder & StructureScan. Insight cartography

•NSS16: 16.0" widescreen display - Built-in CHIRP Echosounder & StructureScan. Insight cartography

Order #	Mfg. #	Model	Sugg.Ret.
5027783	000-11184-001	NSS7 evo2 Combo	$1,199.99
5027785	000-11190-001	NSS9 evo2 Combo	2,499.99
5027786	000-11192-001	NSS12 evo2 Combo	3,499.99
5027787	000-11196-001	NSS16 evo2 Combo	4,999.99
CHART ONLY MODELS			
5027782	000-11182-001	NSS7M evo2	1,099.99
5027784	000-11186-001	NSS9M evo2	2,299.99
BUNDLES			
5027788	000-11450-001	NSS9 w/4G Radar	4,198.99
5027789	000-11451-001	NSS12 w/4G Radar	5,190.99

SIMRAD®
NSE NETWORK NAVIGATION SYSTEM ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
5027171	000-10613-001	RC42N Rate Compass, Micro-C Needed to do Radar Overlay	$645.99
5027177	000-10760-001	Micro-C Backbone Kit	119.99
5027168	000-127-45	SIMNET to NMEA2000 Adptr. Kit	99.99

Uniden®

UNIDEN®
ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
TRANSDUCERS			
5001578	650-2406	QT-206 Transom Mount	$44.99

MOUNTS & BRACKETS

Angler's Pal By MarineTech

ANGLER'S PAL
MULTI-MOUNTS

•Mount fishfinder/depth sounder anywhere in the boat •Features 360° full hemisphere of possible positions •Universal ball locking device w/"select position" locking knob makes it virtually vibration free •Easily removed for security or storage

Order #	Mfg. #	OAL	Sugg.Ret.
STAINLESS STEEL/BLACK HARD ANODIZED ALUMINUM			
5204553	AP-MT10	10"	$95.99
5204554	AP-MT14	14"	98.99
5204555	AP-MT17	17"	99.99
NYLON REINFORCED COMPOSITE			
5027507	AP-MT4NYL	4"	41.99

NEW

ANGLER'S PAL
LOWRANCE ELITE/MARK SERIES MOUNT

•Combines the Angler's Pal Nylon Composite Electronics Mount (AP-MT4NYL) w/the Angler's Pal Lowrance Quick Connect adapter (AP-505) •Provides an easy, quick connection for Lowance Elite & Mark series electronics •Snaps into place for viewing at almost any angle •Simply press the release button to remove the unit for storage

Order #	Mfg. #	Sugg.Ret.
5027930	AP-507	$41.99

NEW

ANGLER'S PAL
QUICK DISCONNECT

•Quickly & effortlessly remove electronics for safe storage •Simple plunger pin push & quick twist, the unit is protected •Only for use w/ Angler's Pal electronics mounts •Constructed of corrosion resistant fiberglass reinforced polypropylene & stainless steel •Lightweight & suitable for fresh or salt water environments •Diameter: 3.75" •Ht.: 15/16" •Stainless steel mounting hardware included **•NOTE:** Not recommended for use w/electronics weighing over 5 lbs.

Order #	Mfg. #	Sugg.Ret.
5027931	AP-500	$14.99

NEW

ANGLER'S PAL
LOWRANCE ELITE/MARK SERIES QUICK CONNECT

•Designed for Angler's Pal mounts •Adapter quickly connects Lowrance Elite or Mark Series Sounder/GPS to an Angler's Pal mount •Replace the universal mount plate originally provided w/this adapter & attach the unit •Press & lift to remove your electronics from the mount

Order #	Mfg. #	Sugg.Ret.
5027929	AP-505	$17.99

Johnny Ray LLC
New Ideas for Better Fishing !!

JOHNNY RAY SPEED REEDER UNIVERAL TRANSOM MOUNTED TRANSDUCER BRACKET

•Eliminates your high speed depth sounder reading problems •Constructed of heavy 16 gauge T-304 Stainless Steel & assembled w/ stainless steel hardware •Designed & developed specifically to provide flawless depth finder reading at high speed or while cornering •Unique two-piece adjustable design provides an infinite number of settings to match your boat's transom angle & the water's surface •Keeps the transducer in clean (non-turbulent) water at speed or when cornering •"Kick-up" design protects your transducer from floating or hidden objects under water

Order #	Mfg. #	Sugg.Ret.
5026891	JR-3	$34.99

JOHNNY RAY TRANSDUCER MOUNTING BRACKET

•Designed to provide a solid, secure and easy way to mount the transducer of your electronic unit to the shaft of your trolling motor •Brackets offset the transducer to the side of the motor to protect it from damage •Also allows for easy cone angle adjustments to make the unit perform to its true potential •The brackets have the ability to convert any conventional electronic unit to a side-scanning unit by turning the transducer 90º to the lake bottom •Die-formed from .093 aircraft grade aluminum, anodized to eliminate electrical interference and include zinc-plated mounting hardware
•Model JR-1: Fits 1'' dia. shaft: MotorGuide, Evinrude, Johnson, OMC
•Model JR-2: Fits: Minn Kota

Order #	Mfg. #	Model	Sugg.Ret.
5000631	JR-1	JR-1	$16.99
5000632	JR-2	JR-2	16.99

JOHNNY RAY JR-400HLP-M COMPLETE SWIVEL MOUNT ASSEMBLY

•Machined from durable 6/6 Nylon for corrosion resistance & long life •Features the JR-400 swivel mount top already installed w/HLP Plate & hardware, & JR-300B swivel base •Simply locate your unit's base onto the plate, & drill the electronics pattern accordingly into the HLP Plate •Smaller Humminbird models like PiranhaMAX, can be drilled & reverse bolted from underside to match Electronic hole pattern •Nuts and washers exposed at top

Order #	Mfg. #	Sugg.Ret.
5026893	JR-400HLP-M	$41.99

5000634 **5001128** **5002259** **5026986** **5001031** **5025398**

JOHNNY RAY PATENTED SWIVEL MOUNTS

•Features simple, one-handed operation to adjust the viewing angle •Securely holds the unit in place, no matter the boating conditions •No knobs to tighten or multiple joints to move •Mounts keep the electronic units close to the boat, not "out-on-a-limb" where vibration and rough water can make viewing the unit virtually impossible •Every model features a fully rotational swivel top that automatically locks in its turned position and can be removed by using its patented top removal feature to allow for storage of the unit •Mounts are injection molded from DuPont® 6/6 Nylon material and assembled w/stainless steel springs and screws

Order #	Mfg. #	Style	Description	Sugg.Ret.
5000634	JR-300	JR-300	45 position automatically locking swivel top. Push-button top removal mechanism. Low profile design - only 1-1/4'' tall. Supports weights up to 7 lbs.	$31.99
5001128	JR-400	JR-400	45 position automatically locking swivel top. Push-button top removal mechanism. Low profile design - only 1-1/4'' tall. Supports weights up to 7 lbs.	31.99
5002259	JR500	JR-500	45 position automatically locking swivel top. Push-button top removal mechanism. Low profile design - only 1-1/4'' tall. Supports weights up to 7 lbs.	31.99
5026986	JR-205	JR-205	24 position automatically locking top. Lever-release top removal mechanism. Heavy-duty.	44.99
5001031	JR-206	JR-206	24 position automatically locking swivel top. Lever release top removal mechanism. Heavy-duty for larger electronics. Supports up to 14 lbs.	44.99
5025398	JR-207	JR-207	24 position automatic locking top. Lever release top removal feature. Heavy-duty design for larger electronics. Supports up to 14 lbs.	44.99
ACCESSORIES				
5001132	JR-300B		Swivel base only, push-button release, for 300,400 & 500 tops	24.99
5001130	JR-205B		Swivel base only, lever release, for JR-206 tops	34.99

Go To Johnnyraysports.com/modelselect.html for All Your Application Needs.

5204571

5025602

5022326

5027247

5024572

5027237

5027238

5027241

5027242

5027243

5027245

5027246

5022314

5025644

5027240

5027236

5025394

5026915

5026916

5027628

5027252

5022315

5022316

5022318

5503305

5025301

5022319

5022317

5025601

5022313

5025600

5025188

5025625

5025892

ABOUT RAM MOUNT®

•RAM is the revolutionary universal ball and socket mounting system that allows mounting of practically anything anywhere •Its unique design provides easy installation, mobility, strength, versatility, vibration protection & durability, all at a low cost •RAM is backed by NPIs renowned Lifetime Warranty which makes it the mounting system of choice •To provide light weight strength & corrosion resistance, RAM is made of marine grade aluminum w/powder coated finish, stainless steel hardware & rubber balls •Recognized & accepted by the U.S. Patent Office, RAM is the only universal ball-and-socket system that holds tremendous amounts of weight in high vibration applications for military, commercial & private use

continued next page

RAM®

continued from previous page

COMPONENTS & MOUNTING SYSTEMS

•Allows mounting of anything anywhere •Over 160 interchangeable accessories offers solutions to most challenging mounting problems •Reposition or remove electronics for viewing or safe keeping

Order #	Mfg. #	Included Components & Description	Sugg.Ret.
MISCELLANEOUS COMPONENTS			
BASES			
5024571	RAM B-107-1BU	Unpacked Base w/1" Ball for Cuda Piranha MAX 10, 15, & 20)	$24.99
5025602	RAM-202	2.5"Dia. Base w/1.5'' Ball	15.99
5022326	RAM-B-202	2-6/17"Dia. Base w/1" Ball	11.99
5027247	RAM-D-202U	3.68" Dia. Base w/2.25" Ball	25.99
BASE KITS			
5024572	RAM-B-108B	1"-2.1" Rail-Accomodating Base w/1" Ball. Includes (1) 6"L & (1) 8" Metal Clamp Strap, & (1) 5.5" Rubber Strip.	25.99
DOUBLE SOCKET ARMS			
5027237	RAM-201	Accommodates 1.5" Ball Bases. OAL: 5.625". Socket-to-Socket length: 4.5".	25.99
5027238	RAM-201-D	Accommodates 1.5" Ball Bases. OAL: 9.125". Socket-to-Socket length: 8.75".	42.99
5027241	RAM-B-201	Accommodates 1" Ball Bases. OAL: 3.69". Socket-to-Socket length: 3".	14.99
5027242	RAM-B-201-A	Accommodates 1" Ball Bases. OAL: 2.38". Socket-to-Socket length: 2".	14.99
5027243	RAM-B-201-C	Accommodates 1" Ball Bases. OAL: 6". Socket-to-Socket length: 5.1875".	23.99
DOUBLE SOCKET ARMS			
5027245	RAM-D-201-U	Accommodates 2.25" Ball Bases. OAL: 8.375". Socket-to-Socket length: 6.5625".	68.99
5027246	RAM-D-201-U-C	Accommodates 2.25" Ball Bases. OAL: 5.0625". Socket-to-Socket length: 3.1875".	45.99
ARM EXTENSIONS			
5022314	RAM 109-1A	Bent, 6"L Arm Extension for RAM 109 Series. Includes 4"L Bolt, Washers, & Tightening Knob	35.99
ADAPTER MOUNTS/PLATES			
5025644	RAM-338U	Double (Sonar/GPS) Adapter Plate. Mount Satellite Radio Receiver & Antenna on Single Platform. Stack Devices for Convenient Accessibility	14.99
5027240	RAM-202U-LO11	Adapter base w/1.5" dia. rubber ball & inserts directly to the back of Lowrance Elite 5 & Mark-5 fishfinders. Acts as quick release mechanism.	13.99
MOUNTING SYSTEMS			
5027236	RAM-101	RAM-202U Two 2.5"Dia. Bases w/1.5" Balls with RAM-201U Double Ball Socket Arm. Universal AMPS hole pattern.	47.99
5025394	RAM101G2	RAM-101U (Two 2.5"Dia. Bases & 1.5" Balls w/RAM Double Socket Arm. Mount Ht.: 7.35" tall @ max. extension & is collapsible. For Garmin Fishfinder & GPSMAP models.	47.99
5026915	RAM101-G4	RAM-101U (Two 2.5"Dia. Bases & 1.5" Balls w/RAM Double Socket Arm. Mount Ht.: 7.35" tall @ max. extension & is collapsible. Includes hardware used to attach Garmin Echo to the Mount.	52.99
5026916	RAM-101-LO11	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball) & RAM-202U (2.5" dia. Base w/1.5" Ball). For Lowrance Elite-5 & Mark-5 Series fishfinders.	47.99
5027628	RAM-101U-235	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball) & RAM-202U (2.5" dia. Base w/1.5" Ball),.& RAM-235U (Double U-bolt Base w/1.5" dia. ball & (2) SS U-bolts to fit rails from 1" to 1.25" in dia.)	56.75
5027252	RAM-B-101-LO11	RAM-B-201U Double Socket Arm for 1" Ball & RAM-B-202U 2-7/16" dia. Base w/1" Ball for Lowrance Elite-4 & Mark-4 Fishfinders.	31.99
5022315	RAM 109H	RAM-111BT (Flat 6.25"x2" Rect. Universal Base w/Tightening Knob) connects to RAM-109H-BU (Horizontal Swing Arm Mount Bracket). Hardware included.	70.99
5022316	RAM 109V	RAM-111BT (Flat 6.25"x2" Rect. Universal Base w/Tightening Knob) connects to RAM-109V-BU (Vertical Swing Arm Mount Bracket). Hardware included.	69.99
5022318	RAM-B-107	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball) connects to RAM-B-202U (2-6/17"Dia. Base w/1" Ball).	38.99
5503305	RAM-B-138-UN4	RAM-B-138U (Two 2.5"Dia. Bases & 1" Balls w/RAM Double Socket Arm), & RAM-HOL-UN4U (RAM Composite Universal Finger Grip™ Holder). Hardware included.	42.99
5025301	RAM137U	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball), RAM-202U (2.5"Dia. Base w/1.5" Ball), & RAM-137BU (3"x11" Rect. Base w/1.5" Ball). Hardware included.	65.99
5022319	RAM-B-111	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball), RAM-B-202U (2-6/17"Dia. Base w/1" Ball), & RAM-B-111BU (Flat 6.25"x2" Rect. Electronics Base w/1" Ball for Garmin GPSMAP 162,168, 175, 180, 180C, 182, 185, 188, 232, & 238). Hardware included.	31.99
5022317	RAM 111	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball), RAM-202U (2.5"Dia. Base w/1.5" Ball), & RAM-111BU (Flat 6.25"x2" Rect. Electronics Base w/1.5" Ball). Hardware included.	45.99
5025601	RAM-B-107-1	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball), RAM-B-202U (2-6/17"Dia. Base w/1" Ball), & RAM-B-107-1BU (Base w/1" Ball for Cuda Piranha MAX 10, 15, & 20). Hardware included.	36.99
5022313	RAM 107	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball), RAM-202U (2.5"Dia. Base w/1.5" Ball), & RAM-107BU (Base w/1.5" Ball for Hummingbird Series 700, 500, 300, 100, Matrix [excl. Matrix 97], & Ray Marine Apelco Fishfinder w/Matching Pattern Hole). Hardware included.	53.99
5025600	RAM-B-101-235U	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball), RAM-B-202U (2-6/17"Dia. Base w/1" Ball), & RAM-B-235U (Double U-Bolt Base w/1" Ball). Hardware included.	38.99
5025188	RAM-D-111U	RAM-D-201U (Double Socket Arm [O.A.L: 8.375"] for 2.25" Ball), RAM-D-202U (3.68"Dia. Base w/2.25" Ball) & RAM-D-111BU (3"x11" Rect. Base w/2.25" Ball) Hardware included.	138.99
5025625	RAM-D-111UC	RAM-D-201U-C (Double Socket Arm [O.A.L: 5.06"] for 2.25" Ball), RAM-D-202U (3.68"Dia. Base w/2.25" Ball) & RAM-D-111BU (3"x11" Rect. Base w/2.25" Ball) Hardware included.	106.99
5025892	RAM-111U-B	RAM-201U-B (Double Socket Arm [O.A.L: 3.5"] for 1.5" Ball), RAM-202U (2.5"Dia. Base w/1.5" Ball), & RAM-111BU (Flat 6.25"x2" Rect. Electronics Base w/1.5" Ball). Hardware included.	47.99

RAM® MOUNTS AQUA BOX™ PRO w/HANDLEBAR MOUNTS

•Consists of a zinc coated U-bolt base, double socket arm, and Aqua Box™ Pro case •Mount is designed with a RAM 1" dia. patented rubber ball & socket system that has adjustment points at both ends of the double socket arm; this allowing for almost infinite adjustment and perfect viewing angles •Included in this package is hardware that will accommodate rails from 0.50" to 1.25" in diameter •Base includes black cover caps to be placed over exposed ends of the u-bolt •Included composite rail adapter can narrow the rail to a minimum width of 0.5". Aqua Box™ Pro case features a storage area which provides buoyancy & is perfectly sized for a driver's license or credit card •Weather resistant/splash proof •Unique patented design allows access to all side buttons on the phone while in case •Replaceable PVC Vinyl screen offers a clear view of the screen, allowing easy operation of the touch screen while in the case •Lanyard, belt clip, belt clip button & cradle included •**Small** fits Smartphones up to 4.58"Hx2.46"Wx0.47"D (depth will flex) •**Large** fits Smartphones up to 5.38"Hx2.8"Wx0.55"D (depth will flex)

Order #	Mfg. #	Style	Sugg.Ret.
5027249	RAM-B-149Z-AQ7-1	Small	$65.99
5027251	RAM-B-149Z-AQ7-2	Large	66.99

RAM® MOUNTS HANDLE WRENCH FOR "D" SIZE BALL ARMS & MOUNTS

•Designed to be used with the knob found on the "D" size ball arms & mounts •Matches the shape of the knob found on the side of "D" arms, & lets you give the arm an extra tight grip •Powder coated Marine Grade aluminum •Ball size: 2.25"

Order #	Mfg. #	Sugg.Ret.
5027339	RAM-KNOB9HU	$19.99

LOG BOOK & WETNOTES

RITCHIE® NAVIGATION

RITCHIE® WETNOTES®

•Ideal for work or play •For boaters, divers, naturalists, campers, engineers •Completely waterproof •Use under water •Opens flat for easy writing •Plastic ring allows easy removal of pages •International Safety Yellow vinyl cover •Uses regular soft lead pencil (not included)

Order #	Mfg. #	Style	Sugg.Ret.
5100523	W-50	WetNotes®. 45 pgs., 4-1/2"x7-1/4"	$21.99

NOTES

NOTES